

Hunt Institute for Botanical Documentation 5th Floor, Hunt Library Carnegie Mellon University 4909 Frew Street Pittsburgh, PA 15213-3890 Contact: Archives Telephone: 412-268-2434 Email: huntinst@andrew.cmu.edu Web site: www.huntbotanical.org

The Hunt Institute is committed to making its collections accessible for research. We are pleased to offer this digitized version of an item from our Archives.


Usage guidelines

We have provided this low-resolution, digitized version for research purposes. To inquire about publishing any images from this item, please contact the Institute.

About the Institute

The Hunt Institute for Botanical Documentation, a research division of Carnegie Mellon University, specializes in the history of botany and all aspects of plant science and serves the international scientific community through research and documentation. To this end, the Institute acquires and maintains authoritative collections of books, plant images, manuscripts, portraits and data files, and provides publications and other modes of information service. The Institute meets the reference needs of botanists, biologists, historians, conservationists, librarians, bibliographers and the public at large, especially those concerned with any aspect of the North American flora.

Hunt Institute was dedicated in 1961 as the Rachel McMasters Miller Hunt Botanical Library, an international center for bibliographical research and service in the interests of botany and horticulture, as well as a center for the study of all aspects of the history of the plant sciences. By 1971 the Library's activities had so diversified that the name was changed to Hunt Institute for Botanical Documentation. Growth in collections and research projects led to the establishment of four programmatic departments: Archives, Art, Bibliography and the Library.



E.LUCY BRAUN 2702 MAY ST CINCINNATIO My. 36 Och 24. Florence, rt. 42 to Warson, 1938 35 to Sparta; to glencoe, to berona, to 42, to Florence - mi Dit 27. Rt. 4 2 to Carrollton; 55, 83 to 23, gratz, Owent m- Dry Ridge apr. 2, 1939. Hagel Branch, nea Danceburg, Lewis Co, 190 me apr. 13 - Carrollton, Carroll Co, & milton, Trimble Co. 157 apr. 20 Elphom Creek, Franklin Co. apr. 24. Cin .- Stearns; plops nea Burnside courts al m

Rpr. 25. AM-Rain PM. Bonco Loop, Pulashe Co: pine oal mores and l.s. slipe . april 26. Cumberland Rover on Borres Fort, Pulaskilo +pt. into Bearer Cr. mc Creary Co apr, 27. Jellio Creek, Whitley Co. (on Kyg2) + Holly Hills, mc Creary Co. (onky 92) apr. 2.8. Buch Branch of Jelico Criek; virgen forest. gitized by Hunt Institute for Oct. 24, 1938 Priver bank east of Warson, steep & rocky: - Gallatin Co Baptinia Sporting opm desmanthus Paricum? April Hypericum apro amorpha apios On pouch adge of Warson, at agrandpet-Celtis spind Polymine, 2pm Ptelea morees alla Acalyphaostry Pilea Ermymuss -Corydalis an éserte? acerpacebarinum

Ranne on rt. 35 south of Warson Gallatin Co. beech spicebuch L. muhl. Celastrus Smiloy hesp s, maple Lanthopylum wh, elm p. ing. sycamore brb. rufed redhed red cedar menisperme Corollerry Carpenno Frank, penn rasplery 11 amer. Rosa petiger. Princis perot. bitis cord, papar oah (spm) Digitized by Hunt-Institut neal Documentation Eup. urter. adiantiem asorum can aster morne angl. " laterif. galuen conc. Solidago laty abritilon Theo. cryptotaerua Sande -Riceleastrepens beggaislice biolapapel. 11 ptreata Servero obor. Camponula amer Phlof dirar. agrimmer molles anemone very. Polemonum

Up on rolling repland between Warsan & Sparta big tuliptree - 2 uslant. nyssa white vah sh. b. heck. b. tip och Floodplain - Eagle Creek near Sporta , Gallaten Co. whelm Laportea Phlop pan. Salif negra aster pare, acer pachari Pilea sycamore Rudbeckia La gitized by Hunt-Institute Silphum perf. box elder Polygonemong green ash Tslightly Leercia notrice mullenbugiaspond propher, add Cryptotaenia buch Cenno s.maple buroah Lycopus spin b.t. vah In cult, field -Lamien (Cardamine perm mollingo Phypoloder Ky coffee tree - Gallotin Co. Sur white oak - near verona in Borne Co

gullatine Co mistletve Dir gume persimmin Carroll Co, misiletoe Hab of Ky Pine pin och sur whe walk in home places silmmaple, bl. millor new in Saliflorge surmelsured toyelder Jonolobus their Whelm gitized by Hunt-Institute for Botanical Documentation Julia Retere red elm s.maple Walnut hachberry Smila hisp Ch. val whoah rasplery ping vilapapil oah-Celastrus Erm. alrop Jalum and onus aspent Greek bales Sedera 1 Hydrangeo Smilarina Cryptolation Bottoms with perfiles deer Caref (spn) Saururus amph. mon aster par Learnin not russe menist

Oct 2.7 Lycopus, like Spartupp Bautellaria laterif minilus alatusticale Pilea Canja lac. tuliptiee aboregulal 2. maple "" tal Thal - T. caulophylloider Cephalanthus gonigtorrand a beechmeto-dris Penchorien Gum bigheads Epelohi - hom fairs igitized by Hunt Institute for Botanieal Docu beech moder flat (althe flood debris 10ft -1 beech under Tulip Coryalar tralnut Enjurice w. Cherry sirgum cephal in long parts Sup. perf Chelmo about 10 mil before gets with The "cedar belt", inch oah

Och 27 Henry Co. Lunch cedar ooks (acours), muchl., beliten bb rufid redhed Sm. hisp conclury J. imbr Eup. urtic anen ma Comes asp Prumes ser aster phortie Celashus Cellis apro Ruelliaste Caryo Ovata flow setegers balnut persum Crofm mos Erony atrop Friders fo berb, white simple " Cedar plope at Grafy unical Documentation Digitized by Hunt wh. verber Cedar. aster oll onlas Propear A. lours Croton mon Q. imbe alex. glabe Salvia lyr 2. velut Cuphaea Q. (spin Abunch) Tridens fl redbud) Lesp. vol 2 mull bit ruf . dynne Panicinfler s. maple Lesm rol aster shorter Lith (poley) Eup. alt Celasting Rhus al persim " of

Hazel Branch, near Vanceburg, Leins Co. april 2, 1939 Lonce plote four is nh. oal hickory alla block hypor chestnut Jufansian ashi Under-Smilafalues beech dogund ash papar Pyl mite ash papar hick might chest desc. oct only glaba Tulip helip gitized by Hunt-I anh. Solet. anemmell Stell, pulcin Jelenia Jydrangea Gerannin plent Cac Lipularia Hent Letero Jolem pub Phlox dir Pan. hisp Polyprile adiantin Epilsques Pon cusp aflectrum Collinsoira brancar Sangunaria Pedic. Can Cumila (Higher, beech trops and & out, hich , + chest prend with less herb but more Cunilla, Jellenee R. montana D. cocc

apr. 2 Solid later Obolinia aspl. platin Acpatica Full grand Com msepe aspl. acirst acar, canarl Discorea villas Sambruns 1 Benzon Confphreis. Conglits uma billa post aspl: ff Engthe alt. miscellavenis, plant ascyrum Potentpun Philocop, Philos typh Pyrus - " glabo Cossia mit Geron, card Clayt. virg. dom. 3 Start up another pame his crest Senerio vboy 2. bor may Soppula bu

Carrollon, Carroll Co. april 13 mice Draba Congdalisflar Draba oganople Dolasor mayapple " strusta Still, pul galin aparine Pent: Jac, Blephileatur Wony drof Evony atrop Cuystop fray Squinel for & D, heedes Styder, append Delph tree Campanielamen genvernun gitized by Hunt Justituite for Botanical I whelm; red elin Caryn coril Primusser Trulens and ving Symph Bucash Trumpsthine acer parth, nigrun hackberry hmeylow hmeylowst, lowst relland rumulberry Querus much Tilia - ? Opio brickeje

apr. 12 Rin hills below Carpollon -Phac. Pushi Trilling sessile dopyren Dilphin Card, derege agar, can acum Polygon com Dent, lac anommella Polemmiun Staphyllen Spr. beauty Polymenting Grad, film That dir V blordroof Applianger) Digitized by Hunt Institute for B Stiplophorum Depatica D. breeches Imps, falleda Ranun mer Tilia O. buckeye blueash redhed aurparch + niguen hachberry, Condala Inclauni Solid lall brola scal Chaepyph

april 13 Trimble Co almo melm animmella plent. Que Smilin' allion tree Sol. lalif aquelegia can Camptones Ribes Polygonate pules aster shorten redrah Digitized by Hunt Institute for Botanical Docum Blordrow Sepatera Senecia vor Staflight Seymerin geen noles Sedun Oxalis vid Deoscorea, big haspin auren Jaender; Phlop dir, Vellaca Appella Anist. Junp Erythamen

apr 13 frees beech dogend smaplefuel Ortuga Tilin general ash. M. butternet cherry redelm en blukerp, big tulip hapan alt. spicebush larkspure Hamamelis Violason Hydraugh artaca ull anhieron Cystop frag Aralis spin Wordsie utte Cyst hief Digitized by Hunt Institute for Botanical Documentation Spr. heauty is com Hyde mars & can rup. purp. Trill decl ginger aciam Timles Fillin sesale youlest Jeppert salt Botrych ong Jack Scrop. manl poppy Geranici Commit has Sup. phelite blent diph Polyming Viola can Demorhya, hang Valerian Unil grand Stellann put vor. sylv Cordanie pen

apr. 13 no milton, Trimble Co. Frest is mm, mth west slope inth much beech; east slope is better m.m., with more bassimond + bucheye. Dringporth to Bedford m42 can see much words, in all of which beech is prominent apparently beech prevails on slopes above The resistant Silvirian ledge. of miltin, long part Did; Sil orterop well upon plope. The ravines in Ord; beach of plipes above the Sil. ledge. Digitized by Hunt Institute for Botanical Documentation April 20, 1939 Elkhom Creek Frenklig Sahifrege Alecentra cuc + can Sanguenan Trillin sessile anemmella Isopymants arabis nop. " liev. " liev. Stellaria put sylor Phlox Dentaria las & diffe

Phaulin Hydre, appen. Claytonia very Pflymmes Ca Cystop frag & helf. Andrangea Annamalia Carpines aster Shortin asarum can Inerio oboratis Tim less amph. mon arlamine Dough Digitized by Hunt Institute Impaliens palle d Thalectra deon Heuchera (haing) Sluptylle Sedling Seleneviro Unilanta grand Bignonia chur Brachychaele splace Segmenia Janatum pul Pol Gellaca atrop proces Deoscoren quate Thasprim bark bil. huf implas

Carya cord Lilia Benzon are parch Ulmuskas Que, br. may Osmor havy Carpin plent, heters Osbiya geumvernu Juglans cin geraniuma Juniper redhik Comisferies biburn my arisand Blegh, celect Ran recurs Sol. coesia mitella dipó Digitized by Hunt Institute for Botanical Documentation * Columbine Anemme vog Carbspur Stytrig pag mertensia Under ables Achatica usul Ulmus fulra Luirens muhil alexe. Glaba Rapl. platyn Campanula ame malauna Thus can Prunus-plun Trades' fley Allin tric

Scroph. marce Rosa setzera Eughorbis com brola pap Evonymus alres malnut Erigenia helf Ry coffeetree Dedum pulikelle Diaba verna Cernstanne nutano menispermin Viola Streatu Podophyllum Polygonation comm Digitized by Hunt Institute for Botanical Documentation Second Stopaster obling Vileriari in Danne Trillin (dech opm). Ran seconde Elephonlopus can Hydr. macroph mrso: Mertensia au Deven Co Clots of it on flats of Celar Creek mistleloe - Deven Co. mistletse - Jessimine, Jarrard. Crossrine - garrard Silene - Jess + Garrod


april 24. mississippion Plateau: Lunch : - agave Chimpspile Evonymamer at little patch of wh, vale mores meastaide of al, thates south of rig. that goes nest at a big gas station) chripopsis marion Ahispinia cuerche abore just north of Eubanh, + " " co. line, '. indiniola Co. Cordaning talhood - Juliok Digitized by Hunt Institute for Botanical Documentation april 24, 39 Pulashe () about of miles heyn Bunside - a little ranne + slopes / 18 - b. s. Hereil amen Phlot (filso ?) Anemmelle Sisy, alliden blut Erigeim pulik Salrialy Iris cristata, Ran hesp angelia ? spon Frasera Trillum which Pedio.can Geranien Coreofs aur undariopent Phusian Selene ong Vib. pufid Cimipad amel Jan Thalit device realow

Coming down be s. hill -Lith, Can agan nochoscordum Rhammus car This turbinde holly ized by Hunt Institute for Botanical Documentation april 24) Pulaskilo Just out of Burnoude Totenelle. Cof Bend little stoner of to cherch shen walk to tap I hel bluff-overlooking cumb. R. Rudbeckia - linear Senecio (platt.? epm) Syrir. alt. biolo hirsuf (2pm) Brachych sphace Philadelphus spm Rhus con pm - put almus alata Cercis bit ny

Solid, ulm Carifa orala aster old undadar. Cralacquesppt redval arenaria pat Prunosp Dispyro Opulaster acerbach Chammiscar Louisere Quere muhl Phlos dir, blue Pellaco atrop Seduntern Hepatica and Erupter -? Frax qual Hyper time Anist celing Divar Cetter Sol cuesia Smilastingh Degrance coning Apristoy Clemates for Botanical Documentation Dodecathen in metflace mility Allen Pfydravyen Parietaria Com Clearding , Hyper dolah Ascrist Aypris Denter lac Evonphamer Pachypandra toold post appl plalips getting around toward north more s. maple. On the whole firest could be termed oah-ash-maple (mth hickory), mth less maplimhere west & more where north .

april 23 Pulaspi Co US.F. S. pl, gmi, n. of matr. co-June out pummits; 2. montane arerriche Velutina Dugd " marif Cornusflor Benus rug Cuye alla " ech Lindodente boc, arb, Ceanochus gail have bac, vac. amel can 1 stam azaleapos, Digitized by Hunt Institute for Botanical Documentation Imilar da Phus cop Sorghustric ascyrimhypi- Lechearae andrislif Krigen angl bluets Pedic. can Chryp, gran + mar Colenala pum Conv. spick anten, cpm) teres graph, helleri? Aypoles Aletros asterlin Seven Smaller Coreopsis maps Chamaelina biolaturs.

Another stop farthereby S. S. eliffs Ralmen Rhod -: Epigaen Viburn. accu Ant. solilari Callitriche defl, austin Selaginella apris Further m-glm. a.l.s. plipe -Celar Smilax bn right ruf. Digitized by Hunt Institute for Botanical Documentation arenaria fat. Rhammis car Bliph, cil redbud Trillien wide berbesing by Salvin ligrate Septenzie in the again Pensterne ? Hyppis nochnende Jaenidia: Haven Lithosp -? Treaster ang " can Phla din Bign caps aster phlag aneming Gelig da tel Sisyrall. young wing aspl. cryptelf. melicica Corepsisaurie Thal- 2 Sileneury Rudbedsin-5 firmat. hink Phlos from engo, base



4 11 10m 3.6 - (1), 6 bieles pedates at 16m. and -8 to M 2.8/ 14. and ad 3/2 14. 163, hat 5:648 13. andre dury 1/50 on 5.6 120) bir 8 hugh pun . 12. Worker med at 12 ft. Digitized by Hunt Institute for Botanical Documentati # 7 Trillium ressile the 4.5 at 4 ft, 1/50 the slanting som at 3:30 m steep each slope #8 On wist slife Shlof, That + y drys Tow 4.5 at 3/2 / 150 4:30, Runny 9. Blue phlof Jat 3/1/2 /2 4.5- 1/50. 10 fire perile, 4.5, 1/50, 3/24 11 y. Cypr. at 3/2 ft. 4.5, 1/50 hazy sun

(on cond) Betyla lenta / 1 Tilia 1 2 whoah 11 2 Walnut 11 2 Digitized by Hunt Institute for Botanic april 26 Bonndoop - at 410-00 Descendingenst plipe tillig Topmich much hipor & proglet / black? but just a little dom, M. Mbeginstally + +++++++++++ 16 beech ## ## ## 11 22 hypor tit 5 Calya alba 1111 4 Gebaumber THH! 7 oah, red TH 5 Caryo wata TH 5 chestruti

Comus flog rasft Poulera Prunuser redhig aur pach white ash Julinglaha buckeye Polytiche Cimerif. can Phegopher adeantitu brola palmole Geranue anemerella Botaye brag aspl. acrost Sol, caesen Cyngl virg Imalar lekrihata Digitized by Hunt Institute for Botanical Document Ordisspect medeola Imulacina Eup. wrter medeola Triclin sporte Laporten Larella Podophyller Reoscorea nel Epifagues Desporum lun Benjoin Smilarino Obolaria Ran. recur biola blandas on a wet rock Dent heler for Phly dir. Circaen Polyg. hfl bola can aflectrum Angol . can Tipularia Jack Cypr. par. pub Stell pul Tulluin creitun, small red Oristolnhiperp Acpacut Uniloue perf

ass, cliff has Saf. virg! bola blando Polyp. bug Heuchera asp. marg Seduntern. Released bencht Then a descent to a vola can bit dairy Hydroph can Travelle Dent, dipht lac Cyn, ving Priscrist blonding Cladrastes Carlophyller aremmella Digitized by Hunt Institute for Botanical Documentation 3 Lilia 1 Dimaple III beech HHA 10 hhoah 1 Carya Watall 3 hipsa helip // 2 curlas / Whash11 2 Tullingrand " creite blola rosh bit dent group

Cumb, R. cliffor Loniera Philadelphi discrest Ostrya rectud Vib - dent. group bitruf. Chlodding Campton & Cyst bill Polyg. pul adeans Umus alata Geter Staphyl S. mople, red out, Tiliz hich beech Digitized by Hunt Institute for Botanical Documentation Slipping Conopholisam Ermyn amer Orce, coupm Pachysandro , Corollishen aristolochinnaus Coylus amer misc -Stenghragna that Geranin car Planlago Very Row abortintes Belulapino

Recendency a so cliff Hence par rug aspl. angust Smilay In (rnight) Joing out a point tomal Betre Creek in micreary Co gaulcheria Jayl brocky - virjahund Ly. obscute m. h. sepe comple Wordsia bet Digitized by Hunt Institute for Botanical Do Comunda cen mitchella Chimaph

april 27-Whitley Co Jellico Creek, (west of Williamshing) Steepbanks Jerech. beech g magn mour Diospy is Conveflor hemlinh sulmaple Betulaning who ash asar arel Kalmin Evoryamer gauliter Pyrulaus amel.can Rhvdy Steventra Slex vpac Smday long Hyd Wester at For Botanical Doc bites rol Digitized by Hunt I tula Opigaes mithella biola herse little Krig bluet, Housh purp ant, solilar Der biola bland bib aderes Polyt. ascyrun hyp Polyg. lift Senecio Smilli brochast aster der anennelin Salvia lyr Clembing Sediemtern anen, ing Solid cales. Ran. recurr. Chrysop, man biola conspersa Acutera, beg Ciento mac aspl. plalin Rand, hurp (spm) Lechen racen

Irraie bac, arb-C. mg & prog Stater Misles noterroce Trythe (amer) Serves Smlay glanna Luzula carolin for salt. John Iris cristata Traielle Stellaria pul Hydr art Slent, defh Premmelle biola rosti Carya glabra, alla Podrphylle bac coryn Phloyder Lepularia Bignonia cap chemaple Erig pulch pigitized by Hunt Institute for Botanical Documentati bicia car Que hor max Conophilis Kregin Arist alio Senecio obor, var gring higher Cunila with Predera Vibacery Selene ving Valio vol Brachych sta azolea nuty y pine Hier venos Potentilli pun Hier venos melicia (like epon \$4-25). Pine groves have reprise (small) of doginal redhiple

Big trees of slope mel beech, s, maple, When rah, Ul. alsta, Q. bor map Just west of Whitter Coline Woods in mc Creary (s -) beech, red oak, who, oal red maple doginod papa Trilling gov Chimaphila 2 Phlox der Cinemana Cim rac Imp. palled Botrych ving Podoph. Oxalis orol Cercice Botanical Documenta Clayt, ving Digitized by Hunt Institut Dent, lac asariim are Tepularia Imila bola pert put (spr) hola blice purpletin biburn, acer

april 28 Buck Branch of Jellico Breek. Whitley Co. I going up in hanne Lada stepes: @ = R! beech TH TH HA HA TH HHIX 37 Tulp III sir gum TH 5 hick 11 sht hich ! 2 Thia 1. ash 1 smaple HH erh elm 1 5 redoak 1 who ah 1 15 pp. butternet 1 negesal Walnut 1 chestnuch / igitized by Hunt Instit or Botanical Doc happ al doying hickory Carpines hypon s, maple Craturques red maple dogumal in blom plent Clabrostis Farthertoward head, noplas much cut, stream falley rapide Here beech does not prevail to extent seen in I ; from hunch place - D Atydrauger buch TH TH TH THE HIT I 40 smaple HH HHIM " Cladiastis /11 3 Tilia 1/1 + ash + buckeye! Tilia 1/1 + whelm 1. red bak

South Slipe a White oak #1: 1#111 14 beech # # # # # # 54 tulip ++++-11) 8 Lick. #H 5 ridmaple/ 1 black vak 1 1 ach 1 Juppar /1/1 3 Alia 1 1 igitized by doyind amel. nipsi Carpen s maple sas Hugh shock ash, Bilts report Carya glabre resmaple papa Chestnut In(a), dogund in blom but not elsenherem s slipe bac. cought bac vac poor graind layer

I South Slipe - b beach nearly drops wh. wah ### 17# 17# 20 tulip # + + + + + + + + + 1 |] 18 hikmy TIT 11 8 beech ftt 5 Bervah HH 5 ash 1 1 nysall 4 Ulmus alata/ 1 sh fuck 11 3 Dimaple 1 red maple 1 2 bl. och 111. 3 chestnut 1 1 choolett 3 degement bie stan sed maple 11 cougal Carya alla, glaha, orata Dryd beech smila pot nepson, simple, papan a. montana, velutina, red ightized by Hunt Institute for Botanical Documentation Whole plope stream met big pieres of ss. - grow veg very sparse humus pomenhat duff c, - beromes stepper more rochychonk tilf 1111 leadoug to a This steep slope bl. onk 11 mann lend Jugssa III mel tulips the whe W cucumht tulipl whosh 11 hick 11 hypon, wh. onl, buch. beech, a mple, red mple, Ofyd Smilay bn, glaina digimis red azala Cercis, daugren aperies of poor steep + naring benel

Just under pummit diffo big hulip & red vol gch bah lipto a normerest mith che. vale, hich ; bb val M. M. on other slipe - w. s. maple, buckeye, cue, ped ral, sh f. hich bysonna (mtof, myozotis like Pulash Co) Classt, virg. Ridge cont. - bac stam (put) buc vac, Pyrus any gryl, amer, Dygs, t Descent: -Digitized by Hunt Institute for Botanical Documentation. d. upper slope, chestrut val area (higher, because ridge crest rose ch. ool THATHA THAT THAT HAT 30 chistrut 1 2 hyport 1 Vac, vac, bac. corynel, arbor. Hyd, nym, ch. vah, red note Festuca octo, little Krigen red agalen, Cunila, bluets, Cot. pues a very fine ch, with area of large trees


TIL northerly slopes a doner plopes beech TH+ 1+++++1 18 smaple HHHH/1 13 1 butternut / 2 red oah / tulip // !! 4 3 Julia III Chestnut III 3 sh & hick 1 1 buckeye/ elm ? Simple Carp. Benzon beech buleye papar dogund Corya cond Buized by Hunt Institute for Botanical Doc 15 Tulif 1 . 1 red oal the 5 buckey TH 5 Julia [1] 3 hickory 111) 4 ask 1 1 chestrut ! 1 beech TH 11 8 Sh b hip tt 5 whoh! 1____ dogund beecht papa Smaple Lilia, nofglabia redoah Caprils ash Cladrades Caryaulta, cord

C. Beech seems to dropout s. maple 144 111 14 buckeye THE III 8 hick !! 2 walnut III . 3 Tilia ## 11 8 sht heck []] 3 ch. voh 1 4 beech 111 cucumber 1 chestrut 1 1 1 papan smaple! dogwood ash sh b fich Predera Cladrastis Ping redhig nem Top A Schut Institute for Botanical Documentation red maples chestruch THHI & por gime layer like belie stope; lots of littles maple sim, to other side Ching Steach. China Sedu Dimaple anenmelle (as Splopermings aroud to SE more tulip) W- the vole upper pope

gong Rit + onhythad Coming don red vale 1 peech 111 4 ch. val/ smaple TH+ TH+ H+ H+ 126 hick /11 3 chestnut TH+ 1 walnut 11 2 ash 11) 3 Cladentes 11/3 Tilia HH 111 2 sh & hick 1 1 buckeye +++ 11 8 cumber 111 4 Apple a clynd Friel Servery Club smaple Cladente; Curya oval otanical Documentat itized by Hunt Institu lish Psedent Engenes a colony of the Full unde ? had on top ya roch, Jock Walking for Smlauns amount of bla, on the North would inducate that grazing in pasthal deminted much Podsph Enfurt Phla Cauloff Renthelero aming Trill, grand Eight hegy apenal

coming flor trail (B3) getting much were beauliful 4 meso acher! S, maple HH 5 3 Tilia II beech #### 10 hickeyett 5 red val 11 2 1 cucumber/ sht hich 111 3 1 chednut / hight / Cladrastes/ 1 tulip1 1 Bingle doyme Digitized by Hunt Estitute for Botanie Carpens ash herbs as in last Dent hetero? yon 11 lac Trill grand Jack Cinif to Stend of valley - go tach FOI b. north plope humans larger good mull until will up in ch. ooks of westerly exposing

Brench zed by Hunt Institute for Botanical Docume Buch Branch flows about east so oppose stopes que excellent demostrate of the Southerly - Beech - why out - lul a northery MM. I had flows more rout Farther Inmolean below last house a fring ofhemlach at botton In. 2ly on eliff at for alpe On A. shipe an vec fine prohona clift.



Loose Material

Ran, hisp. Jearlla Blue Cohoch Driscrief. Deut, Jacin hegonoftem Jack Enkatorium Hepalica unes fern gineng Quake root Couch me not Raw recurr. asp. acrost Deflice by Hunt Institute for Bothigal Documentatio Oxalip V scale, Sedum Clay, caro Deut hetero mayappe will forgetment Jearella dog's trath asp. n. b adiantum

I South depe (a) Beech Bluets Eupal. Xmas Rem Phloldwar, Henacino ven Juillin vonke Stellaria publica heragoneptra asp. n-b: maiden harr ant, planteg ocalis U. There utila Vicia Distinct on Hunt Institute for Botanical Documentation azalet Af Hiranium Juis cruch Sol. ceresia Raw, hich madeola wild forget me not Imilacult mayapple

I South slope the Vicia bluets ymas form Cumila Patyneedon an rack ampelopers Eupat. Digitized by Hunt Institute for Botan Und perfoliata hizula Pot. canadense Sin Oxalis Compres majore hispidigh Sff. Dernlodium rolandefolia Hurasim Ven.

It South alope (c) Imas Jenn ascyrien ampelopeco Q. ing Cinila Drales liberts Poly had poly ant. plant Digitized by Hunt Institute for Botanical Documentation Vicia Por cusp ! I & (goes back to Botrechan ming

The South Re a Beneli Coreopeis mapp curila ant. plant. Festuca oct Pot, prem Digitized by Hunt Institute for Botanical Documentation Ridge crest - top JS slipe myosotes like Bulashi 6 Claytonia mg

N TIL - a Davit. hetero aspangust, Blue consti Pelifina Salt nettle Dun trath - b Bothy wing Janella clay, caro. T. Section adiantum 1 andmonthe - F Jack asp. acrost Dioscorea 1 bloodroott Chlor derar Statisfielon Digitized by Hun Linkinge for Bly go. bifloz Prellin return? the nolit animone ansidolin sucherart, 6 mayopple Panarthip Junes Lenn Phyophere - b put. lac chimaphila Pan, recurit,

Ene les 112 - 6 clay. carb Inclum creation ? Conoph, and Devitades Jelluno. Eupa

Digitized by Hunt Institute for Botanical Documentation

TII - 0 snaperoot-Cimical rac. cord. Bay talk Jack Dent. helino Eupat. animonalla. Clay, caro. Putty root Figured by Hunt Institute for Botanical Documentation Glood noot Sedun Pivory Huching amer. ginseng