

Hunt Institute for Botanical Documentation 5th Floor, Hunt Library Carnegie Mellon University 4909 Frew Street Pittsburgh, PA 15213-3890 Telephone: 412-268-2434

Email: huntinst@andrew.cmu.edu Web site: www.huntbotanical.org

The Hunt Institute is committed to making its collections accessible for research. We are pleased to offer this digitized item.

Usage guidelines

We have provided this low-resolution, digitized version for research purposes. To inquire about publishing any images from this item, please contact the Institute.

About the Institute

The Hunt Institute for Botanical Documentation, a research division of Carnegie Mellon University, specializes in the history of botany and all aspects of plant science and serves the international scientific community through research and documentation. To this end, the Institute acquires and maintains authoritative collections of books, plant images, manuscripts, portraits and data files, and provides publications and other modes of information service. The Institute meets the reference needs of botanists, biologists, historians, conservationists, librarians, bibliographers and the public at large, especially those concerned with any aspect of the North American flora.

Hunt Institute was dedicated in 1961 as the Rachel McMasters Miller Hunt Botanical Library, an international center for bibliographical research and service in the interests of botany and horticulture, as well as a center for the study of all aspects of the history of the plant sciences. By 1971 the Library's activities had so diversified that the name was changed to Hunt Institute for Botanical Documentation. Growth in collections and research projects led to the establishment of four programmatic departments: Archives, Art, Bibliography and the Library.

454. COTYLEDON *. Dill. elth. 95. Tournef. 19. Boerh: 2070 Ay San Dill. I: 288. Hers coymb. d

CAL. Perianthium monophyllum, semiquinquesidum, acutum, minimum.

Cor. Petalum campanulato-tubulatum, semiquinquesidum: laciniis revolutis.

Nectarium componitur è squamulis concavis , ad basin singuli germinis fingulis.

STAM. Filamenta decem, subulata, recta, longitudine corolla. Antheræ erectæ, quadrisulcæ.

Pist. Germina quinque, oblonga, crassiuscula, desinentia in Stylos subulatos, staminibus longiores. Stigmata simplicia.

PER. Capsulæ quinque, oblongæ, ventricosæ, acuminatæ, univalves, longitudinaliter introrsum dehiscentes.

Sем. plurima, parva.

m, inflatum, qui

ycis, plani, men

anguli petali collo

na, alterna serio-

Anthera incum-

solari, staminibus

escentia. 3 Gul

charance

um': foliolis lan-

e furrecta, supe-

citudine corolla,

Szyli quinque,

brevillmum, per-

n, comfa, emar-

main for later I ally

breviora

emes, longitu-

dehiscens lon-

in aliis longa

OBS. in specie Boerh. l. c. unica quinta pars numeri, in singulis fructificationis partibus, excluditur.

455. SEDUM *. JOUBARBE. Tournef. 140. A. B. G. H. K. aifon Dalith M. Anacampseros, ORPIN. Tournef. Copaca Pal Know-

CAL Perianthiam quinque partitum, acutum, erectum, persi-el

Cor. Petala quinque, lanceolata, acuminata, plana, patentia. Nectaria quinque: singulum squamula minima emarginata singulo germini ad basin extrorsum inserta.

STAM. Filamenta decem, subulata, longitudine corollæ. Antheræ subrotundæ.

Pist. Germina quinque, oblonga, desinentia in Stylos corollà breviores. Stigmata obtusa.

PER. Capsulæ quinque, erecto-patentes, acuminatæ, compressæ, versus basin emarginatæ, longitudinaliter sursum-introrsum dehiscentes.

SEM. plurima, minima.

O B s. Essentialis caracter consistit in Nectario: proin Cotyledon; Crassula, Sempervivum, Rhodiola, Tillæa sub eodem genere comprehendi deberent; Naturæ itaque placuit in succulentis amplissimas constituere familias; uti Cacti, Mesembryanthemi, Euphorbiæ, Sedi, Alöes.

fluit el intrillielegyn




ginoria H. amnic. Parg. Cal infor. Mongh & fod. Con. 6 pet . St. 12. Obj T. II: 19. Modira DECANDRIA DECAGYNIA. acutum, parvim PIST. Germen orbiculatum, depressum, decem lobis externe divisum, desinens in Stylos decem, brevissimos, patenti-reslexos. Tentia calli unguial Stigmata Timplicia, persistentia. aftypo newstante PER. Bacca orbiculata, depressa, sulcis decem longitudinalibus breviora, Anthera excavata, pistillis umbilicata, decem loculis instructa. SEM. Solitaria, reniformia, glabra, lutifuta milo acieventing Reget affine out apillares. Stigmatal Embryo counterfor influer whin Bolity and copy farmoun 60 Classis XI. DODE CANDRIA.


Concey folist alreadre pergeneres. Phum 12.10%. En getyder folist mustiming animities nemonif summer some folist or folist. Phum 200 for former of summer some folist. Phum long pathe I walk I phys Mr. Of will Dear Oct. State NI A. Puhyslangus rovanis incivit.

Con g run extensibility. G. F. T. N.Y. L. L. I.S. en mener fores come. um, aquale, acu-GETHYLLIS. en women Pour commicaget on theophe (wares culed, online (ad non potate) ice duplo longio. CAL. Spatha lanceolata, monophylla, inflata, rumpens, uniflora, membranacea. Co R. monopetala. Tubus filiformis, omnium longissimus. Limbus os quinque, coplanus, sexpartitus, æqualis, tubo triplo brevior: laciniis lanobtufa. ceolatis, æqualibus. cis distantibus, STAM. Filamenta duodecim vel octodecim, setacea, tubo insidentia, brevia, erecta, quorum duo vel tria basi approximata ut sextuplici receptaculo inserantur. Anthera oblonga. Prst. Germen oblongum intra spatham sessile, sub receptaculo fut the far corollæ. Stylus filiformis, longitudine staminum. Stigma trifidum, obtusum. mine isk lackly Per. Capsula oblonga, ventricosa, triangularis, trilocularis. SEM. numerola. O BS. Differt adeoque non modo à Croco & Bulbocodio, sed & omnibus Liliaceis staminum numero. 461. ASARUM*. CABARET. Tournef. 286. Hypocistis as a south of the hard of the superior of the south of the so coriaceum, coloratum, persistens: laciniis erectis, apice infle-Maiatuta le oth 5 contra XIS. La for minum a calle Worth Cor. nulla. STAM. Filamenta duodecim, subulata, calyce dimidio breviora. tobini tyle resistante and subulata Antheræ oblongæ, filamentorum parieti medio adnatæ tant planta in onum for play bouler at putterlin PIST. Germen intra substantiam calycis reconditum. Stylus cyling mondent. draceus, longitudine staminum. Stigma stellatum, sexpartitum, 28 laciniis reflexis be reported at in legarine. ounda in PER. Capsula coriacea, intra substantiam calycis, sexlocularis. 28

substantial SEMA plusa, ovata. Interest of the fructificationis units appear OBS. Hypocistis Tournef. addit in omni parte fructificationis units apice in-Centraly cam tertiam partem numers: and 1138. halelia. Eller. him Y pag fol altipled Symus 1 phillips har a land the formal and the formal Cons. E. pet, asy, pat calved Non 12. authors concatenates in accombine calved de Ssan, infact. whit 1. they 1. acut Her place ovair inform Strandique of Mayor Cape, mot 6 but plym. toligin Binevia melatione. He with and Usaha



- Kare Kandel h. pr. 5 213 vol Kande Ke Kandels Brocks Salgeira et avvove de par Salgedo Light. Kandere arb. 40 p.d. vanie ogg. cyle folsompe et one mangly. Her conynib. anill. ogg. et terring or hun boom Balg Cal-orar inid. og Sent. Con put mirrin. et 114 grow 7. long. inid-calir in Basca glb. 160 1000 1000 lor. Wor. 1. 32. 33. 34. Per. nullum. Calyx collo coarctatus, induratus. SEM. duo, subrotunda. infudo caltri, Anharman Cin O B S. Stamina valde numero incerta, aliis duodecim, varius decem, seimits oblongis, aliis septem. Agrimoniæ T. calyx exterior adnatus cum interiore. Semina duo, stamina duodecim ad viginti; fructus setis obvallatus. : laciniis lanceo-Agrimonoidis T. calyx exterior liber ab interiori, semen unicum, Stamina Septem circiter del 3 mate inpori. flyperation eviora. Anthera Depayling De III. POLYGYNIA. Stylus virgilus. la 2 à 3 boule organ 465. SEMPERVIVUM. *. Sedi species Tournef. 140: Leignor. Phy. basin seminis I somen hyvorg men ar Sedur C. E. I. gum, acumi-CAL. Perianthium duodecim-partitum, concavum, acutum, percim semper subfiftens. Cor. Petala duodecim, oblonga, lanceolata, acuta, concava, calyce paulo majora. 129. STAM. Filamenta duodecim, subulato tenuia, corollà dimidio breviora. Antheræ subrotundæ. PIST. Germina duodecim, in orbem posita, erecta, desinentia in ftriatum : den-Stylos totidem, patentes. Stigmata acuta. PER. Capsulæ duodecim, oblongæ, compressæ, breves, in orbem unquibus ad positæ, extrorsum acuminatæ, introrsum dehiscentes. S ем. plura, fubrotunda, parva. O BS. Numerus sepius luxurians major evadit, presertim in partilurgentes. bus femininis. ne staminum, Horming 1.195 Rammelea est. -1142. Midine 15. Rept while nich Cat Aphy - colon cad. Con 4 pit. not. Nest. total fubility petatordea rtain 20. freville author 2 pd. eri è flore exiovaria. 8. estate byte day, ly captular & ount sommelle patenty concacees 2 valve, 1/p. Sam 1. ling coff. wat glaby) gainy lin alien Lotordy. Kolofa adunta D. Rolof botundo Sili stellati a humi pla 12 2 pel. mf. 155. folialle vely 3 and later flow gad 6 enday als plio 30 opporte nonaputit iny Cal. Spryd. of the entire 2 ines Con 5 ad 10 pet. arguett. bush nig. 2 fells Rugershy Obilsad 20 why 20. Rayling Gran 2. Regular . Styles I. har. Its 5. cyl comice uftis, ca-Jan. new might renif- fleept 1 centralis colin annon erta, An-Lin



- Mani. mitro (iden). Rung. 3?. 7. avb. 50 ped. ligno rufo pondore se duritie faini 150 long stern.

[fol mn. Eugeniae flor conjurb terem. Calcoran inelle held we can be fue of 50 long stern.

[sto Teapit Buna glob. por i mayor. long and som numerous mondone lactures int. ad Blotte ICOSANDRIA MONOGYNIA. STAM. Filamenta plurima, calyci inserta, longitudine corollæ. Anthere parvæ. Pist. Germen turbinatum, infra receptaculum. Stylus simplex, longitudine staminum. Stigma simplex. PER. Drupa quadrangularis, coronata, unilocularis. 1000 forta llorure affect, funt: SEM. Nux subrotunda, glabra. 468. PSIDIUM +. Guaiava Tournef. 443. ativel corolle in CAL. Perianthium monophyllum, campanulatum, semiquinquesihac familia circa dum: laciniis ovatis. ima generum par, Cor. Petala quinque, ovata, concava, patentia, calyci inserta. STAM. Filamenta numerosa, corollà breviora, calyci inserta. Antheræ parvæ. Pist. Germen rotundiusculum, infra receptaculum. Stylus subulatus, longissimus. Stigma simplex. hours Pèr. Bacca ovalis, maxima, calyce coronata, unilocularis. SEM. numerola, minima, nidulantia. Empro inemy Restribe R FLAMBEAU DU ETTE Towner. 469. PUNICA *. GRENADIER. Tournef. 407. Malp. 253. 200 Somuthe raine elfole condat gigs. rorming hymicate Batto bus committed 618 a hyprin. elth. 295-199. CAL. Perianthium monophyllum, campanulatum, semiquinquefidum, acutum, coloratum, perfiftens. Cor. Petala quinque, subrotunda, erecto-patentia, calyci inn: foliolis fourniore parte out. S r AM. Filamenta numerosa, capillaria, calyce breviora, calyci ra breviora, ininserta. Antheræ oblongiusculæ. PIST. Germen infra receptaculum. Stylus simplex, longitudine stata, corollabre. minum. Stigma capitatum. haudyn PER. Pomum subglobosum, magnum, coronatum calyce, novem of 10, loculis instructum. line stamioum, SEM. plurima, subrotunda, succulenta. Receptaculum membra-gachy runty cata, uti calyt naceum singulum loculamentum pericarpii bifariam dividens. O B s. Botanici pistilla quinque & pingunt, & describunt, mihi semmetal over fill was 470. GARCINIA. Magostans Garc. A. A. 431. t. 1. Synam company per unicus obvius fuit. Dawn allaur Rugh 4.7.32 gud CAL Perianthium tetraphyllum: foliolis subrotundis, concavis, clusiam, eri Opuntia, obtusis, patentibus persistentibus.

oncava, patentia, calyce paulo-majora. puhata STAM. Filamenta sedecim, erecta, in cylindrum posita, simplicia, calyce breviora. Antheræ subrotundæ. Pist. Germen subovale. Stylus vix ullus. Stigma planum, patens, 5 2 6 peltatum, octifidum, obtusum, persistens. mis oblon-Bayed and Bacca coriacea, globosa, magna, unilocularis, coronata. thy with the SEM. octo, hine convexa, inde angulosa, villosa, carnosa. Jumnbrul obtula 12. Wytrule. mynum. I iiij neka techum. the plit old untills Matti hun 3.240. Katen Wiambar . ambetti Brachmang, Jamboude watte kupt. Steen bollen Brelgif. ft lots time. and the pod . logne I was rumi kyone alate fologin nettole from fol one Calette peter Cal sureny 6 his can 6 pet calindry integ I shipting alate. to go long a white they long. (thy I henryth. Colottermer, magne gain gbb. falre ad 1/4 bales, centillanier oquire ustra

embalmitium of NDRIA MONOGYNIA. 471. MYRTUS *. MYRTE. Tournef. 409. MUNTOS MUDGWY. CAL. Perianthium monophyllum, quinquesidum, acutum, erectum, persistens, basi germine prægnante. Cor. Petala quinque, ovata, integra, magna, calyci inserta. STAM. Filamenta numerosa, capillaria, longitudine corollæ, calyci inserta. Antheræ minimæ. Pist. Germen infra receptaculum. Stylus simplex, staminibus non brevior. Stigma obtusum. hoursh PER. Bacca ovalis, calyce clauso umbilicata, trilocularis, 1950, SEM. folitaria, reniformia. ununeron montela reinfolmenta Do baci SEM. 10/11/21/23, renitormia. municipalituda rendefilmenta do oca fractante subjective quesque cottoblory 2.c. bees. radrula R terrend purchase proposed of Tournef. 369.

Lega 72.

July 12 rd. tami cyl rite tuttate fot alt petrol función automo formando.

July 12 rd. tami cyl rite tuttate fot alt petrol función automo formando.

July 12 rd. tami cyl rite tuttate fot alt petrol función automo formando.

July 12 rd. tami cyl rite tuttate fot alt petrol función automo formando.

July 12 rd. tami cyl rite tuttate fot alt petrol función automo formando.

July 12 rd. tami cyl rite tuttate fot alt petrol función automo formando.

July 12 rd. tami cyl rite tuttate fot alt petrol función automo formando.

July 12 rd. tami cyl rite tuttate fot alt petrol función automo formando.

July 12 rd. tami cyl rite tuttate fot alt petrol función automo formando.

July 12 rd. tami cyl rite tuttate fot alt petrol función automo formando.

July 12 rd. tami cyl rite tuttate fot alt petrol función automo formando.

July 12 rd. tami cyl rite tuttate fot alt petrol función automo formando.

July 12 rd. tami cyl rite tuttate fot alt petrol función automo formando.

July 12 rd. tami cyl rite tuttate fot alt petrol función automo formando.

July 12 rd. tami cyl rite tuttate fot alt petrol función automo formando.

July 12 rd. tami cyl rite tuttate fot alt petrol función automo formando.

July 12 rd. tami cyl rite tuttate f PER. Drup SEM. Nux Cor. monopetala, infundibuliformis. Tubus brevis, cylindraceus, longitudine calycis. Limbus quinquepartitus: magnus, patens: laciniis lanceolatis, obtusis, de Reupticality al coon incita his contigua STAM. Filamenta erecta, in orbem posita, plura quam duodecim, basi vix coalita, subulata, corollæ inierta. Antheræ oblongæ, rectæ. PIST. Germen subrotundum. Stylus simplex, longitudine staminum. Stigma truncatum. Sapentigli willowy, ovarium ya fra poto veletitub cahin PER. Drupa subrotunda, unilocularis. SEM. Nuces duæ subrotundæ, acuminatæ, hine convexæ, inde planæ. Lusa 6 2012 invais annon eresta syra leept. centrele parunglikm OBS. Citro affinis est. mello modo. ywydaty thept 473. AMYGDALUS *. AMANDIER. Tournef. 402. Malp. amara avy Reptin Phy 176. 149. Persica, Pescher. Tournef. 400, our dent. glandula potioling , bois folion for photophism totalo connev. in falicular CAL. Perianthium monophyllum, tubulatum, semiquinquesidum: laciniis patentibus, obtusis, deciduum. Co R. Petala quinque, oblongo-ovata, obtusa, concava, calyci STAM. Filamenta triginta, filiformia, erecta, corollà dimidio breviora, calyci inserta. Antheræ simplices. Pist. Germen subrotundum, villosum. Stylus simplex, longitudine staminum. Stigma capitatum. PER. Drupa subrotunda, villosa, magna, sulco longitudinali. SEM. Nux ovata, compressa, acuta, suturis utrinque prominulis, sulcis reticulata, foraminulis punctata. OBS. Amygdalus vulgò dicitur, cujus drapa sicca, ut corium. Persica autem audit, cujus drupa mollis, ut bacca. Sain while I acind manet fish tera entiquanger ment wides in of margaminet, ti dichara anygodili inita efforementi un observatore D'Oyman sunt

474. PR Wille pol CAL. Peris dum, dec

Con. Petal patentia, STAM. Filan fere coroll PIST. Gern gitudine f

nulis. 475. CEF CAL. Per

dum, de COR. Peta patentia, STAM. Fila rollæ, ca

PIST. Ger mis, long natum. PER. Drup

SEM. Nux

476. PAD Ment en bali y Leku granteredela CAL. Peria

margine o COR. Petal calycis ma STAM. Filar corollæ, c

PIST. Germ num. Stign PER. Drupa

SEM. Nux of OBS. Recepto

hog genere pr - chatraculiar of

wan Cale I phyll tank

Amil ot. 30 repts. wan 1 Kupan cal

GXNIA. acoma antille Sais Eming trumes 6 ad 45 prod . Dramely no rut. Duritions et ponders ? acoma family of altico expanical anility Disophi percit. Con spit.

Cal. delate there is inhall ratery Disophi percit. Con spit.

Cal. delate there is inhall ratery Disophi percit. Con spit.

Ort. 10. talore whitelab orus of ani method No. No. G. Y. N. I. Aghi 3 107.321. Lipphi. dum, acutum, etc. 474. PRUNUS *. PRUNIER. Tournef. 398. Armeniaca, appreviazione a, calyci inserta. ABRICOTIER. Tournef. 399. Moxxwyankea Dore. npsvy. dry glandelse petiolony, 1. boli folior, at ad (topular. tudine corolle, ca CAL. Perianthium monophyllum, campanulatum, semiquinquesidum, deciduum: laciniis obtusis, concavis, integris, reslexis. olex, staminibus non Co R. Petala quinque, subrotunda, concava, emarginata, magna, patentia, unguibus calyci inserta trilocularis, Osp STAM. Filamenta vigintiquinque circiter, subulata, longitudine fere corollæ, calyci inserta. Antheræ didymæ, breves. Pist. Germen subrotundum, integerrimum. Stylus filiformis, longitudine staminum. Stigma orbiculatum, integerrimum. 5 2 mil symianalini PER. Drupa subrotunda, sulco longitudinali. SEM. Nux subrotunda, compressa, acuta, suturis acie promi-, erectum, breve, nulis. vis, cylindraceus, 475. CERASUS *. CERISIER. Tournef. 401. Malp. 200. 2000 Magh magnus, patens: pland potal in bow filim. CAL. Perianthium monophyllum, campanulatum, semiquinquesiauem duodecim, dum, deciduum: laciniis obtusis, concavis, serratis, reslexis. there oblongs, Cor. Petala quinque, subrotunda, concava, emarginata, magna, patentia, unguibus calyci insertis. STAM. Filamenta triginta circiter, subulata, longitudine fere congitudine stanirollæ, calyci inserta. Antheræ didymæ, breves. Pist. Germen subrotundum, sulco longitudinali. Stylus silifor-dans mis, longitudine staminum. Stigma orbiculatum, hinc emargi-FARMANIA convexz, inde PER. Drupa subglobosa, sulco longitudinali. match paring they. SEM. Nux subglobosa, sutura inferiore acie levissima prominens. nasos Phys 76. PADUS *. LAURIER-CERISE. Laurocerasus Tournef. . 402. Malp. Lean on to late folion. guestice de laurin ceria en try venimente, expendent de famille donnent ala crime very unt J'an CAL. Perianthium monophyllum, campanulatum, fundo villoso: margine quinquedentato, patentiusculo, vix reflexo, persistens. Co R. Petala quinque, subrotunda, magna, patentia, unguibus oncava, calyci calycis margini inferta. STAM. Filamenta triginta vel viginti, subulata, longitudine sere dimidio corollæ, calyci inserta. Antheræ subrotundæ. PIST. Germen subrotundum. Stylus filiformis, longitudine stami-, longitudinum. Stigma obtusum, integrum. PER. Drupa subrotunda. ndinali. SEM. Nux ovata, acuminata, sulco exarata. ominulis, OBS. Receptaculum floris quod parietes calycis interne obvestit, in hoggenere pubescit villosum. en la en myrtespudia Med 2:274. f.2. etyphraculia Miste 2:274. f.2. call I phyll tuton inter opened beautight howgentle delite utin mangravia ot. 30 . partito calor dy loty 1. aut onlinest my the partied sifer toboppionate rain py licht. racken fluteronin.

II. DIGYNIA.

CRATEGUS *. ALISIER.

CAL. Perianthium monophyllum, concavo-patens, quinquedenta-

Cor. Petala quinque, subrotunda, concava, sessilia, calyci in-

STAM. Filamenta viginti, subulata, calyci inserta. Antheræ sub-

PIST. Germen infra receptaculum. Styli duo, filiformes, erecti,

PER. Bacca carnosa, subrotunda, umbilicata.

SEM. bina, oblongiuscula, distincta, cartilaginea.

III. TRIGYNIA.

SORBUS *. CORMIER.

CAL. Perianthium monophyllum, concavo-patens, quinquedenta-

Cor. Petala quinque, subrotunda, concava, calyci inserta.

STAM. Filamenta viginti, subulata, calyci inserta. Anthera subro-

Pist. Germen infra receptaculum. Styli tres, filisormes, erecti.

PER. Bacca mollis, globosa, umbilicata. Shal SEM. tria, oblongiuscula, distincta, cartilaginea.

IV. TETRAGYNIA.

James Camples 479. WHILADELPHUS * Syringa Tournef. 389.

CAL. Perianthium monophyllum, quadripartitum, acuminatum,

Con. Petala quatuor, subrotunda, emarginata, plana, magna, pa-Stam. Filamenta viginti, subulata, longitudine calycis. Anthe-

Pist. Germen infra receptaculum. Styli quatuor simplices. Stigmata simplicia. /- lumby actift nondollere. later ister. who aprahad

P E R. Capsula oyalis, utrinque acuminata, calyce per medium cin-

cta, quadrilocularis, quadrivalvis. 95 SEM. mamerola, oblonga, exigua. Regular de centre infete hafathite alnower 1143 Sirvivan him haliman Left Portestacastern, Yallo

" Sedively. Cal 1 ph. 5 pd. inting colors. Campanion marcele. cope to Kreiney of ortame num calici infra inif intertes brev.

capt. ovat. 3 Coul horzontal Ichelien 2 hoursyl cam · Inhot , plana, limbo rottella auto.

Cal. Perianth quedentatum Con. Perala q STAM. Filame. plices.

PIST. Germen Eti. Stigmar. PER. Bacca g

umbilico fer SEM. quinque OBS. Ex diff & Mespilun

cienti nota di Vi attergram

481. PYRU Malus, Po Tournef. fol alt, uting la

CAL. Periam perfiftens: 1 Con. Petala


ferta. STAM. Filam ferta. Anther PIST. Germe

gitudine stan PER. -Pomum membranacer

SEM. nonnulla inde plana. OBS. Mirum on

lice; ommessen 1 Decies.

GYNIA ICOSANDRIA, PENTAGYNIA. 171
με 6πελη. Pheophy με 6πιλου. Dirue. με 6πίλα. hippour. Mypolo negodaro Hat, Muperay nicepure
Camischirt hebr. Zarov, algarae, nabach avab. guenera. avic.
με 6πίλου. Πωρανας με 6πίλου. Το με 6πίλου. ME 671 Noj. Theyers TER. mugally my seasthe. Semina 2 annie serval interm sutry in general anna inches religion convars sens, quinquedent 480. MESPILUS *. AUBESPINE, NEFFLIER. thip 2 petrol ada quett. Tournef. 410 folia lymine propelling they de careul in , feffilia, calyci in Al. Doay into permented and in programa. Carra. Anthera sub. CAL. Perianthium monophyllum, concavo-patens, oblonge quinquedentatum, persistens. Sliformes, erecti, Con. Petala quinque, subrotunda, concava, calyci inserta. STAM. Filamenta viginti, subulata, calyci inserta. Antheræ simplices. Pist. Germen infra receptaculum. Styli quinque, simplices, ere-cti. Stigmata capitata. I plane obsubaty to with the PER. Bacca globosa, umbilicata, calyce connivente clausa, sed umbilico fere perforata. SEM. quinque, ossea, gibba. O B s. Ex dictis patet valde affinia esse genera: Cratægum, Sorbum & Mespilum, ut aut solo numero feminarum aut vix ulla sufficienti nota distingui possint. Vij attrugury. Stomachola-, quinquedents. 481. PYRUS *. Poirier. Malp. 251. 252. Tournef. 404. 2005. Rheylegen lyci inferta. Malus, Pommier. Tournef. 406. Cydonia, Coignassier. Anthere lubro Tournef. 409. holles conto fol. alt. utry lat involutor GD formes, eredi. CAL. Perianthium monophyllum, concavum, semiquinquesidum, persistens: laciniis patentibus. Cor. Petala quinque, subrotunda, concava, magna, calyci inserta. STAM. Filamenta viginti, subulata, corollà breviora, calyci inferta. Antheræ simplices. PIST. Germen infra receptaculum. Styli quinque, filiformes, longitudine staminum. Stigmata simplicia. PER. -Pomum subrotundum, umbilicatum, carnosum, loculis membranaceis, quinqueloculare. SEM. nonnulla, oblonga, obtusa, basi acuminata, hinc convexa, inde plana. igna, pa-O B S. Mirum omnes à seculis hocce unicum genus in tria dispescuisse, tall and Leaver licet omnium notissimum, species vocantes genera, & varietates . Anthe-ing Species. es. Stiglium cin-



GYNIA 89. SEM. numerola, obtonga, hirsuta, undique calyciadnata. aunens eruta. queadum bah OBS. Pericarpii calyx baccam mentitur. Appendices calycina in sponalvei inserta, by a ad myritum 1: folioner/pyrely 20 Calie mirry claus . 3. Seminibolier exity. breviora, calycii RUBUS *. RONCE. Tournef. 385. Malp. 146. fatos. Cheoph Imagnes 485. totidem, filiforma CAL. Perianthium monophyllum, quinquepartitum, laciniis lanceocompress, bivil lato-oblongis, patentibus, persistentibus. Cor. Petala quinque, subrotunda, longitudine calycis, erecto-patentia, calyci inserta. STAM. Filamenta numerosa, corollà breviora, calyci inserta. Antheræ subrotundæ, compressæ. Tournef. 150. U. Pist. Germina numerosa. Styli parvi, capillares, è latere germinis orti. Stigmata simplicia, persistentia. PER. Bacca composita: acini subrotundi, in capitulum convexum, infra concavum collecti, finguli uniloculares. rtitum, parvun, S E м. solitaria, oblonga. Receptaculum pericarpiorum conicum. O B S. Acini Baccarum coaliti funt, nec fine laceratione distinguibiles, , plana, patenta excepta unica Specie, in qua distincti decidunt. ora, calycinia. 486. FRAGARIA *. FRAISIER. Tournef. 152. Malp. 208. definentia in Sy. Int CAL Perianthium monophyllum, planum, semidecemsidum: lacinentati niis alternis exterioribus, angustioribus. Cor. Petala quinque, subrotunda, patentia, calyci inserta. La manda minula ser a m. Filamenta viginti, subulata, corollà breviora, calyci inser-Colem contorta ta. Antheræ lunulares. Pist. Germina numerosa, minima, in capitulum collecta. Styli simplices, lateri germinis inserti. Stigmata simplicia. Per. nullum. Receptaculum commune seminum rotundo-ovatum, basi planum, pulposum, molle, magnum, coloratum, deciduum. Sem. numerosa, minima, acuminata, per superficiem receptaculi sparsa, non decidua. O B S. Receptaculum commune bacca vulgo dicitur. Fragari other held. Tragaria thailig Ray. rcis, calyci ycis collo n, villosi, nis insertigad is, unilo-

In 1a partiuple fol infunalt. / uprious opposta Sotentilla futicosa enhin fol why latere Dorso revoluta en ICOSANDRIA PENTAGYNIA. flower Jugua amillar sti in Sotunt Na 3ah upy.

487. POTENTILLA *. Quinquefolium, Quinte-Feuil-LE. Tournef. 153. Pentaphylloides, ARGENTINE. Tournef. ibidem.

CAL. Perianthium monophyllum, planiusculum, semidecemfidum, laciniis alternis minoribus, reflexis.

Cor. Petala quinque, subrotunda, patentia, unguibus calyci in-

Sтам. Filamenta viginti, subulata, corollà breviora, calyci inserta. Antheræ sublongo-lunulatæ.

PIST. Germina numerosa, minima, in capitulum collecta. Styli filisormes, longitudine staminum, lateri germinis inserti. Stigmata obtusa.

PER. nullum. Receptaculum commune seminum subrotundum, minimum, persistens, seminibus tectum, calyce inclusum. SEM. numerosa, acuminata.

O B S. Deme unicam quintam partem numeri in omnibus partibus na Catra internavo Semina include ad Ropun accidit. e. gr.

488. TORMENTILLA *. TORMENTILLE. Tournef. 153.

CAL. Perianthium monophyllum, planum, semioctofidum: laciniis alternis minoribus, acutioribus.

Cor. Petala quatuor, obverse cordata, plana, patentia, unguibus

STAM. Filamenta sedecim, subulata, corollà dimidio breviora, calyci inserta. Antheræ simplices.

Pist. Germina octo, parva, in capitulum conniventia. Styli filisormes, longitudine staminum, lateri germinis inserti. Stigma-

PER. nullum. Receptaculum seminum minimum, seminibus onustum,

SEM. octo, oblonga, obtuse acuminata.

O B S. Genus hoc artificiale magis quam naturale esse ipse agnosco, & qui illud conjungit cum præcedenti, vix errat.

Pancovia 489. COMARUM. + Pancovia hist.

CAL. Perianthium monophyllum, semidecemsidum, maximum, -patens, coloratum; laciniis alternis minoribus, inferioribus,

Cor. Petala quinque, oblonga, acuminata, calyce, cui inserta,

STAM. Filamenta viginti, subulata, calyci inserta, longitudine corollæ, persistentia. Antheræ lunulares, deciduæ. Pist. Germina numerosa, subrotunda, minima, in capitulum

fun, max SEM. numer

490. GEU

CAL. Perian laciniis alte Cor. Petala angustis, STAM. Filan ferta. Anti PIST. Germ


nis inferti. PER. nullun tum. caly SEM. nume instructa.

491. DRY

CAL. Periant bus, linear Co R. Petala serta. STAM. Filar Antheræ pa

PIST. Germin germinis inf PER. nullum. SEM. numerof instructa.

GYNIA. QUINTE-FEUN GENTINE, TOUTH ICOSANDRIA PENTAGYNIA. collecta. Styli simplices, breves, latere germinis. Stigmata simplicia. PER. nullum. Receptaculum commune seminum scrotiforme, carnoim, semidecemfidur sum, maximum, persistens. SEM. numerosa, acuminata, receptaculum tegentia. unguibus calyciu 490. GEUM *. BENOITE. Caryophyllata Tournef. 9al Drungt hay. breviora, calycit fl alt ligner petiolonites pe solt anile as follogrande alam collecta. Syl CAL. Perianthium monophyllum, semidecemfidum, erectiusculum: minis inferti. Sig. laciniis alternis minimis, acutis. Cor. Petala quinque, rotundata: unguibus longitudine calvcis, some fubrotundum, angustis, calyci insertis. hyulanin minally entime) operate. STAM. Filamenta numerosa, subulata, longitudine calycis, cui inlyce inclusion. serta. Antheræbreves, latiusculæ, obtusæ. innumblis fasignedentalitantes PIST. Germina numerosa, in capitulum collecta. Styli lateri germiomnibus partibu nis inserti, filosi, longi. Stigmata simplicia. PER. nullum. Receptaculum commune seminum oblongum, hirsutum. calyci reflexo impositum. in would no mulation MENTILL SEM. numerosa, compressa, hispida, Stylo longo, geniculato instructa. Same 1 landar jing local. octofidum : lai 491. DRYAS *. Dryadæa. S. N. Caryophyllatæ species Hunt Institute Tower. Bolanical Documentati CAL. Perianthium monophyllum, octo-partitum: laciniis patentimidio breviora, bus, linearibus, obtusis, æqualibus, corollà paulo brevioribus. Cor. Petala octo, oblonga, emarginata, patentia, calyci inmiventia Styli ferta. inserti Signa-Sтам. Filamenta numerosa, capillaria, brevia, calyci inserta. Antheræ parvæ. orbus confrum. Pist. Germina multa, conferta, parva. Styli capillares, lateri germinis inserti. Stigmata simplicia. PER. nullum. SEM numerosa, subrotunda, compressa, Stylis longissimis, lanigeris instructa. ximum, rioribus, i inserta,



Cal. Spath mine, cu COR. Peta

STAM. Fila there oblo PIST. Ger craffiu [cu] PER. Capfu valvis.

SEM. numer adnata, no OBS. Soloj fert.

495. PAP. Leterit als

CAL. Spaths cavis, obti COR. Petala angustiora, STAM. Filan

Anthera ob PIST. Germen tatum, plan PER. Capfula ce sub coron

SEM. numerol mero radioru

496. CHEL Tournef. 111 hidrent letter ligare CAL. Spatha di obtusis, cadu

Oor. Petala qui angustiora. STAM. Filament rollà breviora.

didymæ. Pist. Germen cy lus. Stigma capi

PER, Siliqua cylin SEM. plurima, ov valvulas, futura

COR. Petala quinque, subrotunda, erecto-patentia, calyce ma-STAM. Filamenta numerosa, filiformia, longitudine calycis. An-

theræ oblongæ, erectæ.

Pist. Germen ovatum, quinquangulare. Stylus nullus. Stigma crassiusculum, obtusum, reslexum, quinquesidum, persistens. PER. Capsula ovata, quinquangularis, unilocularis, semiquinque-

76. Coilophyllun

n, foliolis ovatis, ni

maximis, coloratis,

ia stamina : unguibus

catigues atin lyers

ieus, brevissimus

amina tegens, per-

salog caliri alterni

Dy . Thegray, Max

e, magnum, co-

minora, germinis

plana, incurva,

Stigms orbicula

, apice corona.

pulpa plena.

rea funt, hince

ndis, petalis

natis, corol-

um, loculis

matis dehif-

49 f. AR.

ni adnatz.

mplices.

494%

SEM. numerosa, minima. Receptacula linearia, angulis pericarpit adnata, non dehiscentia.

O B s. Solo fere numero, proportione vix explicabili, à sequenti differt.

495. PAPAVER *. PAVOT, COQUELICOC. Malp. 293: princer. Mayor Tournef. 119.

C A L. Spatha diphylla, ovata, emarginata: foliolis subovatis, concavis, obtusis, caducis.

Cor. Petala quatuor, subrotunda, plana, patentia, magna, basi angustiora, alterna minora:

STAM. Filamenta numerosa, capillaria, corollà longe breviora. Anthera oblonga, compressa, erecta, obtufa.

Pist. Germen subrotundum, magnum. Stylus nullus. Stigma peltatum, planum, radiatum.

PER. Capsula coronata, stigmate plano, magno, unilocularis, apice sub corona foraminibus plurimis dehiscens.

SEM. numerosa, minima. Receptacula plicæ longitudinales, numero radiorum stigmatis, parieti pericarpii adnatæ.

496. CHELIDONIUM *. ECLAIRE, ou CHELIDOINE. XXX Savior Der Tournef. 116. Glaucium, PAVOT CORNU. Tournef. 130. yday xiov. Dion Ladaut letter ligure.

CAL. Spatha diphylla, subrotunda: foliolis subovatis, concavis; obtusis, caducis.

Con. Petala quatuor, subrotunda, plana, patentia, magna, basi angustiora.

STAM. Filamenta plurima, (triginta) plana, superne latiora, corollà breviora. Antheræ oblongæ, compressæ, obtusæ, erectæ, didymæ.

Pist. Germen cylindraceum, longitudine staminum. Stylus nullus. Stigma capitatum, bisidum.

PER. Siliqua cylindracea, unilocularis, bivalvis.

SEM. plurima, ovata, aucta, nitida. Receptaculum lineare, inter valvulas, suturæ instar circumambiens, non dehiscens. Service 1: anno rectant interior antiquem governinent.

glavium galoge 2 brul 2 valu. Jests meder per thete aun 2 mor fant

Symplocof. 24 martiniunis Pacy. Cal 5 phyll infor con 5 pot. of tam num varia facie petatig in orban asserta infina burstra grantim fol made alt fut others 3 coming petiols 1 fules ago cared. NIA. Chuia en Cal forum 6 al 8. 4 fariabre. SANGUINARIA f. Dill. elth. 252. ot , gas 12 un 2 Letter lates loguore. CAL. Spatha bifolia, ovata, concava, corollà brevior, caduca. Cor. Petala octo, oblonga, obtusa, patentissima, alterna inte-Capt. 12. buil your from, angustiora. Sol. Jem aur lubylis TAM. Filamenta plurima, simplicia, corollà breviora. Antheræ CAL. Per fimplices. Conflore pulpe aniel shollite PIST. Germen oblongum, compressum. Stylus nullus. Stigma cras-Viniais VIII ! A siusculum, bisulcatum stria, altitudine staminum, persistens. pair COR. Peta PER. Capsula oblonga, ventricosa, utrinque acuta, bivalvis. 1 louls Luc - calyci int STAM. Fila SEM. plurima, rotunda, acuminata. mind ces, was 498. PODOPHYLLUM *. Anapodophyllum PIST. Ger I auntiflia mentget Tab. 11. Tournef. 122. capitatuu PER. Bacci CAL. Spatha perianthiformis, triphylla, magna, concavo-erecta: бем. пите foliolis ovatis, concavis, deciduis. Cor. Petala novem, orbiculata, concava, margine plicata, ca-STAM. Filamenta plurima (viginti sæpe) brevissima. Antheræ ob-KL Peria longæ, magnæ. PIST. Germen subrotundum. Stylus nullus. Stigma obtusum, plipatentibus n Nestavium PER. Capsula ovata, coronata stigmate, unilocularis. aperto flig SEM. plurima, subrotunda. Receptaculum liberum. STAM. Filar Shimula. Endunderen 199. Exemogy vanistigent Bassa unica galling elaling que pilita enviat. structher a fimpl PIST. Germe CAL. Perianthium spathaceum, tetraphyllum: foliolis subrotundis, obtusis, concavis, caducis. Cali con tam ovario contig paralle striptioni incl. unitreles. MaPER. Capfula ed ording Japan eruin invalvis tum Con. Petala quatuor, quadrangulo utrinque acuminata, calyce majora, caduca. unquinda oranguna alla to hunerda/aui wae M. numero 1. Mai flow. STAM. Filamenta plurima, (triginta sæpius) capillaria, superne latiora. Antheræ subrotundæ, didymæ, erectæ. Rugtadris dan nari angulos OBS. Numeru Pist. Germen ovatum. Stylus nullus. Stigma crassiusculum, oblitione semper que depréssion. housignaine sub carrigue 1. sules sub 2 PER. Bacca ovali-globosa, glabra, unisulca, unilocularis. SEM. plurima, semicircularia, introrsum truncata, gemino ordine incumbentia. liento 2 peter annena har Intatitar valia Pregnia /ic will CAL. Perianthis oo. BOCCONIA +. Plum. 25. deciduum, qui Con. Petala qui Lastorist tates Experses fle racemin by y mula Wighthe windy clares un STAM. Filamenta CAL. Spatha diphylla, ovata, obtusa, concava, caduca. Anthere erecta Cor. Petala quatuor, angustissima. Con.o. en Paguina chen mensod cal. 2 PIST. Germen tel STAM. Filamenta plurima (circiter duodecim) brevillima. Anthe-Stylus nullus. St ræ erectæ, longitudine calycis. plum tamblim PER. Siliqua longi Pist. Germen subrotundum, utrinque contractum, magnum, Styl locularis. lus unicus, femibifidus. Stigmata simplicia. aut blue latial.... of pluster longi fol ante mylor 1. plot. entino reliqua basificio su jutiolo ineladante. Cotist 2.2.41. arbor, Jone. laxa. integ petiols las Bacca enely oless mines magation . I to Olestal . I ovat compressed durine carrie four thisten

Anthon probition NIA. Makoft f. Kasupt p. 873 las 77 4. and mids Trums rute. rami device fl alt crapa Makoff Recupt p. 878 Las 7/ A. aro. mis during plan for and order plans of the form production of the form production of the form of the f Same vior, caduca. PER. subovatum, utrinque contractum, productumque, compres. Inter. Vacui nii. sum, uniloculare, pulpa repletum. alterna inte. SEM. unicum, globosum. baliamen auch. viora. Anthera MUNTINGIA + Plum. 6. Calabura. Pluk. Brig don altidis mens and altidis mensabrust, auto angenanti fusic alienes, mallacer reddelishame 4 8.40. are 501. us. Stigma cras-CAL. Perianthium monophyllum, quinquepartitum, basi conca- Tilian famil. Inslumien vum : laciniis lanceolato-acuminatis, magnis, persistentibus Casumination perfistens. a, bivalvis 1 Coul alias pais Cor. Petala quinque, subrotunda, longitudine calycis, patentia, venosas undales subritas instantes patentia, venosas undales instantes de la contra la cont Birco volue TAM. Filamenta plurima, capillaria, brevissima. Anthera simplidophyllum Stammel P 15 T. Germen globosum, villis vestitum. Stylus nullus. Stigma gravias acudit capitatum pentagonum. PER. Bacca globosa, umbilicata stigmatibus, unilocularis. mulajuna alla. SEM. numerosa, subrotunda, minima, nidulantia. Min 2. cambia cadu.

SEM. numerosa, subrotunda, minima, nidulantia. Min 2. cambia cadu.

Semo Los Andres and Maria subrotunda, minima, nidulantia. Min 2. cambia cadu.

Sanda subrotunda de la cadula subrotunda pluk. 257. f. 2 Man ic. 67. subrotunda su concavo-erecta: ine plicata, ca-1. Anthere obobtusum, plicontrale atin PIST. Germen ovato-oblongum. Stylus vix ullus. Stigma stellatum planum, sexdentatum, obtusum.

page PER. Capsula ovata, sulcis sex exarata, sexlocularis, sexvalvis que abque and and and any sundant of the control of the 154. to amust is subrotundis, And Regton upl ninata, calyce laria, superne CAL. Perianthium monophyllum, minimum, quinquedentatum, deciduum, quadripartitum, coriaceum, patens: laciniis ovatis. Cor. Petala quatuor ovata, calyce paulo majora, patentia. Ruyating, STAM. Filamenta humerosa plurima, capillaria, corolla longiora lugion. Antheræ erectæ, oblongæ. Itylug lagne sul avans.
PIST. Germen tenuissimum, clavatum, longissimum, obtusum. Stylus nullus. Stigma obtusum. comments al. 2 PER. Siliqua longissima, clavata, carnosa, mollis, bivalvis, uni multibad Bocin locularis. 1. orhere with legos horson SEM plura, longitudinaliter disposita, reniformia, carnosa. 1056. Cachogia of hyl 195, corespeli sesta ghandle hemme Codom pullishe mi/ 6 24. Cal. 4 phythi conear. cad. Samuelo. Fram. et ota pullil En Comdier. herral Carrapuli Can 4. pet: concava. Caspia. Pij. So. avhelula yumi guttur ovar 1. Motal. Ity/ 1. they 4. Ling richy layour dilute vir his day cal property and only and. fruit Poinum 8/ale & lovalo & lot Har conjunt torn & potate and francis honor autoportura para testi variti stan spin latin afra afra chine lando como forma spina spina spina spina spina spina spina afra afra chine lando como forma spina spina spina spina afra afra collo cita spina spina spina spina spina afra afra collo cita spina spina spina spina spina afra afra collo cita spina spina spina spina spina afra afra collo cita spina sp Sen 1- ling low renit comme Home and lites ligure. Colit obsision

