



Hunt Institute for Botanical Documentation
5th Floor, Hunt Library
Carnegie Mellon University
4909 Frew Street
Pittsburgh, PA 15213-3890
Telephone: 412-268-2434
Email: huntinst@andrew.cmu.edu
Web site: www.huntbotanical.org

The Hunt Institute is committed to making its collections accessible for research. We are pleased to offer this digitized item.

Usage guidelines

We have provided this low-resolution, digitized version for research purposes. To inquire about publishing any images from this item, please contact the Institute.

About the Institute

The Hunt Institute for Botanical Documentation, a research division of Carnegie Mellon University, specializes in the history of botany and all aspects of plant science and serves the international scientific community through research and documentation. To this end, the Institute acquires and maintains authoritative collections of books, plant images, manuscripts, portraits and data files, and provides publications and other modes of information service. The Institute meets the reference needs of botanists, biologists, historians, conservationists, librarians, bibliographers and the public at large, especially those concerned with any aspect of the North American flora.

Hunt Institute was dedicated in 1961 as the Rachel McMasters Miller Hunt Botanical Library, an international center for bibliographical research and service in the interests of botany and horticulture, as well as a center for the study of all aspects of the history of the plant sciences. By 1971 the Library's activities had so diversified that the name was changed to Hunt Institute for Botanical Documentation. Growth in collections and research projects led to the establishment of four programmatic departments: Archives, Art, Bibliography and the Library.

Feb. 1901
Feb. 1901

[illegible]

GYNANDRIA.

...dry into ...
... ... CLUTIA.

adversus ad. 1. 2

Habitat in Æthiopia. $\frac{1}{2}$ Sp. *Quasi ad oleum catens. nuda*

Habitat in Ethiopia, b ^{sp. nov.} ^{cont. nig. rufos.} ^{Rossi juba angul.}

Habitat in India. b 1. *Lepidoptera*. 4/7. Gray Sp. 5. *Stenobothrus*.
2. *Bombus* *auratus*.

I. p. 56. t. 35. f. 3. *Stygnura rubra* *apoclypsi*
rhododendronum *Boiss. & Heldr.*

from 1858.

1940

globba utan. Ruyph. 6. 2. 62. d. 63. cu multo specios. fl. et flor. gradatula multa
ad fl. m. 3 ped. ap. acuta. Ruyph. haec glob. vel. cap. lica. glob. globba utan. Ruyph.

POLYGAMIA MONOECIA.

IC43

Musee officina in regno Catay. B. Sin 508

Photel. Thes. Salub.
Sic. phanomy. amell.

Classis XXIII.

Som. India fructu rannaso altera. B. Sin 508.

gagney. ovidi

POLYGAMIA

Pacobato. Iny. ut Brana. mign.

Pacota. Iny. Braso. japon.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Pacota. Iny. Pacota. Iny. Pacota.

Lotus arbor. Lob. ic. 186.

Habitat in Europa australi & Africa citeriore. 5

celb
Rhamnus ad.
orientalis.

2. *CELTIS* foliis oblique cordatis serratis: subtus villosis. Fl. zeyl. 369.

Ulmus fructu baccato. Hort. cliff. 83.

Salvifolia arbor orientalis, foliis tenuissime crenatis.

Pluk. alm. 329. t. 221. f. 4.

Mallam-toddali. Rheed. mal. 4. p. 83. t. 40.

Habitat in Indiis. 5 *eu/pu Tyl.*

occidentalis. 3. *CELTIS* foliis oblique ovatis serratis acuminatis. Celtis procera, foliis ovato-lanceolatis serratis, fructu pullo. Gron. virg. 195. *celb fructu oblongo*
Lotus arbor virginiana, fructu rubro. *Raj. hist. 1917.*
Habitat in Virginia. 5 *fructu rubro*
Folia tenera, ovato-lanceolata, parum pubescentia; adulta lato-ovata, acuminata, acumine & basi integerima, ceterum serrata, nuda, nervoso-venosa, latere postico duplo minore. Maxime affinis prima.

Veratrum ad. 47

Veratrum ad. 47 *Veratrum*

album.
Veratrum ad. 47

1. *VERATRUM* racemo supradecomposito, corollis erectis.

Veratrum caule ramoso. Mat. med. 471.

Veratrum pedunculis corolla erecta patente brevioribus.

Gmel. sib. 1. p. 75.

Helleborus albus, flore subviridi. Bauh. pin. 186.

Elleborus albus, exalbido flore. Clus. hist. 1. p. 274.

Habitat in Russiæ, Sibiria, Austria, Helvetiæ, Italia, Græciæ montosis. 4

Veratrum ad.

nigrum.

2. *VERATRUM* racemo composito, corollis patentissimis.

Veratrum pedunculis corolla patentissima longioribus.

Gmel. sib. 1. p. 76.

Helleborus albus, flore atro-rubente. Bauh. pin. 186.

Moris. hist. 3. p. 485. f. 12. t. 4. f. 1.

Habitat in Hungariæ, Sibiria apricis siccis. 4

Præcedenti maxime affinis, diversa loco, colore, pedunculis villosis, corolla patente nec erecta, racemo composito, nec subdiviso in paniculam.

Veratrum ad.
Veratrum ad.
Veratrum ad.

Veratrum ad.
Veratrum ad.

interum.

Veratrum ad.

3. *VERATRUM* racemo simplicissimo, foliis sessilibus. Veratrum caule simplicissimo. Gron. virg. 195. Gen. nov. p. 16. f. 2.

Refeda

Reseda foliis lanceolatis, caule simplicissimo. *Gron. virg.* 59.

Habitat in Virginia, Canada.

Radix bulbosa. Folia radicalia plura, lato-lanceolata, nervosa, firma, glabra. Caulis pedalis, simplicissimus. Folia caulina nonnulla, inæqualiter posita, angusta, lanceolata, sessilia, nec ut in reliquis vaginantia, parva. Racemus terminalis, simplicissimus, primum ovatus, demum longitudine caulis, densus, flosculis parvis, flavis.

ANDROPOGON.

1. ANDROPOGON spica solitaria, floribus inferiori-contortum, bus muticis.

Ægilops maderaspatana, glumis pilosis aristatis. *P. Scheuch. gram.* 92.

Gramen secalinum indicum, spica gracili tomentosa: longioribus aristis ad se invicem intortis. *Pluk. alm.* 173. t. 191. f. 5. *Morif. hist.* 3. p. 180. f. 8. t. 4. f. ult.

Habitat in India.

2. ANDROPOGON spica oblonga, floribus lanatis re-divaricatum motis divaricatis: arista flexuosa nuda.

Lagurus humilior, panicula conica laxa nutante culmum terminante. *Gron. virg.* 135.

Habitat in Virginia.

3. ANDROPOGON panicula nutante, aristis tortuosis nutans, lævibus, glumis calycinis hirsutis.

Andropogon folio superiore spathaceo, pedunculis lateralibus oppositis unifloris: aristis flexuosis. *Gron. virg.* 133.

Gramen avenaceum, panicula minus sparsa, glumis alba sericea lanugine obductis. *Sloan. jam.* 35. *hist.* 1. p. 43. t. 14. f. 2.

Habitat in Virginia, Jamaica.

4. ANDROPOGON panicula laxa, aristis tortuosis. *alopecuroides*

Andropogon culmo paniculato. *Gron. virg.* 133.

Gramen Dactylon alopecuroidis facie, panicula longissima e spicis plurimis tomentosis constante. *Sloan. jam.* 3. *hist.* 1. p. 113. t. 14. t. 70. f. 1.

Habitat in America septentrionaliore.

Distachyon.

andropogon
de 453

5. ANDROPOGON spicis binis terminalibus, culmo indiviso.

Habitat in Helvetia. Burser.

Culmi plus quam pedales. Folia plana. Rami nulli. Spicæ duæ, æquales, oblongæ, erectiusculæ, culmum terminantes: singulæ ex flosculis viginti pluribus. Pedicelli arcti, brevissimi, planiusculi, basi pilosi, superne latiores. Flores solitarii. Calyces uniflori: gluma exterior flore fere longior latiorque apice bifido: aristâ longa, articulata, patente. Gluma calycina interior minima.

Schœnauanthus. myr. ad p. 38.

** Schœnan-
th. 454. thusa. myr. ad p. 38.*

Schinanthus. 454.

*adhar adhar adhar
aladhar alitir.*

Sachbar. 454.

*Pates de munda pulgo
pates caudum.*

6. ANDROPOGON paniculæ spicis conjugatis ovatis. Fl. zeyl. 465. (sub Laguro) Mat. med. 31.

Juncus odoratus aromaticus. Baub. pin. 11. theatr. 163. Gramen ad junceum accedens aromaticum majus syriacum. Moris. hist. 3. p. 229. f. 8. t. 9. f. 25.

Gramen Dactylon aromaticum, multiplici panicula, spicis brevibus tomento candicantibus ex eodem pediculo binis, Pluk. alm. 175. t. 190. f. 1.

Habitat in India, Arabia.

virginicum. 7. ANDROPOGON paniculæ spicis conjugatis, pedunculis medio villosis, spicis lana brevioribus.

Roy. lugdb. 53. * Gron. virg. 132.

Habitat in America.

*hyal. ad
G 295.*

8. ANDROPOGON paniculæ spicis conjugatis, flosculis basi lanatis folio spataneo obvolutis.

Lagurus spicis oblongis pedunculatis e singula ala pluribus. Hort. cliff. 25. Gron. virg. 135.

Gramen Dactylon bicornè tomentosum maximum, spicis numerosis. Sloan. hist. 1. p. 42.

Habitat in Brasilia, Jamaica.

*hirtum,
andropogon
de 454*

9. ANDROPOGON paniculæ spicis conjugatis, calycibus hirsutis. Roy. lugdb. 53. Gron. virg. 133.

Festuca junceo folio, spica gemina. Baub. pin. 9. prodr. 19. theatr. 145.

Gramen Dactylon spica gemina. T. Scheuch. gram. 95.

Gramen Dactylon siculum, multiplici panicula, spicis ab eodem exortu geminis. Pluk. alm. 175. t. 92. f. 1.

Habitat in Lusitania, Sicilia, Smyrnæ.

*Schinanthus ad
Nardus.*

10. ANDROPOGON paniculæ ramis supradecompositis proliferis. Fl. zeyl. 45. * (sub Laguro) Mat. med. 32.

Calamus odoratus matthioli. Baub. pin. 17. theatr. 263.

Habitat in India.

2. *Quercus*

- Anderson. ad 38
C. 452.

Sorgum. ad. 28

- Sorgho. gal. fleshy. Ind.
Sorghum. grm. •
Sorga Natan. Le bet Belban
melica Natan. Dod.
documenta
havacomer. male
Ransolf
ul. Humini Sorga. 7-8
havacomer. Bellouli.
Arab.
catamboschio. grm. •
Rign. gr.
saccharatus. • § 200.
Sorgum. ad

Gramen arundinaceum halepense, tragopoginis folio, panicula miliacea. *Pluk. alm.* 176. t. 32. f. 1.

Gramen paniculatum arundinaceum syriacum Hulliaundictum. *Moris. hist.* 3. p. 201.

Habitat in Syria, Mauritania. 2

Singulo flori femineo adstant flores duo masculi pedicellati.

? *asmy* 34.

lanatus.

hippoglossis 34.

4. HOLCUS glumis bifloris villosis: hermaphrodito mutico, masculo arista recurva.

Aira foliis pubescentibus, panicula contracta: flosculo hermaphrodito mutico, masculo arista uncinata, calyce brevior. *Fl. suec.* 67. *It. æl.* 122.

Aira flosculo masculo aristato, femineo mutico. *Hort. cliff.* 27. *Roy. lugdb.* 66.

Gramen pratense paniculatum molle. *Bauh. pin.* 2. *prodr.* 3. *theatr.* 27. *Scheuch. gram.* 234.

Gramen lanatum. *Dalech. hist.* 425.

Habitat in Europæ pascuis arenosis. 2

asmy 34.

odoratus.

34.

5. HOLCUS glumis trifloris muticis glabris: hermaphrodito diandro

Hierocloe. Gmel. fib. 1. p. 101.

Aira foliis planis, floribus trifloris aristatis: flosculo intermedio mutico diandro. *Fl. suec.* 70.

Poa spiculis bifloris cordatis. *Fl. lapp.* 53.

Gramen paniculatum odoratum. *Bauh. pin.* 7. *prodr.* 7. *Scheuch. gram.* 236. *Zb 4 f.* 26.

Gramen mariæ borussorum. *Læs. pruss.* III. t. 26.

Habitat in Europæ frigidioris pascuis humentibus. 2

Flosculi duo laterales masculi triandri: intermedius

J. tertius hermaphroditus diandrus.

6. HOLCUS glumis glabris bifloris muticis acuminatis, panicula filiformi debili.

Aira calycibus trivalvibus trifloris. *Gron. virg.* 136.

Habitat in Virginia, Canada.

Habitus Airæ ceruleæ. Culmi bipedales, angusti, subnutantes. Folia plura, levia, margine scabra, ore piloso. Panicula filiformis, parum admodum ramosa, subnutans, debilis; pedunculi sæpius biflori. Flosculo masculo ovato, crasso.

laxus.

7. HOLCUS glumis striatis bifloris muticis acuminatis, panicula conferta oblonga.

Aira panicula oblonga, floribus muticis: hermaphrodito masculoque, calycibus diphyllis. *Gron. virg.* 135.

striatus.

34.

Habi-

Habitat in Virginiae paludibus.

Folia plana, longa, vaginis crassiusculis striatis. Panicula attenuata: Pedunculis brevissimis, confertis, ramosis. Glumæ oblongæ, striatæ, acuminatæ. Calyx monophyllus, minimus.

~~ISCHÆMUM~~. *Monu Pandum Tagadi. mut.*

1. ISCHÆMUM feminibus muticis.

Tagadi. Rheed. mal. 12. p. 91. t. 49.

Habitat in India. 2 2nd. flr du calumet tubata mut. profla huius sigillatæ

Spica bipartita, imbricata: pedunculis alternis, simplicibus, bifloris, angulatis, culmo adpressis. Flos alter singulum pedunculum terminat Hermaphroditus ex Calyce biglumi unifloro; alter vero s. inferior Flos androgynus, basi exteriori unicuique pedunculo sessilis insertus, ex Calyce bivalvi, duriusculo, longitudine flosculorum, continens flosculos duos: alterum Masculum, alterum Feminum. Pistillorum stigmata crassa, barbata. Semina mutica. Pedunculus spicæ foliis vestitus.

2. ISCHÆMUM feminibus aristatis.

Habitat in China. Osbeck.

Structura spicæ & florum omnino eadem cum præcedente, at Culmus altior, Spica longior & Pedunculus spicæ nudus. Semina arista intorta flosculis longiore armata.

~~CENCHRUS~~. *Eu vimen græcum mutic. nazia. ad. 31.*

1. CENCHRUS panicula spicata, glumis muricatis fere racemosus. • C

tis ciliaribus. Guett. stamp. 2. p. 188. Dalib. paris. nazia. ad. 31. 305. Sauv. monsp. 40. *gram spicatum. Guett. echinatus?*

Gramen caninum maritimum, spica echinata. Bauh. pin.

2. Scheuch. gram. 76.

Gramen caninum maritimum asperum. Bauh. prodr. 2. t. 2.

Gramen caninum maritimum spicatum, echinatis glumis. Barr. ic. 718.

Habitat in Europæ australioris maritimis. circa anemonem

2. CENCHRUS spica ovata simplici. Roy. lugdb. 71. capitatus. • *len flr.*

Sauv. monsp. 40.

Gramen spica subrotunda echinata. Bauh. pin. 7. Scheuch. gram. 74. *ad 32*

Gramen montanum echinatum tribuloides capitatum.
Col. exphr. 1. p. 340 t. 338. f. 1.

Gramen minimum, spica globosa echinata. Barr. rar.
1176. t. 28. f. 1. & t. 862. f. 2.

Habitat in G. Narbonensi, Italia.

Raven. ad. 35.

Sy 6 only *echinatus.*
 4396 *Ravenna* Sy 6

awengaba. Prax. p. 14.

3. CENCHRUS spica oblonga conglomerata. Roy.
lugdb. 72.

Panicastrella americana major annua, spica laxa purpurea
 rufescente. *Mich. gen.* 36.

Gramen locustis tumidioribus echinatis. *Scheuch. gram.*
77.

77. Gramen americanum, spica echinata, majoribus locustis.
Pluk. alm. 177. t. 92. f. 3.

Gramen echinatum maximum, spica rubra f. alba. Sloan.
jam. 30. hist. 1. p. 108. Raj. suppl. 602.

Gramen americanum, spica echinata, majoribus glumis.
T. Moris. hist. 3. p. 195.

Habitat in Jamaica, Curassao. ☉ Zibae long.

tribuloides

Ravam. ad

4. CENCHRUS glumis femineis globosis muricato-spinosis hirsutis.

Cenchrus capitulis spinosis tomentosis. Gron. virg. 122.

Panicastrella americana minor annua, spica angusta densa albicante. *Mick. gen.* 37.

Gramen maritimum echinatum procumbens, culmo longiori, spicis strigosioribus. *Sloan. jam. 30. hist. 1. p. 108. t. 65. f. 1. Raj. suppl. 602.*

Gramen tribuloides spicatum maximum virginianum.
Pluk. alm. 177.

Gramen echinatum spicatum, locustis crassioribus, tri-
buloides virginianum.. *Morif. hist. 3. p. 195. f. 8. t.*
5. f. 4.

Habitat in Virginiae maritimis. ☉

frutescens.

5. CENCHRUS capitulis lateralibus sessilibus, foliis mucronatis, caule fruticoso.

Arundo graminea aculeata. *Alp. exot.* 105. t. 104.

Græmen orienta e spicatum fruticosum spinosum, spicis echinatis in capitulum congestis. *Tournef. cor.* 39.

Habitat in America. b

origen ad 36.

agrim. ^{gracia 2h} ~~ada~~

ÆGILOPS. *extrema*
thick

1. *ÆGILOPS* spica ovata aristis brevioribus. *Hort. upl.*

G 431. u 402. 301. Dalib. paris. 304. Sauv. monsp. 40.

Ægi-

POLYGAMIA MONOECIA.

1051

Ægilops. Roy. lugdb. 72. Dod. pempt. 73. Cam. epit. 928. f. 2.

Festuca altera, capitulis duris. Baub. pin. 10. theatr. 151.

Gramen spicatum, durioribus & crassioribus locustis, spica brevi. Scheuch. gram. 11.

Habitat in Europa australi. ♂

2. *ÆGILOPS* spica subulata scabra, flosculo ultimo caudato. tantum aristato.

Gramen creticum, spica gracili in duas aristas longissimas & asperas abeunte. Tournef. cor. 29.

Habitat in Creta.

Glumæ omnes, excepta ultima, bidentatæ sunt.

3. *ÆGILOPS* spica subulata aristis longiore. *Habitat in Oriente.* Tournefort.

4. *ÆGILOPS* spica subulata scabra, aristis longitudine triuncialis. spicæ.

Festuca altera, capitulis duris, spica triunciali. Baub. pin. 10.

Gramen spicatum, durioribus & crassioribus locustis, spica longissima. T. Scheuch. gram. 12.

Habitat in Monspeli, Massiliæ, Smyrnæ aridis.

5. *ÆGILOPS* spica subulata mutica incurva. *Habitat in Oriente.* Tournefort.

VALANTIA.

1. *VALANTIA* floribus masculis trifidis hermaphroditi- tici germini infidentibus. Hort. upf. 302. Sauv. monsp. 162.

a. *Valantia procumbens* glabra. Hort. cliff 468. Roy. lugdb. 258.

Valantia annua quadrifolia verticillata, floribus ex viridi-pallescentibus, fructu echinato. Mich. gen. 13. t. 7.

Rubeola echinata saxatilis. Baub. pin. 334.

Cruciata muralis minima romana. Col. ecphr. 1. p. 298. t. 297. Moris. hist. 3. p. 328. f. 9. t. 21. f. 2.

3. *Valantia erecta* hispida. Hort. cliff. 460. * Roy. lugdb. 258.

Habitat in G. Narbonensis, Italiæ muris. ☉

2. *VALANTIA* floribus masculis trifidis hermaphroditi- ci pedunculo infidentibus. Hort. upf. 302. * Dalib. paris. 305. Sauv. monsp. 162.

Aprine.

Apa-

144.

Gallidum

Parietaria minus oculis flis. C.B.P. 121.
enigmat. 1a. Regi.

1052

POLYGAMIA MONOECIA.

Aparine femine lævi. *Vaill. parif. 18. t. 4. f. 3.*
Habitat inter Germaniæ, Galliæ, Siciliae segetes. ☉

gallon. articulata.
aparine ad. 144.

3. VALANTIA floribus masculis quadrifidis, pedunculis nudis. *Hort. upf. 303. *. Dalib. parif. 305.*
Cruciata orientalis latifolia erecta glabra. *Tournef. cor.*

4.

Habitat in Ægypto, Syria. ☉

cruciata. g. ad. 144.
cruciata. g. ad. 144.

4. VALANTIA floribus masculis quadrifidis, pedunculis diphyllis. *Hort. upf. 303. Sauv. monsp. 163. Dalib. parif. 305.*

alysia. Min. cap.
inguinaria. Min.

Galium foliis quaternis, flosculis in alis confertis. Hort. cliff. 34. Hall. helv. 462.

Cruciata hirsuta. *Bauh. pin. 335.*

Cruciata. *Dod. pempt. 257.*

Habitat in Germania, Helvetia, Gallia. 2

Parietaria. ad. 261

PARIETARIA.

• officinalis.

1. PARIETARIA foliis lanceolato-ovatis alternis. *Hort. cliff. 469. Hort. upf. 302. Mat. med. 472. Roy. lugdb. 210. Dalib. parif. 305. Gort. gelr. 554.*

Ελξιν. Diet. helv. f.
περ δεικν. galen

Parietaria officinarum & dioscoridis. Bauh. pin. 121. Helxine. Cam. epit. 849.
Habitat in Europæ temperatioris ruderatis. 2

Pardicium.
Vitidola. Lob.
unco. lani. f. 121.

lusitanica.

2. PARIETARIA foliis ovatis obtusis, caulibus filiformibus procumbentibus.

Ελξιν.

Parietaria lusitanica annua minima. Tournef. inst. 509. Raj. suppl. 129.

Elitij.

Parietaria ficula, alfine folio. Bocc. sic. 47. t. 24.
Habitat in Lusitania, Hispania. ☉

Eliaf. Potamia nomen hic
confusi debet.

cretica.

3. PARIETARIA foliis subovatis, involucris fructiferis quinquefidis compressis: laciniis lateralibus majoribus.

Parietaria cretica minor, capsulis seminum alatis. Tournef. cor. 38.

Habitat in Creta.

zeylanica.

4. PARIETARIA foliis oppositis. *Fl. zeyl. 371. **
Habitat in Zeylona.

atriplex ad. 260.

ATRIPLEX.

1. ATRIPLEX caule fruticoso, foliis deltoideis integris. *Hort. cliff 469. Gron. virg. 195. Roy. lugdb. 218.*

• Halimus.

Halimus. Diop.

Hali-

Halimus latifolius f. fruticosus, *Bauh. pin.* 120.

Halimus. *Clas. hist.* 1. p. 53.

Habitat in Hispaniæ, Lusitaniæ, Virginie sepibus maritimis. 5

2. ATRIPLEX caule fruticoso, foliis obovatis. *Fl. suec.* Portulacoides. 829.

Atriplex caule fruticoso, foliis lanceolatis obtusis. *Roy. lugdb.* 218. *Sandalida. cratunum ang.*

Halimus f. Portulaca marina. *Bauh. pin.* 120.

Portulaca marina. *Dod. pempt.* 771.

Habitat in Oceani: Europæ septentrionalis littoribus. 5

3. ATRIPLEX caule herbaceo, foliis deltoideis sinuatis undulatis alternis. *Hort. ups.* 303. * *tatarica.*

Habitat in Tataria. 5

4. ATRIPLEX caule erecto herbaceo, foliis triangularibus. *Hort. cliff.* 469. *Hort. ups.* 303. *Mat. med.* 473. *Roy. lugdb.* 217.

Atriplex hortensis alba f. pallide virens. *Bauh. pin.* 119.

Atriplex hortensis. *Dod. pempt.* 615.

5. Atriplex hortensis rubra. *Bauh. pin.* 119.

Habitat in Tataria. 5 *aboum m. lit.*

5. ATRIPLEX caule herbaceo, foliis deltoideo-lanceolatis obtuse-dentatis subtus farinaceis. *Hort. cliff.* 469. *Fl. suec.* 826. *Gron. virg.* 120. *Roy. lugdb.* 218.

Atriplex maritima laciniata. *Bauh. pin.* 120.

Atriplex marina. *Dod. pempt.* 615.

Habitat ad Europæ & Virginie septentrionalis littora marina. 5

6. ATRIPLEX caule herbaceo: valvulis femineis magnis deltoideis sinuatis. *Fl. suec.* 361. *It. æl.* 88. *Dalib. paris.* 305.

Atriplex sylvestris, folio hastato f. deltoide. *Moris. bles.* 237. *Raj. hist.* 192.

Atriplex sylvestris annua, folio deltoide triangulari sinuato & mucronato hastæ cuspidis simili. *Moris. hist.* 2. p. 607. f. 5. t. 32. f. 14.

Habitat in Europa frigidiori. 5

7. ATRIPLEX caule herbaceo patulo, foliis subdeltoideo-lanceolatis, calycibus feminum disco dentatis. *patula.*

Atriplex caule herbaceo, valvulis femineis feminum disco dentatis. *Fl. suec.* 828. *Dalib. paris.* 306.

Atri-

1055

- ACER foliis quinquelobis subdentatis subtus glaucis, rubrum.
pedunculis simplicissimis aggregatis. Pl. ant. 2. 7. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.
- Acer foliis quinquelobis acuminatis acute ferratis, pe- tiolis teretibus. Hort. ups. 94.
- Acer foliis palmato-angulatis, floribus subapetalis sessili- bus, fructu pedunculato corymboso. Gron. virg. 41. no 5. itale flum rmyy. Cold. noveb. 85.
- Acer virginianum, folio subtus incano, flosculis vi- di rubentibus. Herm. par. 1. t. 1.
- Acer virginianum, folio majore: subtus argenteo supra viridi splendens. Pluk. alm. 7. t. 2. f. 2. Catesb. car. 1. p. 62. t. 62.
- Habitat in Virginia, Pennsylvania. 4.
- ACER foliis quinquepartito-palmatis acuminato-den- tatis. acer. ad
- Habitat in Pennsylvania. Kalm. b
- Folia in hoc profundius & versus basin divisa, acumi- nata apicibus & dentibus, venosa etiam & subtus glauca, a precedente distinctissima. Flores mihi i- gnoti.
- ACER foliis quinquelobis acuminatis acute dentatis glabris, floribus corymbosis. Fl. suec. 393.
- Acer foliis palmatis acute dentatis, floribus corollatis dichotomo-corymbosis. Hort. cliff. 143.
- Acer montanum, tenuissimis & acutissimis foliis. Bauh. pin. 431.
- Acer major. Cam. epit. 63.
- Acer montanum, orientalis platani foliis atrovirentibus. Pluk. alm. 7. t. 252. f. 1.
- Habitat in Europa boreali.
- ACER foliis trilobis acuminatis serrulatis, floribus ra- cemosis. acer. ad
- Habitat in Pennsylvania. Kalm.
- Folia in tres lobos integros maxime acuminatos divisa, margine tenuissime inequaliter & argute serrata.
- ACER foliis lobatis obtusis emarginatis. campestre. acer. ad
- Acer foliis tripartito-palmatis: laciniis utrinque emargi- natis obtusis, cortice sulcato. Hort. cliff. 147. Roy. lugdb. 459. Gort. gelr. 78.
- Acer foliis semitrilobis, lobis obtuse incisfis Hall. belv. 212.
- Acer campestre & minus. Bauh. pin. 431.
- St. 4. cal. hyl. 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

Acer Canad. folio tri dentato complanatum. Pappocera. arb. recto ramis mult
Acer minus polichro juncinervis. fl. oppos. usque 4/5 3 loba acuta. 7 nervi
Cornus utring. plex 100 breviter. petiolis vix. 1 nalis. rub.
fl. spirati tunic. 16 20. humpki stamens in 8 glatis ferebat in allos.
POLYGAMIA DIOECIA.
Acer minus Dod. pempt. 840.

POLYGAMIA DIOECIA.

Acer minus. Dod. pempt. 840.

Acer minus & minus mas f. sterile. Vaill. parif.
Habitat in Scania & australiori Europa. |

acc ad

• monspessula-

8. ACER foliis trilobis integerrimis. Roy. lugdb. 459.

Acer trifolium. *Bauh.* pin. 431. *Pluk.* alm. 7. t. 251

[illegible]

3. *Acer orientalis*, hederæ folio. *Tournef. cor. 43. P.*

cock. orient. 191. t. 85. *Habia lucida* uti nunci. *H. concolor*

Acer cretica. Alp. exot. 9. t. 8. *lanceol. ovatus peduncul.*
compositi pedunculato ovatis.

Habitat Monipeli & 178 Creta. 6 1. white fls.

Segundo.

ACER foliis compositis, floribus racemosis. *Hort. cli.*

144. *Gron. virg.* 154. *Roy. lugdb.* 460.

Acer maximum, foliis trifidis & quinquefidis, virginici

num. Pluk. alm. 7. t. 123. f. 45.

Habitat in Virginia.

BEGONIA.

I. BEGONIA. 4/4 var. o. stem o. style 2 1/2 in. long a brown
inter. style. before yellow. brown. 2 1/2 in. long a brown

Begonia nivea maxima, folio aurito. *Plum. spec.* 2

Aceris fructu herba anomala, flore tetrapetalo an
 87. 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 83

Begonia purpurea maxima folio aurito. *Plum. spec.*

Begonia roseo flore, folio aurito, minor & glab

Plum. spec. 20.

7. Begonia, roseo flore, folio aurito, minor & hirsuta

Plum. spec. 20.

Begonia roseo flore, folio orbiculari. Plum. Spet.

2. *Begonia roleo* flore, foliis acutioribus auritis & late

2 *Begonia hirsuta* flore albo folio aurito fructu cre

5. Begonia munita, flore albo, tunc auro, tunc
10. Barr. exim. 31.

Habitat in America meridionali.

Folia cordata altero latere oblitterato. *Rach.*

[illegible]

DIOECIA.

glebitua ad 319.

GLEDITSIA.

triacanthos. I. GLEDITSIA. Gron. virg. 183. Hort. ups. 29

Melilobus. *Mich. gen.* 15.

Cæfalpinoides foliis pinnatis ac duplicato-pinnatis.

cliff. 489.

Li Zan
vnyi Kari

Ficus hostilis fructu miculato eduli, fls. Syri. Koepf. japp. 409. 7. 406.
 arbor sempervirens, frons elongata. rami parvi teretibus. ligu. duri fragili melle
 scabro. p. badi. lami duri albo m. p. fol. ovato ovato. lat. 1.5. long. 2.5. p.
 fls. maj. eximie albi. melle. p. badi. lami duri. ligu. duri. melle. p. badi. lami duri.
 p. badi. lami duri. ligu. duri. melle. p. badi. lami duri. ligu. duri. melle. p. badi. lami duri.
 tubo bina. p. badi. lami duri. ligu. duri. melle. p. badi. lami duri. ligu. duri. melle. p. badi. lami duri.
 intus rufopellente. p. badi. lami duri. ligu. duri. melle. p. badi. lami duri. ligu. duri. melle. p. badi. lami duri.
 duri. lami duri. ligu. duri. melle. p. badi. lami duri. ligu. duri. melle. p. badi. lami duri. ligu. duri. melle. p. badi. lami duri.
 melle. p. badi. lami duri. ligu. duri. melle. p. badi. lami duri. ligu. duri. melle. p. badi. lami duri. ligu. duri. melle. p. badi. lami duri.

Acacia americana, *abruæ folio*, *triacanthos*. *Pluk. mant.*
1. Hort. angl. t. 21.

β. Acacia, abruæ folio, triacanthos, capsula ovali unicum
semen claudente. *Catesb. car. 1. p. 43. t. 43.*

Habitat in Virginia. 5 20 per. fol. 1. pin. fol. 10. 20 per. in. 1. dent. 1. dent.

Acaia alba, folio non amboato, varietate periscarum sed fl. quodammodo 2 prius
gloride quodammodo 1. cupuleae formae sunt inter rivum superius elingram. Nip. o. s. p.

FRAXINUS.

FRAXINUS foliolis ferratis, floribus apetalis.

Fraxinus floribus nudis. Hort. cliff. 469. Fl. suec. 830.

Mat. med. 475. Roy. lugdb. 396. Dalib. paris. 306.

Fraxinus excelsior. *Bauh. pin.* 416.

Fraxinus. *Dod. pempt. 771.*

Habitat in Europæ septibus. h. *Saxa culavici manne*

2. FRAXINUS foliolis ferratis, floribus corollatis.

Fraxinus floribus completis. Hort. ups. 304. Hort. cliff.

470. Roy. lugdb. 396. Mat. med. 476.

Fraxinus humilior f. altera theophrasti, minore & tenuiore folio. *Bauh. pin.* 416.

Fraxinus florifera botryoides. *Morif. prael.* 265. *Hort.*

angl. 33. t. 9 *maura ofrivianum B. Ru 497. catabrica circa capicetto m*
Orno colligit, Duxen et granata carnior, gromo m. affluat

Fraxinus tenuiore & minore folio. Bauh. hist. i. p. 177.

Habitat in Europa australi. $\bar{h}$

3. FRAXINUS foliolis integerrimis, petiolis teretibus, americana.

Gron. virg. 122. Roy. lugdb. 533.

Fraxinus carolinensis, foliis angustioribus utrinque acuminatis pendulis. *Catesb. car. 1. p. 80. t. 80.*

Habitat in Carolina Virginia. 5 1. April 1841. 5 ad 7. ad

[illegible]

alutro-plum ovand fite. DIOSPYROS. *ovand orbund. stylos ovand 2 ad 6*
tylus 2. cyland. ovand 2 Counting barkto 2/pans.
 DIOSPYROS

i. DIOSPYROS foliorum paginis discoloribus. *Asiaty unian*

Diospyros foliis utrinque bicoloribus. *Roy. lugab.* 441. ^{gracilis Blamin.}

Diospyros foliis utrinque diverse coloratis. Hort. cliff.

149. *Tota laevis, omnivora, nupta foliorum limbo, petiolis florum brevioribus, quibus*

Lotus africana latifolia. Baub. pin. 447.

3. *Lotus africana angustifolia* f. *femina*. *Bauh. pin.* 417.

Lotus africana altera, Cam. epit. 157. *bon.* ^{*Remi sur cilt. var. arboresc.*}
^{*Pitot africana*}

Habitat in G. Narbonensi, Italia, Mauritania. 5

Confr. Si f. Kaki. *Kämpf. amoen.* 85. t. 86.

2. DIOSPYROS foliorum paginis conscoloribus

Diospyros foliis utrinque concoloribus. *Hort. cl. 17*

149. *Rev. lugdb.* 441. *Leaves not as fragrant as the major.*

Diospyros floribus dipicis. Gran. virg. 1-56

X I X

[illegible]

Ficus fructu magno meloni par. B. Pin. 457
Ficus folio sycomori fructum non in caudice gerens. B. Pin. 459
fructus prostratum magnitud.
POLYGAMIA POLYOECIA.

1059

ambulan. Scalligui. B. Pin. 459. arbor cypri calida erit fructus candidus
magnitudine coriandri, pich. saty.
Araliastrum, quinquefolii folio, majus Ninsin vocatum.
Vaill. sex. 43.
Habitat in Canada, Pensylvania, Virginia. 2
Semina producant folium ternatum absque cotyledonibus
uti monocotyledones.

2. **PANAX** foliis ternis ternatis. *Gron. virg. 35.*
Araliastrum, fragariae folio, minus. Vaill. sex. 43.
Nasturtium marianum, anemones sylvaticae foliis, en-
neaphyllon, floribus exiguis. Pluk. mant. 135. t. 435.
f. 7.
Habitat in Virginia. 2
Pracedenti maxime affinis & forte varietas, mari prio-
ris facie & parvitate.

trifolium.
giatun. id. 102

POLYOECIA.

FICUS. *Ficus caducis ante maturitatem*

1. **FICUS** foliis palmatis. *Hort. cliff. 471. Hort. upf. 305.*
Mat. med. 478. Amoen. acad. 1. p. 24. Roy. lugdb. 211.
Ficus communis. Bauh. pin. 457.
Ficus Dod. pempt. 812.
Caprificus. Bauh. hist. 1. p. 134.
Ficus humilis. Bauh. pin. 457.
Habitat in Europa australi, Asia. 5

xyx papir. grana fici.
ixas. fici palla
onolos. grana
grosby. Latini.
Carica. *fructus fici papae.*
Ficus. Bauh. Pin. 457. Roy. lugdb. 211.
Grosby. Theophr. 2. p. 124.
Ficus. Pluk. Mant. 135. t. 435.
Ficus. Pluk. Mant. 135. t. 435.
Caprificus. Plin. Epist. 2. p. 124.
Chamaecarya. Bauh. Pin. 457.
Chamaecarya. Bauh. Pin. 457.

2. **FICUS** foliis cordatis subrotundis integerrimis. *Hort. Sycomorus. mult.*
*cliff. 471. * Roy. lugdb. 211. Amoen. acad. 1. p. 26.*
Ficus folio mori, fructum in caudice ferens. Bauh. pin. 459.
Moro-Ficus. Bauh. hist. 1. p. 124. f. 1. 2. pl. integ. cydonia folio quercu. angust.
SycoMorus, Ficus pharaonis. Cam. matth. 103. f. 3.
Habitat in Aegypto. 5
Confer. Ficus indica, tiliae folio subtus albo & villosa,
polyrhizos. Pluk. phyt. 178. f. 3.

giunco. pich. saty.
onolos. grana
grosby. Latini.
Carica. Pluk. Mant. 135. t. 435.
Caprificus. Plin. Epist. 2. p. 124.
Chamaecarya. Bauh. Pin. 457.
Chamaecarya. Bauh. Pin. 457.
Caprificus. Plin. Epist. 2. p. 124.
Chamaecarya. Bauh. Pin. 457.
Chamaecarya. Bauh. Pin. 457.

3. **FICUS** foliis cordatis integerrimis acuminatis. *Hort. religiosa.*
cliff. 471. Fl. zeyl. 372. Amoen. acad. 1. p. 30.
Ficus malabariensis, folio cuspidato, fructu rotundo
parvo gemino. Pluk. alm. 144. t. 178. f. 2.
Arealu. Rheed mal. 1. p. 47. t. 27.
Habitat in India.

religiosa.
arealu. h. m.
Caprificus. Plin. Epist. 2. p. 124.

4. **FICUS** foliis ovatis integerrimis obtusis, caule infer- benghalensis. **X**
ne radicato. Hort. cliff. 471. Amoen. acad. 1. p. 29.
Roy. lugdb. 212.

infer. benghalensis.
Roy. lugdb. 212.

X x x 2

Ficus

Davallia goli. Bauh. Pin. 457. arbor da Raji. man. 1. p. 124.
Uti arabia. h. m. 3. p. 55. fruct. d. g. g. rad. in v. 2. p. 124.
arbor. 50 p. 1. alt. 1. p. 124. fruct. in v. 2. p. 124.
pl. 40 ul 50. arbor. 1. p. 124. fruct. in v. 2. p. 124.
par. 1. milliare. alt. 1. p. 124. fruct. in v. 2. p. 124.
Uti arabia. h. m. 3. p. 55. Bauh. Pin. 457. arbor da Raji. man. 1. p. 124.
Uti arabia. h. m. 3. p. 55. Bauh. Pin. 457. arbor da Raji. man. 1. p. 124.

