



Hunt Institute for Botanical Documentation
5th Floor, Hunt Library
Carnegie Mellon University
4909 Frew Street
Pittsburgh, PA 15213-3890
Telephone: 412-268-2434
Email: huntinst@andrew.cmu.edu
Web site: www.huntbotanical.org

The Hunt Institute is committed to making its collections accessible for research. We are pleased to offer this digitized item.

Usage guidelines

We have provided this low-resolution, digitized version for research purposes. To inquire about publishing any images from this item, please contact the Institute.

About the Institute

The Hunt Institute for Botanical Documentation, a research division of Carnegie Mellon University, specializes in the history of botany and all aspects of plant science and serves the international scientific community through research and documentation. To this end, the Institute acquires and maintains authoritative collections of books, plant images, manuscripts, portraits and data files, and provides publications and other modes of information service. The Institute meets the reference needs of botanists, biologists, historians, conservationists, librarians, bibliographers and the public at large, especially those concerned with any aspect of the North American flora.

Hunt Institute was dedicated in 1961 as the Rachel McMasters Miller Hunt Botanical Library, an international center for bibliographical research and service in the interests of botany and horticulture, as well as a center for the study of all aspects of the history of the plant sciences. By 1971 the Library's activities had so diversified that the name was changed to Hunt Institute for Botanical Documentation. Growth in collections and research projects led to the establishment of four programmatic departments: Archives, Art, Bibliography and the Library.

DIANDRIA MONOGYNIA.

21 *Sporich. Carnid.*

Hort. cliff. 11. Fl. svec. 26. Roy. lugdb. 327. Dalib, paris. 9. Sauv. monsp. 279.

Verbena communis, flore cæruleo. *Baub. pin. 269.*

Habitat in Europæ mediterraneæ ruderatis. ☉

*ispaforary. Dica
Verbena
s. hinc botany
Columbarij. her med
περιεγρασσα. Dica
Verbena. fuchs. matth
Supina. •
• πυρραγιου
• τριπυριου. gree
• trigonium.*

14. VERBENA tetrandra, spicis filiformibus solitariis, foliis bipinnatifidis.

Verbena tenuifolia. *Baub. pin. 269.*

Verbena supina. *Clus. hist. 2. p. 46.*

Habitat in Hispania.

LYCOPUS

Lycopus ad. 191.

1. LYCOPUS foliis sinuato-ferratis.

Lycopus foliis indivisis. *Fl. svec. 27. Dalib, paris. 9.*

Lycopus. *Hort. cliff. 11. Roy. lugdb. 326.*

Marrubium palustre glabrum. *Baub. pin. 230.*

Habitat in Europæ ripis humentibus. ☿

*europæi. • +
Sedum t. matth. any
9th.*

2. LYCOPUS foliis æqualiter ferratis.

Lycopus foliis lanceolatis tenuissime ferratis. *Gron! virg. 8.*

Habitat in Virginia. ☿

virginicus.

AMETHYSTEA.

amethystea ad 192

1. AMETHYSTEA. *Hort. ups. 9. Amoen. acad. 386. * carnosa.*

Amethystina montana erecta, foliis exiguis digitatis trifidis ferratis, flosculis cum coma e cæruleo-janthinis.

Amm. ruth. 4. Hall. act. ups. 1742. p. 51. f. 1.

Habitat in Sibirix montosis. ☉

ZIZIPHORA. *Lin.*

Ziziforum ad 189.

1. ZIZIPHORA capitulis terminalibus, foliis ovatis.

Ziziphora foliis lanceolatis, floribus terminatricibus.

Hort. cliff. 305. Roy. lugdb. 313. Clinopodium Ziziforum. mon.

Glinopodium fistulosum pumilum indiae occidentalis, summo caule floridum. *Pluk. alm. III. t. 164. f. 4. ☉*

Habitat in Syria.

*Sauv. Clinop. alp. rosi. a foto yplumpro
Syria aseptum.*

*capitata. X
Ziziforum. Mon.*

2. ZIZIPHORA floribus lateralibus, foliis lanceolatis.

Ziziphora foliis lanceolatis, floribus ex alis. *Hort. cliff. 305.*

Ziziphora foliis lanceolatis, floribus lateralibus. *Roy. lugdb. 313. Hort. ups. 9.*

Acinos syriaca, folio mucronato, capsulis hirsutis. *Morris. hist. 3. p. 404. f. II. t. 19. f. 3. 4.*

Habitat in Syria? ☉ Sauv. Clinop. ar. cymifera

*? Clinop. or. f. 11. 3. inf. oim. p. 11. 3. Zi-
Lycopus rufus. Z. con.*

*tenuior. Ziziforum
Ziziphora. hist.*

acinoides.

3. ZIZIPHORA floribus lateralibus, foliis ovatis.
Clinopodium supinum incanum. *Amm. ruth.* 66?

Habitat in Sibiria. ☉

Habitus Thymi Acinos, sed majora quintuplo omnia. Folia Z. capitata; Flores laterales ut in Z. tenuiore 2, sed copiosiores. Calyces similiter hispidi; stamina extracollae tubum protrusa..

monarda ad. 192

MONARDA.

+ *fistulosa.*
Monarda ad.

1. MONARDA capitulis terminalibus, caule obtusangulo. *Hort. ups.* 12.

Monarda floribus capitatis, caule obtuso. Vir. cliff, 3.
Roy. lugdb. 313.

Monarda. Hort. cliff. II. Riv. 179. 90.

Origanum fistulosum canadense. Corn. canad. 13. t. 14.
Habitat in Canada. 2

• *didyma.*

monarda ad. 2.
mahand. Notan

2. MONARDA floribus capitatis sub-didynamis, caule acutangulo.

Monarda caule acute angulato, capitulis terminalibus. Hort. cliff. 495. *Gold. noveb.* 7.

Monarda floribus capitatis verticillatisque, caule acute angulato, foliis lanceolato serratis glabris. Büttn. cun. 226.

Habitat in Pensilvania, Noveboraco. 2. 4. p. fl. alb.

clinopodia.

3. MONARDA floribus capitatis, foliis lævibus serratis.
Monarda foliis ovato-lanceolatis, verticillis lateralibus dichotomis corymbosis, foliis inæqualiter serratis. Gron. virg. 9.

Habitat in Virginia. 2

Radix repens. Facies plantæ præcedentis quoad staturam, at folia gerit Clinopodii incani omnino; neque huic spica rubra, nec flores tetrandri; foliisque glaberrimis distincta a prima; Folia ovato-oblonga, acuminata, profunde serrata, petiolata, utrinque lævia. Caulis quadrangularis, magis quam in prima, minus argute quam in secunda. Flores in capitulum bracteis radiatum, pallidi.

punctata.

4. MONARDA floribus verticillatis, corollis punctatis. *Hort. ups.* 12.

Monarda floribus verticillatis. Hort. cliff. 495. *Gron. virg.* 9. *Roy. lugdb.* 313.

Clinopodium virginianum angustifolium, quovis verticillo

Monarda h.
dentata petiol.
DI.
cal. 2. 1. 2.
cillo duod.

III. t. 24.
Habitat in V.

5. MONARDA
longioribus
Monarda spi
cillorum 1
Clinopodium
leo: labio t
alm. 10. t.
8. f. 6.
Habitat in V.

1. ROSMARINUS
med. 16. A
Rosmarinus
Rosmarinus
Habitat in H

1. SALVIA f
bus petiola
Horminum x
Boerb. lug
Habitat in A

2. SALVIA f
Habitat in C

3. SALVIA f
galea brevi
Salvia corolla
te. Gron. 2
Horminum v
nore; Mor
Habitat in V

4. SALVIA f
floribus spic
ups. 10. M
143.
Salvia major.
Salvia minor
Habitat in Eu

Sphaerob.
Sphaerob.
Sphaerob.
Sphaerob.

DIANDRIA MONOGYNIA.

Salvia ad. 190²⁴
 pomifera.

φλαβορρυθία

5. SALVIA foliis lanceolato-ovatis integris crenulatis, floribus spicatis, calycibus obtusis. Hort. cliff. 12. Roy. lugdb. 307.

Salvia cretica frutescens pomifera, foliis longioribus incanis & crispis. Tournef. cor. 10. itin. 1. p. 92. t. 92.

Salvia baccifera. Baub. pin. 237.

Habitat in Creta.

urticifolia.
Salvia ad

Vide caud. citat. n^o 3.

6. SALVIA foliis ovato-oblongis duplicato-ferratis, calycibus tridentatis; lacinia summa tridentata. Gron. virg. 8. Horminum virginianum erectum, urticæ foliis, flore minore. Moris. hist. 3. p. 395. f. II. t. 13. f. 31.

Habitat in Virginia. *3 ped. pt. t. 15 aug. flor. caerulei. t. 15. v. 15.*

viridis.

7. SALVIA foliis oblongis crenatis, corollarum galea semi-orbiculata, calycibus fructiferis reflexis.

Salvia foliis ovato-oblongis obtusis æqualiter crenatis, corollarum galea semi-orbiculata. Hort. ups. 11. *

Horminum coma viridi. Tournef. inst. 178.

Habitat

Horminum.

Salvia ad

8. SALVIA foliis obtusis crenatis, bracteis summis sterilibus majoribus coloratis. Vir. cliff. 4. Hort. cliff. 12. Mat. med. 14. Roy. lugdb. 310.

Horminum sativum. Baub. pin. 238.

Habitat in Græcia, Apulia. ☉

† sylvestris.
geminatis. gaze

9. SALVIA foliis cordato-lanceolatis acutis, bracteis coloratis flore brevioribus.

Horminum sylvestre salvifolium majus maculatum. Baub. pin. 239. *horm. com. rubra. p. 51*

Horminum sylvestre v. Clus. hist. 2. p. 31.

Horminum sylvestre salvifolium minus. Baub. pin. 239.

Habitat in Austriæ inferioris, Bohemiæ agrorum marginibus, vineis. ♀

hæmatodes.
Salvia ad

10. SALVIA foliis cordato-ovatis rugosis tomentosis, calycibus hispidis, radice tuberosa. †

Horminum sanguineum, asphodeli radice. Triumf. obs. 69. t. 69. *Sclarea asphodeli radice. Int.*

Horminum sylvestre maculatum tuberosum. Honuphr.

Horminum sylvestre majus hæmatodes glabrum, flore cæruleo, italicum. Barr. rar. 234. t. 185.

Habitat in Italia.

Habitus Phlomidis & teneritudo Salvia; Calyces pilis rectis, exstantibus undique hispidi sunt.

11. SAL-

Salvia
 DIA
 11. SALVIA
 amplexicaul
 glutinosus.
 Salvia foliis
 Hort. cliff.
 lugdb. 310.
 Horminum pr
 Gallitrichum
 3. p. 312.
 Varietas β dif
 nescentibus;
 florentibus.
 12. SALVIA fo
 tosis, coroll
 Habitat in Do
 13. SALVIA fo
 gustioribus. V
 309. Dalib. p
 Salvia foliis pin
 Horminum sylv
 Horminum sylv
 Barr. ic. 22
 Horminum verb
 66. t. 66.
 Habitat in Euro
 14. SALVIA fol
 plo longioribu
 Horminum pyre
 parad. 187. t.
 Habitat in Pyre
 15. SALVIA fol
 Hort. cliff.
 Sclarea mexican
 339. t. 254.
 Habitat in Mexi
 16. SALVIA foliis
 cis imbricatis,
 Horminum sylv
 239?
 Sclarea hispanica
 Habitat in Italia,
 Caulis sesquiped

Salvia orient. frutic. foliis cinnamatis, acutis, molle. Tr. int. 10
horminum sylvestris. ab. p. 236
foliis ovatis, serratis et planis ovatis

DIANDRIA MONOGYNIA.

23

11. SALVIA foliis cordato-oblongis crenatis: summis amplexicaulibus, verticillis subnudis, corollis galea glutinosis. *Salvia prat. fol. serratis fl. caeruleis?*

Salvia ad. 190
pratensis.
Jovis Saib. Germ.

Salvia foliis ovatis inciso-crenatis, verticillis subnudis. Hort. cliff. 12. Flor. suec. 28. Hort. ups. 10. Roy. lugdb. 310. Dalib. paris. 10.

Horminum pratense, foliis serratis. Bauh. Pin. 238.

β. Gallitrichum sylvestre, flore majore albo. Bauh. hist. 3. p. 312.

Varietas β differt foliis latioribus, obtusioribus, magis canescentibus; floribus albis galea dimidio minore, serius florentibus.

12. SALVIA foliis cordatis obtusis crenatis subtomentosis, corollis calyce angustioribus. Habitat in Domingo.

13. SALVIA foliis serratis sinuatis, corollis calyce angustioribus. Virid. cliff. 17. Gron. virg. 8. Roy. lugdb. 309. Dalib. paris. 9. Sauv. monsp. 278.

verbenacæ.
Salvia ad.
horminum.

Salvia foliis pinnatim incisiss glabris. Hort. cliff. 12.

Horminum sylvestre, lavendulæ flore. Bauh. pin. 239?

Horminum sylvestre, inciso folio, paryo flore, italicum. Barr. ic. 220. 208. *horm. fol. caudato. p. 52.*

Horminum verbenacæ laciniis angustifolium. Triumph. obs. 66. t. 66.

Habitat in Europæ pascuis. 4

14. SALVIA foliis obtusis erosis, staminibus corolla duplo longioribus. Roy. lugdb. 309. pyrenaica.

Horminum pyrenaicum glutinosum angurix folio. Herm. parad. 187. t. 187.

Habitat in Pyrenæis.

15. SALVIA foliis ovatis utrinque acuminatis serratis. Hort. cliff. 13. Roy. lugdb. 308.

Salvia ad.
mexicana. fl. fr.
Turgia. hist.

Scalaria mexicana altissima, facie heliotropii. Dill. elth. 339. t. 254. f. 330.

Habitat in Mexicæ humentibus. 5

16 SALVIA foliis ovatis basibus mucronato-tuberosis, spicis imbricatis, calycibus trifidis. *hispanica.*

Salvia ad.

Horminum sylvestre, lavendulæ flore. Bauh. pin. 239?

Scalaria hispanica. Tabern. hist. 764. ic. 374.

Habitat in Italia, D. Rathgeb; in Hispania. Lœfling. ☉

Caulis sesquipedalis, tetragonus, obtusus, quadrifidus, super-

superne pilis reflexis albis vestitus. Folia ovata, acuta, rugosa, serrata, basi acuta; petiolis basi utrinque obtuso mucrone prominentibus. Spica tetragona, imbricata Bracteis ovatis, longitudine calycum, ciliatis. Calyces sub singula squama saepe 5, ore tridentati, acuti, dente superiore solitario; inferioribus duobus. Corolla caerulea: limbo longitudine calycis: galea brevior subvillosa; labio inferiore trifido, obtuso, integerrimo, basi maculis 2. pallidis.

indica. Salvia ad. 190

17. SALVIA foliis cordatis acute crenatis: summis sessilibus, verticillis subnudis remotissimis. Roy. lugdb. 15. Sclarea indica, floribus variegatis. Tournef. inst. 179. Habitat in India.

verticillata. Salvia ad

18. SALVIA foliis cordatis crenato-dentatis, verticillis subnudis, stylo corollarum labio inferiore incumbentibus. Hort. upf. 11. *

Salvia foliis cordato-sagittatis dentatis. Hort. cliff. 495. Roy. lugdb. 309. Horminum sylvestre latifolium verticillatum. Bauh. pin. 238. Habitat in Austriae, Misniae cultis & ruderatis. ☉

Sclarea Salvia ad
glutinosa.
glutinaria heilt

19. SALVIA foliis cordato-sagittatis ferratis acutis. Hort. cliff. 13. Hort. upf. 11. Roy. lugdb. 308. Sauv. monsp. 146. Salvia mont. marit. fl. sic. Tournef. inst. Horminum luteum glutinosum. Bauh. pin. 238. Habitat in Europae lutosis. ♀

canariensis. Salvia ad
Schradia heilt.

20. SALVIA foliis hastato-triangularibus oblongis crenatis obtusis. Hort. cliff. 13. Hort. upf. 10. Roy. lugdb. 308. Sclarea fol. triang. caule tomentos. Tournef. inst. 180. Horminum canariense tomentosum, hastato folio. Moris. hist. 3. p. 394. f. 11. t. 13. f. 17. Habitat in Canariis. ♀ 4 p. d.

afr. caerulea. Salvia ad
Sclerastrum heilt.

21. SALVIA foliis subrotundis ferratis: basi truncatis dentatis. Hort. cliff. 13. Roy. lugdb. 308. Salvia africana frutescens, folio scorodoniae, flore violaceo. Comm. hort. 2. p. 181. t. 91. Habitat ad Cap. b. spei, locis argillofis. ♀

afr. lutea. Salvia ad

22. SALVIA foliis subrotundis integerrimis: basi truncatis dentatis. Hort. cliff. 13. Roy. lugdb. 308. Salvia africana frutescens, folio subrotundo glauco, flore magno aureo. Comm. hort. 2. p. 183. t. 92. Habitat ad Cap. b. spei juxta rivulos ♀

23. SAL-

23. SALVIA foliis cordatis
calibus calycibus
cliff. 12. F.
309. Dal.
Salvia foliis
floralibus la
Horminum So
Habitat in Syr

24. SALVIA foliis
Salvia foliis fi
cliff. 13. R.
Salvia foliis fi
cosis. Hort.
Horminum ru
primente. P
rad. 186. t.
Habitat in Pe

25. SALVIA foliis
verticillis lar
Salvia foliis lar
ticillos comp
308. Sclarea
Ethiopiae foliis
Ethiopiae lacin
Marum aegypti
Habitat in Illy
Labium inferiu

26. SALVIA foliis
Roy. lugdb.
Salvia orient
flore & calyc
p. 167. t. 10
Horminum arab
alm. 186. t.
Habitat in Orie

27. SALVIA foliis
subnudo, spic
Habitat in Imp
Sclerastrum
lab. 1. Tab 11.

DIANTHER
Habitat in Virg

DIANDRIA MONOGYNIA.

23. SALVIA foliis rugosis oblongo-cordatis ferratis, floralibus calyce longioribus concavis acuminatis. Hort. cliff. 12. Hort. ups. 10. Mat. med. 15. Roy. lugdb. 309. Dalib. paris. 9. Sclarea Tab. ic.

Salvia foliis cordato-ovatis obscure undulatis, foliolis floralibus lanceolato-concavis. Guett. stamp. 263. Horminum Sclarea dictum. Baub. pin. 238. Habitat in Syria, Italia. ♂

27 *Velana*
Salvia ad 190
Sclarea. • matth.
gallitichium gali. frag. Dod.
cicutum galli. quili
ovale. Dod.
matis/gallia. col.
Sclarea rigida. Murr. quibus
Phoradendron. galeni. quibus
aletris/lophos. Murr. quibus

24. SALVIA foliis rugosis pinnatifidis lanatis.

Salvia foliis simplicibus dentato-pinnatis asperis. Hort. cliff. 13. Roy. lugdb. 308.

Salvia foliis simplicibus dentato-pinnatis rugosis verrucosis. Hort. ups. 10.

Horminum rugoso verrucosoque folio cornu cervi exprimente. Pluk. alm. 186. t. 194. f. 5. Herm. parad. 186. t. 186.

Habitat in Persia, ☉

ceratophylla •
Salvia ad

25. SALVIA foliis oblongis dentato-angulatis hirsutis, verticillis lanatis, corollarum labio faccato.

Salvia foliis lanceolatis sinuato-dentatis: floralibus verticillos comprimentibus. Hort. cliff. 13. Roy. lugdb. 308. Sclarea laurifolia fol. 179.

Ethiopsis foliis sinuosis. Baub. pin. 241.

β. Ethiopsis laciniatis foliis. Barr. rar. 24. t. 188.

γ. Marum ægypticum. Vest. alp. 212. t. 212.

Habitat in Illyria, Græcia, Africa. ☉

Labium inferius anticæ coheret & saccum format.

Sclarea
Salvia ad
Ethiopsis. matth.
ai. the. tis. Dica.
phlomis. 66
Ligustrum. Dica.
noxyctan.

non invenit aethiops
Dica. non habet
integ.

26. SALVIA foliis compositis pinnatis. Hort. cliff. 13. Roy. lugdb. 309. Salvia orient. fol. 179. alatis majorib. et pinnatis. 2.

Salvia orientalis latifolia hirsutissima viscosa pinnata, flore & calyce purpureis, inodora. Bærb. lugdb. 1. p. 167. t. 167.

Horminum arabicum, alatis foliis, flore rubello. Pluk. alm. 186. t. 194. f. 6.

Habitat in Oriente & Arabia.

pinnata. •
Salvia ad

27. SALVIA foliis cordatis inæqualiter basi excisis, caule nutans. subnudo, spicis ante florescentiam cernuis.

Habitat in Imperio Rutheno. 2. *caule nutans* *hortia hirt*

Salvia cubensis *peris florante pindela hirtus* *caule nutans*

DIANTHERA

1. DIANTHERA. Gron. virg. 6. *

Habitat in Virginia.

Dianthera ad
americana.

Kaate. Ind. Linn. Kaate arbor ex cujus ligno pastillos coniuuatos cum Betela
comendant. Linn. Bot. Pin. 470.

Braſilia. diſc. } *Piper abrotium* B. Pin. 412. nigrum. **DIANDRIA DIGYNIA.**
Braſilia. Braſilia. } 28

Canava. malay. } *Piper inane* B. Pin. 412. malay. canava. **COLLINSONIA.**
Canava. } *Caruleum* in intus canava.
Collinsonia. ad 187. **COLLINSONIA.** Hort. cliff. 14. t. 5. Cold. noveb. 8.
ennadensis. 1. **COLLINSONIA.** Hort. cliff. 14. t. 5. Cold. noveb. 8.
Habitat in Virginia, Canadae ſylvis. 4

MORINA.
Morina. ad. 152. **MORINA.** Hort. cliff. 14. Roy. lugdb. 236.
Persica. 1. **MORINA.** Hort. cliff. 14. Roy. lugdb. 236.
Morina orientalis, carlinae folio. Tournef. cor. 48. itin.
3. p. 132. t. 132.
Habitat in Persia ad Hispahan. 4

Dravuni. Lauong. } *Saururus rusciformis* seu *Prototypus major*. Plum.
Dravuni. } *Piper longum* arborum
nervos, *Widya* granitum **DIGYNIA.** *altum minus folio*
sebreoni *Aban.*

ANTHOXANTHUM.

odoratum. **ANTHOXANTHUM** spica ovato-oblonga, floscu-
anthoxanthum lis subpedunculatis arista longioribus.
4 ad. 32. Anthoxanthum flosculis diandris. Hort cliff. 25. Roy.
lugdb. 58.
Anthoxanthum. Fl. suec. 29. Dalib. paris. 10.
Gramen pratense, spica flavescente. Bauh. pin. 3. Sche-
uchz. gram. 88.
Habitat in Europae pratis. 4

indicum. **ANTHOXANTHUM** spica lineari, flosculis sessilibus arista bre-
vioribus. Fl. zeyl. 25. *
Habitat in India.

paniculatum **ANTHOXANTHUM** floribus paniculatis. Amoen.
acad. 145.
Gramen sparteum, panicula flavescente. Rudb. elys. 1.
f. 14.
Habitat in Europa australiore.

TRIGYNIA. *constipatum*

Congona *fruticosa* in juv. *Planta* *speciosa* *caerulea*
fl. verticill. pipit *speciosa* *arvensis*
toca *huil* *rubra* *arvensis* *chempu* *ambrosioides*.
Kassio } *Piper*.
mare foliis } *nigrum*.
nigrum. 1. **PIPER** foliis ovatis subseptemnerviis glabris, petiolis
simplicissimis. Fl. zeyl. 26. * Mat. med. 26.
Piper *rotundum* *nigrum*. Bauh. pin. 411. Pluk. alm.
297. t. 437. f. 1. *spice* *florip.*
Molago-codi. Rheed. mal. 7. p. 23. t. 12.
Habitat in India. 5

Betle, 2. **PIPER** foliis ovatis oblongiusculis acuminatis septiner-
viis, petiolis bidentatis. Fl. zeyl. 27. * **Piper**

Betty *Arbol* *mayr* 124 *arborcula* 4 ad 5 ped. caudice recto undoso dupli crass. pallide virid, albis punctis
maculatis fol. alt lanceol. 1. nervis circa longa petiolo undicod. 6. prope long.
jules florum voluti floris quibus 1. prope long. pedunculatis crassitate prope ang.
sim. oblong. faciem sapore Ringkoud. *herbarium* *spicy* *domum* *Andrey* 6 ad 8
apungu *alba* *sapore* *Ringkoud*. *arborcula* *viridis* *et* *mayri* *petioli*.
fruticosa *pipit* *gambu*. 124 *Arbol* *folium* *et* *fructus* *impendens*.

Piper *rotundum*
Piper *longum* *caud.*
D
Piper qui Sau
Burm. zey
Beetla-codi.
Habitat in
3. PIPER foliis
quinque sub
Frutex americ
t. 215. f. 2
Amalago. Rb
Habitat in Inc
4. PIPER foliis
29. *
Betela quem S
Habitat in Inc
5. PIPER foliis
30. * Mat.
Piper longum
Piper longum,
raspatanum.
Cattu-tirpali.
Habitat in Inc
6. PIPER foliis
Piper longum a
ca gracili &
Piper frutex, sp
f. 2.
Saururus foliis
Hort. cliff.
Habitat in Jam
7. PIPER foliis
Saururus botry
neis. Plum
Jaborandi. Mar
Habitat in Mar
8. PIPER foliis
uncinatis.
Piper longum,
Sloan. hist. 1
Saururus foliis
cliff. 140. R
Saururus arbore
Habitat in Jam
Jaborandi mery
foliis tenet
ringkoud
107 *Arbol*
104. 3
104. 3
104. 3

Piper rotundum album. B. Pin. 412.

Piper longum occidentale dimidi *pedic. longum* in B. Pin. 412.

DIANDRIA TRIGYNIA.

Piper qui Saururus foliis septinerviis oblongo-acuminatis.

Burm. zeyl. 193. t. 82. f. 2.

Beetla-codi. Rheed. mal. 7. p. 29. t. 15.

Habitat in India. b

3. PIPER foliis ovatis acutiusculis subtus scabris: nervis Maldivis quinque subtus elevatis. Fl. zeyl. 26. *

Frutex americanus, spica longa gracili. Pluk. alm. 297. t. 215. f. 2.

Amalago. Rheed. mal. 7. p. - - - t. 16.

Habitat in India utraque.

4. PIPER foliis cordatis subseptinerviis venosis. Fl. zeyl. Siriboa. Javan. 29. *

Betela quem Sirii-boa vocant: Bont. jav. 91. t. 91.

Habitat in India. Siriboa. Rumph. 5. 117.

5. PIPER foliis cordatis petiolatis sessilibusque. Fl. zeyl. longum. 30. * Mat. med. 20.

Piper longum orientale. Bauh. pin. 412.

Piper longum, pistolochiæ foliis absque pediculis, maderaspatanum. Pluk. alm. 297. t. 104. f. 4.

Cattu-tirpali. Rheed. mal. 7. p. 27. t. 14.

Habitat in India. *Piperis* aliquo privilegium debentur decepto tota quædam malum late ostendunt candidum piper, quod dicitur totum foliis colore rubeo que imitatur B. Pin. L. 12. c. 7.

6. PIPER foliis lanceolato-ovatis quinquenerviis rugosis. Amalago.

Piper longum arboreum altius, folio nervoso minore, spica gracili & brevior. Sloan. hist. 1. p. 134. t. 87. f. 1.

Piper frutex, spica longa gracili. Pluk. alm. 297. t. 215. f. 2.

Saururus foliis lanceolato-ovatis quinquenerviis rugosis.

Hort. cliff. 140.

Habitat in Jamaica.

7. PIPER foliis cordatis quinquenerviis reticulatis.

Saururus botryoides major arboreus, foliis plantagineis. Plum. amer. 57. t. 75.

Jaborandi. Marcgr. bras. 37. Pis. bras. 97.

Habitat in Martinica, Brasilia. *Radix* contorta vixi apota. Sudorifica. Radix contra vomitum fuliginosum.

8. PIPER foliis ovato-lanceolatis: nervis alternis, spicis uncinatis.

Piper longum, folio nervoso pallide viridi, humilium.

Sloan. hist. 1. p. 135. t. 87. f. 2.

Saururus foliis ovato-lanceolatis: nervis alternis. Hort.

cliff. 140. Roy. lugdb. 3.

Saururus arboreus, fructu adunco. Plum. amer. 58. t. 77.

Habitat in Jamaica.

Jaborandi marcgr. p. 37. 2 ped. umbeliformis, tuberosa, gemmata. PI. foliis tenuiter oppositis tuberosa pediculis commixtis. Spicæ 2 nervis tenuibus validis 2 carnis. Squamæ imbricatæ tuberosa. Long. 10. 12. 14. 16. 18. 20. 22. 24. 26. 28. 30. 32. 34. 36. 38. 40. 42. 44. 46. 48. 50. 52. 54. 56. 58. 60. 62. 64. 66. 68. 70. 72. 74. 76. 78. 80. 82. 84. 86. 88. 90. 92. 94. 96. 98. 100. 102. 104. 106. 108. 110. 112. 114. 116. 118. 120. 122. 124. 126. 128. 130. 132. 134. 136. 138. 140. 142. 144. 146. 148. 150. 152. 154. 156. 158. 160. 162. 164. 166. 168. 170. 172. 174. 176. 178. 180. 182. 184. 186. 188. 190. 192. 194. 196. 198. 200.

Molaga. Indis
Sabau puto Indis
chiabe. Indis, anme? Idem
29
Medijun aeljjabe
Betel. cast. Lab
Pote. gay
Zambul avien

Pepilati. Javanensis
alind
Ujabe. Rumph.
Cattu Tirpali. h. m
maceratio in aqua
Piperis. Rumph. 5. 116. f. 1. alind est

reticulatum.
Jaborandi
foliis lanceolatis
piperis plant. tenuis
Rumph. in 1. p. 134. t. 87. f. 1.
radix contra vomitum fuliginosum
aduncum.

Jaborandi. Ruy
aguarum Ruy
malva. Ruy. h. m.

Cold. noveb. 8.

236.
cor. 48. itin.

y minus foli.
hendi Ruy.

longa, flosca.

cliff. 25. Roy.

aris. 10.

pin. 3. Sche

libus arista bre

ulatis. Amer

Rudb. elys. 1

stipitation

glabris, petiolis

med. 26.

I. Pluk. alm

12.

minatis septiner

Piper

albis pum

624

Piper alpinum Piper longum argutellum in Florida. B. Sin 412
Piper obtongum nigrum B. Sin 412
Piper 30
pellucidum 9.
Piper ad. 262.
obtusifolium 11.
rotundifol. 12.
maculosum 13.
pellatum 14.
distachyon 15.
umbellatum 16.
trifolium 17.

DIANDRIA TRIGYNIA

9. PIPER foliis cordatis petiolatis, caule herbaceo. Hort. cliff. 6.
 Piper foliis cordatis, caule procumbente. Hort. cliff. 6. t. 4. * Roy. lugdb. 8.
 Saururus minor procumbens botrytis, folio crasso cordato. Plum. amer. 54. t. 72.
 Habitat in America calidiore. ☉
10. PIPER foliis lanceolato-ovatis nervosis carnofis. Saururus alius humilis, folio carnosfo & acuminato. Plum. amer. 54. t. 71.
 Habitat in America calidiore.
11. PIPER foliis obverse ovatis enerviis. Saururus humilis, folio carnosfo subrotundo. Plum. amer. 53. t. 70.
 Habitat in America calidiore.
12. PIPER foliis orbiculatis solitariis carnofis. Saururus repens, folio orbiculari nummularia facie. Plum. amer. 52. t. 69.
 Habitat in America calidiore.
13. PIPER foliis peltatis ovatis. Saururus hederaceus, caulibus maculosis, major. Plum. amer. 60. t. 66.
 Habitat in Domingo.
14. PIPER foliis peltatis orbiculato-cordatis obtufis repandis, spicis umbellatis. Saururus arborefcens, foliis amplis rotundis & umbilicatis. Plum. amer. 56. t. 74.
 Habitat in America calidiore.
15. PIPER foliis ovatis, spicis conjugatis. Saururus hederaceus, caulibus maculosis, minor. Plum. amer. 51. t. 67.
 Habitat in Americis Gallia æquinoctiali.
16. PIPER foliis cordatis subrotundis acutis venofis, spicis umbellatis. Saururus arborefcens, foliis amplis cordatis non umbilicatis. Plum. amer. 53. t. 73.
 Habitat in Domingo.
17. PIPER foliis ternis subrotundis. Saururus hederaceus triphyllus, folio rotundo. Plum. amer. 52. t. 68.
 Habitat in Americis Gallia æquinoctiali.

Nhandi. prof.
Nhembe
Palot. Bamua.
Saururus
Bozaceus
 Clas-
 Roy. lugdb.

Piperi
Cubos vulgaris
 TR
 VALERIA
 ceolatis inte
 Roy. lugdb.
 Valeriana rub
 Habitat in G
 VALERIA
 Hort. upf.
 Valeriana fol
 Virid. cliff.
 monsp. 275.
 Valeriana folii
 Valeriana sylv
 165.
 Habitat in Lu
 VALERIA
 vatis sessilibu
 lugdb. 235.
 Valeriana pere
 prodr. 87.
 Habitat in Am
 vis. ☉
 VALERIA
 Valeriana dioic
 Valeriana, foli
 cliff. 16. Roy
 Valeriana, foli
 5. Roy. lugd
 Valeriana palu
 parum lacinia
 Valeriana alpina
 Habitat in Euro
 VALERIA
 natis. Mat.
 Roy. lugdb.
 Valeriana
 Valeriana
 cap. 16. t. 1.
 el postea librat
 Guba 15 diarium

Piperi simili fructu thectis. P. Min. 412. C. L. v. ita. regandi. p. 634.
Cubebae vulgaris, nec gromm. Cubebae nec galeni Carpusium. Matth. B. Sin. 12.
Cubebae vulgo. auboni fructum putarum. Casp.
et ubi pipere. a savanensis. unquam nisi p. aqua. & coctae v. emulsi. v. regandi. plantantur.
Fructus videri condantur.

Classis III. Sin. 413.

haecunia. Semp. regando. Imper. clus.
zophobas. actonii.
Cubebae. offic. codi.
myrtidanium. hippoc.
Ymugo. gargia. Botanic.
ma. avic.
ma. Bellunensis.

TRIANDRIA

MONOGYNIA.

VALERIANA.

1. VALERIANA floribus monandris caudatis, foliis lanceolatis integerrimis. Hort. cliff. 15. Hort. ups. 14. Roy. lugdb. 235. Dalib. paris. 12. *Valeriana rubra. Bauh. pin. 165.* *Habitat in Gallia, Helvetia, Italia ruderatis.* *Valeriana ad 152.* *rubra. +*
2. VALERIANA floribus monandris, foliis pinnatifidis. Hort. ups. 14. *Valeriana foliis pinnato-laciniatis, floribus monandris. Virid. cliff. 4. Hort. cliff. 16. Roy. lugdb. 235. Sauv. monsp. 275.* *Valeriana foliis calcitrapæ. Bauh. pin. 164.* *Valeriana sylvestris, foliis tenuissime divis. Bauh. pin. 165.* *Habitat in Lusitania. ☉* *Valeriana ad*
3. VALERIANA floribus diandris ringentibus, foliis ovatis sessilibus. Hort. cliff. 15. Hort. ups. 13. Roy. lugdb. 235. *Valeriana peregrina purpurea albave. Bauh. pin. 164. prodr. 87.* *Habitat in America, Mauritania, Sicilia, Hispania arvis. ☉* *Valeriana ad*
4. VALERIANA floribus triandris dioicis, foliis pinnatis. *Valeriana dioica. It. œl. 46. Fl. suec. 31. Dalib. paris. 11.* *Valeriana, foliis caulinis pinnatis, sexu distincta. Hort. cliff. 16.* *Valeriana, foliis caulinis pinnatis, polygama. Vir. cliff. 5. Roy. lugdb. 235.* *Valeriana palustris minor & Valeriana palustris inodora parum laciniata, Bauh. pin. 86.* *Valeriana alpina minor. Bauh. pin. 165. prodr. 87.* *Habitat in Europe campis uliginosis. ♀* *Valeriana ad*
5. VALERIANA floribus triandris, foliis omnibus pinnatis. Mat. med. 21. Hort. cliff. 15. Fl. suec. 30. Roy. lugdb. 234. Dalib. paris. 11. *Valeriana officinalis. +* *Valeriana ad*

1/2 drachma seu 1/2 gr. pulvis hujus radices mane et sera quotidie accepta et postea libra 1 decocto radices et. cum aequali parte florum Nitice, pota Spatio 15 diemum spiritum volentem curat. D. Scopoli

Nardus montana
Thylacium
Nard.

Meliaca et Syria. Caule et flore et semine carit
Folia trianguli oppositi pinnatis, minora tantum
R. drey 2. bel plus app. doli nigro odore tenui
V. drey nard. celtica.

TRIANDRIA MONOGYNIA.

Valeriana sylvestris major. Baub. pin. 164. Fl. lapp. 14.
Habitat in Europæ nemoribus paludosis. 4

Valeriana ad 152

Phu. Dioscor. 2. 273.

Carpesium. Cart.

6. VALERIANA floribus triandris, foliis caulinis pin-

natis; radicalibus indivisis. Hort. ups. 13. Mat. med. 22.

Valeriana foliis infimis integris; proximis laciniatis; cau-

linis pinnatis. Hort. cliff. 15. Roy. lugdb. 234.

Valeriana hortensis. Baub. pin. 164. Cal. let. 10 villis.
Habitat in Alsatia. 4. Aug. 2. calcar. o. sept. 1. lov. 1/7.
Caule non sulcato & foliis exterioribus majoribus a. V.
officinali etiam differt.

Valeriana ad

• tripteris.

7. VALERIANA floribus triandris, foliis radicalibus cor-

datis; caulinis ternatis lanceolatis ferratis.
Valeriana floribus triandris, foliis radicalibus cordatis,

aliis laciniatis. Sauv. monsp. 276.

Valeriana alpina prima. Baub. pin. 165. prodr. 86. t. 86.
Valeriana alpina altera. Baub. pin. 165.

Valeriana alpina minor, planta palmaris. Pluk. alm.
380. t. 231. f. 7.

Valeriana minima, planta uncialis. Pluk. alm. 380. t.
231. f. 8. Cal. let. 15 villis.

Habitat in alpihus Helvetiæ.
Involacra propria sunt diphylla, setacea. 4

Valeriana ad

• montana.

8. VALERIANA floribus triandris, foliis ovato-oblongis

subdentatis, caule simplici.
Valeriana foliis omnibus integris ex ovato-acuminatis le-

viter dentatis. Hall. helv. 664. it. 8.
Valeriana montana, subrotundo folio. Baub. pin. 165.

Valeriana alpina, scrophulariæ folio. Baub. pin. 164.
prodr. 87. *

Valeriana alpina, nardo celticæ similis, inodora. Pluk.
alm. 380. t. 232. f. 2.

Nardo celticæ similis inodora. Baub. pin. 165.
Habitat in alpihus Helveticis, Rhæticis, Pyrenæis. 4

Valeriana ad 152.

• celtica.

9. VALERIANA floribus triandris, foliis ovato-oblongis

obtusis integerrimis. Mat. med. 23.
Valeriana foliis ovatis obtusis minime dentatis. Hall. helv.
664.

Nardus ex apulia. Baub. pin. 165.

Nardus celtica, dioscoridis. Baub. pin. 165.

Nardus celtica altera. Baub. pin. 166. *alut. 10*

Nardus celtica. Baub. hist. 3. p. 205. *p. 10*

Spica celtica fastigio flosculorum ordine differens. Carr.
epit. 14.

Habitat in alpihus Helvetiæ, Valesiæ. 4

Strucht.

10.

TR

10. VALERIAN
integerrim
Nardus mo

6. Nardus m
Nardus mon
Habitat in L

11. VALERI
dicalibus-o
Valeriana alp
Valeriana syl

56. bona.
Nardo Celti
88. Burs.
Habitat in alp

12. VALERIA
ratis petiola
lugdb. 235.
Valeriana max

137.
Valeriana cana
Valeriana orien

2. p. 19. t.
Habitat in Pyr

13. VALERIA
datis repando
Habitat in Chi
Caules herbacei

ris oppositis;
acuta, lobis la
caules termin

nuda.

14. VALERIA
foliis linearibu
paris. 12.
Valeriana caule

Vir. cliff. 5.
Valeriana caule
fructu simplic

Valeriana campe
Valeriana caule
calycibus inflat

Valeriana cretica,
lugdb. 1. p. 75
Calice 5-fidus

hirculus, Chy. Dalich. h.
Sampsonitica. ang.

TRIANDRIA MONOGYNIA.

10. VALERIANA floribus triandris, foliis lanceolatis ^{tuberosa.}
integerrimis: caulinis basi pinnatis.

Nardus montana, radice olivari. ^{2. alata alpina} Bauh. pin. 165.

B. Nardus montana, radice oblonga. Bauh. pin. 165.

Nardus montana, longius radicata. Cam. epit. 16.

Habitat in Dalmatia, Sicilia, Galloprovincia. 4

11. VALERIANA floribus triandris, foliis subdentatis; ra-
dicalibus ovatis, pedunculis communibus elongatis.

Valeriana alpina nardo celticae similis. Bauh. pin. 165.

Valeriana sylvestris alpina 2 saxatilis. Clus. hist. 1. p.
56. bona.

Nardo Celticae similis inodora. Bauh. pin. 165. prodr.
88. Bursf. VIII: 122.

Habitat in alpebus Styriae, Austriae. 4

12. VALERIANA floribus triandris, foliis cordatis ser-
ratis petiolatis: summis ternatis. Hort. cliff. 15. Roy. ^{pyrenaica.} Valeriana ad
lugdb. 235. Cal. ut 19 villar. 152

Valeriana maxima pyrenaica, cacaliae folio. Tournef. inst.
131.

Valeriana canadensis. Riv. mon. 6:

Valeriana orientalis, alliariae folio, flore albo. Buxb. cent.
2. p. 19. t. II.

Habitat in Pyrenaeis? 4

13. VALERIANA floribus triandris, foliis omnibus cor-
datis repando-lobatis. ^{Chinensis.}

Habitat in China. Osbeck.

Caules herbacei, erecti, plus quam pedales, ramis florife-
ris oppositis; Folia opposita, petiolata, glabra, cordata,
acuta, lobis lateralibus utrinque binis obtusis. Rami et
caules terminati umbellulis involucello cinctis. Semina
nuda.

14. VALERIANA floribus triandris, caule dichotomo,
foliis linearibus. Fl. suec. 32. Hort. ups. 14. Dalib. ^{Polygonum ad}
paris. 12. ^{Locusta. Riv. 152}

Valeriana caule dichotomo, foliis lanceolatis integris. ^{Polygonum Plin. lugd}
Vir. cliff. 5. ^{Salade de chennan. C.B.}

a. Valeriana caule dichotomo, foliis lanceolatis integris, ^{Chalcum. Plin}
fructu simplici. Hort. cliff. 16. Roy. lugdb. 235. ^{Myrtanor hippur. Mon.}

Valeriana campestris inodora major. Bauh. pin. 165. ^{Album oliv. Dri}

B. Valeriana caule dichotomo, foliis lanceolatis serratis, vesicaria,
calycibus inflatis. Hort. cliff. 16. Roy. lugdb. 235.

Valeriana cretica, fructu vesicario. Tournef. cor. 6. Boerb.
lugdb. 1. p. 75. t. 75.

Calix 3lobus

C.

γ. Va-

Quaillo. Ind. or.

Tamarindo similis fructu B. Pin 403.
Quaillo fructu ind. or. foliis tamarindi, fructu fabre romanae duplo longiore.
quo inveni, atuntur.

34 TRIANDRIA MONOGYNIA.

coronata. γ. Valeriana caule dichotomo, foliis lanceolatis dentatis, fructu sexdentato. Hort. cliff. 16. Roy. lugdb. 235.
Valeriana ^{ella} femine stellato. Bauh. pin. 165.
dentata. δ. Valeriana caule dichotomo, foliis oblongis subserratis, feminis corona tridentata. Hall. helv. 666. Dalib. paris. 12.

radiata. ε. Valeriana caule dichotomo, capitulis terminalibus involucro cinctis. Gron. virg. 10.
Valeriana marilandica, foliis oblongis obtusis. Raj. suppl. 3. p. 244.
Habitat α. in Europæ, β. Cretæ, γ. Lusitaniæ, δ. Europæ australioris, ε. Marilandicæ arvis. ☉

mixta. 15. VALERIANA floribus triandris, caule quadrifido, foliis imis bipinnatifidis, feminis pappo plumoso. Sauv. monsp. 275: †
Valerianella femine umbilicato hirsuto minore. Moris. umb.
Habitat Monspeli.

Fedia ad 152. 16. VALERIANA floribus tetrandris æqualibus, foliis pinnatifidis, feminibus palea ovali adnatis. Hort. ups. Sibirica.
13. Valeriana lutea humilis, Amm. ruth. 18. n. 25, t. 3.
Habitat in Sibiricæ campis. ☉

HIRTELLA.

americana. I. HIRTELLA, Hort. cliff. 17. * Lamf. n. 183. 5 an.
Habitat in America meridionali. †

OLAX.

zeylanica. I. OLAX. Fl. zeyl. 34. * Amoen. acad. 1. p. 387.
Arbor stercoraria zeylanica glandifera. Burm. zeyl. 26.
Habitat in Zeylona. †

TAMARINDUS.

Tamarindus ad 319. indica. I. TAMARINDUS. Hort. cliff. 18. Mat. med. 28.
Hort. ups. 15. Fl. zeyl. 14. Roy. lugdb. 465.
Siliqua arabica, quæ Tamarindus. Bauh. pin. 403.
Balam-pulli. Rheed. mal. 1. p. 39. t. 23.
Habitat in India, America, Ægypto, Arabia. †

CNEORUM.

Ericoccon. I. CNEORUM. Hort. cliff. 18. Roy. lugdb. 119. Cha-
Chamaea ad 345.

Laurebaya Prop.
Opuntia quæ
candore est.

TR
Cal. 3 phyll. min.
Hort. 3 recept. ca.
Chamaea t
Chamaea.
Habitat in
Pari. exl. sub ruc.
Flor. 3. n. 16. b. h.

1. MELOTH
Gron. virg
Cucumis par
alm. 123.
Cucumis min
p. 227. t.
Habitat in C
Cantina Virg.

1. LOEFLIN
Illecebrum pr
imbricatis.
Habitat in Hi
Caules profusi
subulata, br
breves, squa
latis, dentat
Hort. flor. 1.

1. POLYCNE
Salsola caule re
tis cartilagine
Chenopodium
tariis sessilibu
Chenopodium a
pillaceo. Tou
Camphorata vag
Camphorata co
Herniaria foliis
Magn. char. 5
Habitat in Gall

1. CASSYTHA
Cuscuta altera f.
gaz. 77. t. 49.
Cuscuta baccifera
126. t. 172. f.
Acatfia-valli. Rhe
Rohet puti Ryl

TRIANDRIA MONOGYNIA.

37. } *Xiphium* *Dica* *Figlor*
} *Q* *26* *yavor.* *Thyph.*
} *Figlor* **+**

Gladiolus foliis ensiformibus. Hort. cliff. 20. Hort. ups. *Victorialis.* *Condi.* *Lonca*
16. *10 mai flor. pl. tar.* *94n.*

Gladiolus caule simplicissimo, foliis ensiformibus. Roy. *Schwertel.* *Buray.* *havr*
lugdb. 19. *mm. 4. 3. ut 2. 4. f. 8.*

Gladiolus floribus uno versu dispositis. Baub. pin. 41. *altus* *altus* *uncid.* **9**
Habitat in Europa australi. *2* *2* *pid.* *had.* *tutora* *curi* *vayinis.* *6* *ad 7.*

2. GLADIOLUS foliis ensiformibus, floribus imbricatis. *imbricatus.*
Habitat in Russia citeriore. *2* *gladiolus.* *ad 60.*
Flores parvi versus unum latus imbricati.

3. GLADIOLUS foliis linearibus, caule simplicissimo, spicatus.
floribus spicatis. Roy. *lugdb.* 19.
Habitat in Africa. *2*

4. GLADIOLUS foliis linearibus, floribus distantibus, angustus.
corollarum tubo limbis longiore.
Gladiolus caule simplicissimo, foliis linearibus, floribus
alternis. Roy. *lugdb.* 19.

Gladiolus foliis linearibus. Hort. cliff. 20. * t. 6.
Habitat in Africa. *2*

5. GLADIOLUS caule ramoso, foliis linearibus. Roy. *ramosus.*
lugdb. 19.
Habitat in Africa. *2*

6. GLADIOLUS caule ramoso, capitulis pedunculatis, capitatus.
radice tuberosa.
Habitat in Africa. *2*
Planta est maxima; floribus caeruleis.

ANTHOLYZA. *Lin*

gladiolus ad 60
ringens. **X**

1. ANTHOLYZA stamine unico declinato.
Gladiolo aethiopico similis planta angustifolia. *Comm.*
hort. 1. t. 41. *Rudb. elys.* 2. p. 237.

Gladiolus floridus rictum referens coccineus: suprema
lacinia erecta & fistulosa. *Breyn. ic.* 21. t. 8. f. 1.
Habitat in Aethiopia. *2*

gladiolus ad.

2. ANTHOLYZA staminibus omnibus adscendentibus. *Cunonia.* *Buttn.* *511.* *t. 1.*
Cunonia floribus sessilibus, spathis maximis. *Buttn. 511.* *t. 1.* *ejusd. gen. ac gladiolus.*

Gladiolus aethiopicus, flore coccineo. *Corn. canad.* 78.
t. 79. *Moris. hist.* 2. p. 421. f. 4. t. 23. f. 1.
Habitat ad Cap. b. Spei. *2*

Utrum haec sit distincti generis planta, tum primum elu-
cescat, cum precedentis flores examinentur ulterius.

fol. 2. 6. unvia 1. in unio C 3. altiori **IRIS**
cauli, foliaty ancygulin Syriachis seu Marbandiana 4. cyclaminis radice.

Wae 2.

his latif. germanica odor sambuci C.B.P. 32. wae 2 1/2 fol. alba vir. 6 nervia.
his latif. germanica odor sambuci C.B.P. 32. wae 2 1/2 fol. alba vir. flor pallide carul.
his latif. germanica odor sambuci C.B.P. 32. wae 2 1/2 fol. alba vir. Scap. fl. 1/2 longior. Spatha alba.
his latif. germanica odor sambuci C.B.P. 32. wae 2 1/2 fol. alba vir. 6 ad 12 nervis. flor pallide carul.
his hortensis pallide carul. C.B. wae 2. 1/2 fol. alba vir. 6 ad 12 nervis. flor pallide carul.

38 TRIANDRIA MONOGYNIA.

IRIS

M. ad. 6a.

* Barbatae neetariis petalorum reflexorum.

Ben. • fufiana.
asusen arab. avicenn.
s. alufen

1. IRIS corollis barbatis, caule foliis longiore unifloro.
Hort. cliff. 18. Roy. lugdb. 17. Spatha 2 phylla.
Iris fufiana, flore maximo ex albo nigricante. Bauh. pin.
31. theatr. 579 Mon & Sect 7. 6 f 6.

Habitat in Oriente; venit constantinopoli in Belgium
1573. 2 1/2 ped. p. ten. caulis cyl. fol. ovata vaginata basi 3 phyll. inter. 3 ad 5.
Caulis teres; Germea trigono-teretiusculum; Petala 3 in-
teriora majora reflexa, flor. alli punctatis in g. d. varieg.

M. ad

fruct. • germanica.
Chelid. ~~sp. 10~~
Carthago m. phylli
Urania sp. 10. Roman.

2. IRIS corollis barbatis, caule foliis longiore multifloro.
Hort. cliff. 18. Hort. upf. 16. Mat. med. 24. Roy.
lugdb. 17. fl. carul. 1. latante v. d. laur. Kaki. Usabatta hypnoid. phyll. m.
Iris vulgaris germanica s. sylvestris. Bauh. pin. 30.
Iris hortensis latifolia. Bauh. pin. 31. Mon. dict. 2. 5 f 4.

Habitat in Germaniae editis. 2 1/2 ped. p. ten. 1. mai. flor. 2 ped.
Iris latifolia, caule aphylo. Bauh. pin. 32. fl. p. p. m. m.

fruct. • nphylla.
Chelid. Fed. d. Sy. Roman.

3. IRIS corollis barbatis, scapo nudo longitudine foliorum
multifloro. Roy. lugdb. 17. Iris lutea variegata clus.
Iris latifolia, caule aphylo. Bauh. pin. 32. fl. p. p. m. m.

fruct. • variegata.
Chelid. Fed. d. Sy. Roman.

4. IRIS corollis barbatis, caule subfolioso longitudine fo-
lorum multifloro. Roy. lugdb. 17. Hort. upf. 16.
Iris corollis barbatis, caule altitudine caulis multiflori.
Hort. cliff. 19.

fruct. • biflora.
Copia. ~~...~~
Raphanitis. N. l. m.
a. atrogalite. d. l. m.
Catumo.

Iris latifolia pannonica, colore multiplici. Bauh. pin. 31.
Habitat in Hungaria. 2. uti 2. 1/2 fol. alba vir. 4 nervia. Spatha alba.
fl. luteo a rub. varieg.

fruct. • pumila.
Pisidica. Rom.

5. IRIS corollis barbatis, caule foliis brevior multifloro.
Hortus. upf. 17.
Iris corollis barbatis, foliis caulem multiflorum super-
antibus. Hort. cliff. 19. Roy. lugdb 17.
Chamaeris major saturate purpurea biflora. Bauh. pin.
33.

Habitat in Lusitaniae rupibus. 2 uti 2. fl. glauca. Scap. flum.
flor. brevior.

fruct. • pumila.
Pisidica. Rom.

6. IRIS corollis barbatis, caule foliis brevior unifloro.
Iris corollis barbatis, foliis caulem uniflorum superantibus.
Hort. cliff. 19. Roy. lugdb. 17. Mon. dict. 2. 6 f 14 u 15.
Chamaeris minor, flore purpureo. Bauh. pin. 33.
Habitat in Austriae, Pannoniae, collibus apricis. 2 1/2 ped.
fol. alba vir. 1 ped. non nervia. Caulis vir. follic. longior. 1 fl. 1/2 longior. 2

fruct. • pumila.
Pisidica. Rom.

7. IRIS corollis imberbibus, petalis interioribus stigmatibus
minoribus, foliis ensiformibus. Hort. cliff. 19. Fl.
succ. 33. mat. med. 25. Pseudo iris. Dod. Mon. dict. 2. 6 f 11.
Pseudo non clus. 2. 6 f 11.

fruct. • pumila.
Pisidica. Rom.

8. IRIS corollis imberbibus, petalis interioribus stigmatibus
minoribus, foliis ensiformibus. Hort. cliff. 19. Fl.
succ. 33. mat. med. 25. Pseudo iris. Dod. Mon. dict. 2. 6 f 11.
Pseudo non clus. 2. 6 f 11.

fruct. • pumila.
Pisidica. Rom.

9. IRIS corollis imberbibus, petalis interioribus stigmatibus
minoribus, foliis ensiformibus. Hort. cliff. 19. Fl.
succ. 33. mat. med. 25. Pseudo iris. Dod. Mon. dict. 2. 6 f 11.
Pseudo non clus. 2. 6 f 11.

fruct. • pumila.
Pisidica. Rom.

10. IRIS corollis imberbibus, petalis interioribus stigmatibus
minoribus, foliis ensiformibus. Hort. cliff. 19. Fl.
succ. 33. mat. med. 25. Pseudo iris. Dod. Mon. dict. 2. 6 f 11.
Pseudo non clus. 2. 6 f 11.

fruct. • pumila.
Pisidica. Rom.

11. IRIS corollis imberbibus, petalis interioribus stigmatibus
minoribus, foliis ensiformibus. Hort. cliff. 19. Fl.
succ. 33. mat. med. 25. Pseudo iris. Dod. Mon. dict. 2. 6 f 11.
Pseudo non clus. 2. 6 f 11.

TRIANDRIA
Acorus adulterinus
Habitat in Europa
IRIS corollis imberbibus, foliis stigmatibus, foliis longioribus. Lugdb. 18. Dalis
Gladiolus foetidus.
Spathula foetida X
247. ~~...~~
Habitat in Gallia,
IRIS corollis imberbibus, foliis linearibus tereti, foliis linearibus tereti. Roy. lugdb. 78.
Iris pratensis angustifolia. 32, theatr. 579.
Habitat in Austriae
IRIS corollis imberbibus, foliis linearibus tereti, foliis linearibus tereti. Iris americana vert. t. 155. f. 188.
Iris americana vert. 187. t. 155. f. 188.
Iris latifolia virginiana. Ehret. pict. t. 6.
Habitat in Virginia
IRIS corollis imberbibus, foliis linearibus tereti, foliis linearibus tereti. nps. 17. Roy. lugdb 17.
Iris pratensis angustifolia. Habitats in Germania
IRIS corollis imberbibus, foliis linearibus tereti, foliis linearibus tereti. nps. 17. Roy. lugdb 17.
Iris angustifolia pr. Habitats in Austria
IRIS corollis imberbibus, foliis linearibus tereti, foliis linearibus tereti. Iris virginiana pur.

Triandra longissima foliis lutea C.B.P. Triandra chinensis Clus. Variety Du 7. Catherson an D. Jussieu
fol. angustis 4 ped. alb. ov. 1. n. in mid. Scapus foliis paucis brevibus
in mid. 1. folio / bipart. flor. imbarb. caerulea ulin Xyphis 1. argenta

TRIANDRIA MONOGYNIA.

- Acorus adulterinus. Bauh. pin. 34. theatr. 634. fl. lutei.*
Habitat in Europa ad ripas paludum fossarum. 4 3 ped.
8. *IRIS corollis imberbibus, petalis internis longitudine foetidissima.* *Xyris ad 60*
stigmatis, foliis ensiformibus. Hort. cliff. 19. Roy. Xyris. Plin. 30. p. 41.
lugdb. 18. Dalib. paris. 13. Sauv. monsp. 41. Spatula.
- Gladiolus foetidus. Bauh. pin. 30.*
- Spathula foetida Xyris. Bauh. hist. 2. p. 731. Dod. pempt. 247.* *Xyris ad 60*
- Habitat in Gallia, Anglia, Hetruria. 4 17 ped. fol. 3 ad 4 caulina*
7 ped. pedic. Scapus tuberosus foliis 1 brevibus apice 1 floris.
9. *IRIS corollis imberbibus, germinibus trigonis, caule tereti, foliis linearibus.* *Xyris ad 60*
Hort. cliff. 19. Hort. ups. 17. Roy. lugdb. 78. Hall. belv. 250. Gmel. sibir. 1. p. 28.
- Iris pratensis angustifolia non foetida altior. Bauh. pin. 32, theatr. 637.*
- Habitat in Austria, Helvetia, Sibiria pratis. 4 2 ped. fol. angusta*
2 ped. non nervosa. Scapus foliis brevibus. cyl. tenu. apice 2 floris. st. via 3 ped. fol. ang. st. via.
10. *IRIS corollis imberbibus, germinibus subtrigonis, caule tereti, foliis ensiformibus.* *Xyris ad 60*
Iris americana versicolor, stylo crenato. Dill. ethn. 188. t. 155. f. 188.
Iris americana versicolor, stylo non crenato. Dill. ethn. 187. t. 155. f. 187.
Iris latifolia virginiana, florum petalis repandis purpureis. Euret. pict. t. 6. f. 2.
- Habitat in Virginia, Marilandia, Pensylva. 4*
11. *IRIS corollis imberbibus, germinibus trigonis, caule ancipiti.* *Xyris ad 60*
Gron. virg. 11. Habitat in Virginia. 4
12. *IRIS corollis imberbibus, germinibus sexangularibus, caule tereti, foliis sublinearibus.* *Xyris ad 60*
Hort. cliff. 19. Hort. ups. 17. Roy. lugdb. 16. Iris pratensis angustifolia, folio foetido. Bauh. pin. 32. Habitat in Germaniae pratis. 4
13. *IRIS corollis imberbibus, germinibus sexangularibus, caule ancipiti, foliis linearibus.* *Xyris ad 60*
Hort. cliff. 19. Hort. ups. 17. Roy. lugdb. 18. Iris angustifolia prunum redolens minor. Bauh. pin. 33. Habitat in Austria ad radices montium. 4 7 ped. ovary. lat. vir.
14. *IRIS corollis imberbibus, caule unifloro foliis brevior, radice fibrosa.* *Xyris ad 60*
Gron. virg. 10. Iris virginiana pumila f. Chamæiris verna angustifolia, flore

Triandra angustifolia prunum redolens major B. P. 15 mai flor 20 hanc fuit
fol. 1 ped. 2 nervia. Scapus angustifolia 1 brevibus apice 1 floris imberbis
fol. 1 ped. 2 nervia. Scapus angustifolia 1 brevibus apice 1 floris imberbis
Apud B. gona. ang. aut. ubi angustifolia minor (? 12 hinc p. 12)

Triandra angustifolia maritima minor C. B. 1 1/2 ped. fl. lutea. fol. angustifolia 2 ped.
atque 1/2 ped. 2 nervia. Scapus angustifolia 1 brevibus apice 1 floris imberbis
15 mai flor 20 hanc fuit

Chamaelitta Belgar
6. Gen
Chamel. Nov. gen.
ad 60

Xiphion chamaelitta dictum flore purpureo varicolori Pluk. 363.
Chamel. Nov. gen. ad 60
40 lina. Belgar

TRIANDRIA MONOGYNIA.

flore purpureo caruleo odorato. Pluk. alm. 198. t.
196, f. 6.

Hermodactylus 60
Hermodactylus
3. Gen
tuberosa.

Habitat in Virginia. 2
Iris corollis imberbibus, foliis tetragonis. Vir. cliff.
Hort. cliff. 20. Mat. med. 20. Roy. lugdb. 18.

Hermodactylus matthioli
Iris tuberosa, folio anguloso. Bauh. pin. 40.
Purgativa.
Sativum coeclap.

Hermodactylus folio quadrangulo. Tournef. cor. 50.
Habitat in Arabia & Oriente. 2

Chamaelitta
4. Gen
Xiphium
ad 60

16. IRIS corollis imberbibus, foliis subulato-caniculatis
caule brevioribus. Hort. ups. 17. 21. 17 ped. 15 humil. flm.

Livium. Dod
Chamaelitta Belgar

Iris foliis margine conniventibus, corollis imberbibus.
Hort. cliff. 20. Sol. rad. et caul. 1 ped. glauca semicyclo concava lina
Iris caulescens, foliis margine conniventibus, corollis
imberbibus. Roy. lugdb. 18. Mon. Vert. 4. 7 f. 5.

Chamaelitta
fr. persica.

Iris bulbosa latifolia, caule donata. Bauh. pin. 38.
17. IRIS corollis imberbibus, foliis subulato-caniculatis
caule longioribus.

Chamaelitta
fr. de Persie.
indistinctum hist.

Iris bulbosa cyruleo-violacea. Bauh. pin. 40.
Habitat in Hispania. 2

Sisyrinchium ad 60

Iris acaulis, foliis margine conniventibus, corollis imberbibus. Roy. lugdb. 18.

Sisyrinchium 18

Xiphion pernicum praecox, flore variegato. Tournef.
Hist. 363.

Sisyrinchium majus
Sisyrinchium medium
Sisyrinchium minus

Habitat in Persia, 2

7. Gen
Nov. gen.
ad 60

18. IRIS corollis imberbibus, foliis canaliculatis, bulbis
geminis superimpositis, ut in croco & gladiolo.

Commelina ad 47

Sisyrinchium majus. Bauh. pin. 40. Clus. hist. 1. p. 216.
Sisyrinchium medium. Bauh. pin. 41.
Sisyrinchium minus. Clus. hist. 216.
Habitat in Hispania, Lusitania, 2

Colore est petalorum purpureo macula lutea loco barbae; bul-
bis (non tunicatis simplicibus ut in bulbosis Xiphiiis 16.
17, sed) ex gemino bulbo altero alteri imposito, ut in
Gladiolo, Croco.

Habitat in Hispania, Lusitania, 2

Commelina

* Dipetale dicta.

1. COMMELINA corollis inaequalibus, foliis ovato-lan-
ceolatis acutis, caule procumbente glabro. Hort. ups. 18.

Commelina foliis ovato-lanceolatis, caule procumben-
te glabro, petalis duobus majoribus. Virid. cliff. 6.

Hort. cliff. 21. Roy. lugdb. 17. Gron. virg. 130.

No Radix et vasa 3 fl. a latere fl. opp. uti fl. opposit.

Com-

var. florum pro ultimis conficendo sic: huius petala cum
propere oculos in humectantur; unguis paulo post impunitum,
in piceo impunitum, charta pura immunitum, non essiccatum; quod
iterum utitur charta pro colore voluta. Rayn. p. 890.

Commelina

Commelina

Commelina

Commelina

hemerallis light
sua regulant
TRIANDR
Commelina procum
clth. 93. t. 78. f.
Habitat in America
COMMELINA
tis glabris obtusis,
Commelina radice p
pente glabro, pet
323.
Commelina procum
Habitat in Aethiopia
Differt a prima pet
teis, tertio ovato f
nis foliorum ciliat
COMMELINA c
tusis, caule repen
Ephemerum benghal
vi, phalangoides.
Habitat in Benghala
COMMELINA
lanceolatis, caule
ups. 18.
Commelina foliis o
labro, petalis duob
cliff. 495. Gron. 2
Commelina erecta,
clth. 94. p. 77. t.
Habitat in Virginia,
* * * Tri
COMMELINA c
ceolatis subciliatis.
Commelina foliis ov
joribus aequalibus.
Commelina radice a
79. f. 90.
Habitat in Mexico.
COMMELINA c
satis, foliis lineari
Zanonia graminea pe
Habitat in America
COMMELINA c
laribus, foliis linea
zey. 31.