



Hunt Institute for Botanical Documentation
5th Floor, Hunt Library
Carnegie Mellon University
4909 Frew Street
Pittsburgh, PA 15213-3890
Telephone: 412-268-2434
Email: huntinst@andrew.cmu.edu
Web site: www.huntbotanical.org

The Hunt Institute is committed to making its collections accessible for research. We are pleased to offer this digitized item.

Usage guidelines

We have provided this low-resolution, digitized version for research purposes. To inquire about publishing any images from this item, please contact the Institute.

About the Institute

The Hunt Institute for Botanical Documentation, a research division of Carnegie Mellon University, specializes in the history of botany and all aspects of plant science and serves the international scientific community through research and documentation. To this end, the Institute acquires and maintains authoritative collections of books, plant images, manuscripts, portraits and data files, and provides publications and other modes of information service. The Institute meets the reference needs of botanists, biologists, historians, conservationists, librarians, bibliographers and the public at large, especially those concerned with any aspect of the North American flora.

Hunt Institute was dedicated in 1961 as the Rachel McMasters Miller Hunt Botanical Library, an international center for bibliographical research and service in the interests of botany and horticulture, as well as a center for the study of all aspects of the history of the plant sciences. By 1971 the Library's activities had so diversified that the name was changed to Hunt Institute for Botanical Documentation. Growth in collections and research projects led to the establishment of four programmatic departments: Archives, Art, Bibliography and the Library.

Caucalis lato apri folio c. B. 152
gingidium castan
Daucus arvensis. Linn. 242

PENTANDRIA DIGYNIA.

leptophylla.
Zonit. ad. 99.

6. CAUCALIS seminum aculeis triglochidibus uncina-
tis: pilis verticillatis hispidis. Guett. stamp. 80. Da-
lib. paris. 85.
Caucalis arvensis echinata, parvo flore & fructu. Bauh.
pin. 152.
Echinophora tertia leptophyllon purpurea. Column. ephr.
1. p. 96. t. 97.
Habitat in Gallia, Italia.

gingidium ad 99
Daucus ad 99
gingidium dote. Bauh.
ad. 99.

ARTEDIA.

1. ARTEDIA feminibus squamatis. Hort. cliff. 89. Hort.
ups. 58. Roy. lugdb. 96.
Thapsia orientalis, anethi folio, semine eleganter cre-
nato. Tournef. cor. 22. itin. 3. p. 298. *
Gingidium foeniculi folio. Bauh. pin. 151.
Gingidium rauwolfii. Cam. hort. 67. t. 16.
Habitat in Libano. ☉

artedia ad 99.
fruct. muricato.
Daucus ad.

2. ARTEDIA feminibus aculeatis. Hort. cliff. 89. Roy.
lugdb. 96. Berg. viadr. 81.
Cauculis major daucoides tingitana. Moris. hist. 3. p.
308. f. 9. t. 14. f. 4.
Echinophora tingitana. Riv. pent. 27.
Habitat in Maunitania.

DAUCUS.

Daucus ad 99
Carota. Matth.
Daucus thapsia herb.
Daucus fativus squamatus

1. DAUCUS feminibus hispidis. Hort. cliff. 89. Hort.
ups. 59. Fl. suec. 223. Mat. med. 142. Roy. lugdb.
97. Gron. virg. 31. Dalib. paris. 85.
Daucus vulgaris. Clus. hist. 2. p. 198.
Pastinaca tenuifolia sylvestris dioscoridis. Bauh. pin.
151. fruct. unis. multip. radice unis. foliis unis. umbell. anell.

Corene. Car.
Daucus ad
Vistnaga. Matth.
Kelle arab. Bauh.
Sedi. Nag. Bauh.

2. DAUCUS feminibus nudis. Hort. cliff. 89. Roy. lugdb.
97. Sauv. monsp. 257.
Gingidium umbella oblonga. Bauh. pin. 151.
Gingidium alterum. Dod. pempt. 792.
Habitat in Europæ campis exaridis. ☉

Daucus ad.
Gingidium.
yix. Sior. Sior.
Zivicta. apia

3. DAUCUS radiis involucri planis: laciniis recurvis.
Roy. lugdb. 97.
Gingidium folio chærophylli. Bauh. pin. 151.
Gingidium. Matth. comm. 372. t. 373.

Daucus mont. Bauh. Linn.
à gravilla / ubi Rhit. de part.

PENTANDRIA DIGYNIA.
Pastinaca tenuifolia
Pastinaca folio æ
Habitat Monspeli.
AMMI foliis infer
superioribus mul
Ammi laciniis folio
89. Roy. lugdb.
Ammi majus. Bauh.
Ammi vulgare: Da
Habitat in Europa
AMMI foliorum
Stamp. 2. p. 433
Ammi petræum gla
295.
Daucus petræus gla
Habitat in Gallia.
BUNUM. Hor
Bunium bulbo glob
Bulbocastanum ma
Nucula terrestris.
Habitat in German
CONIUM femin
226. Roy. lugdb.
Genta major. Bauh.
Gentaria major vu
Habitat in Europæ
CONIUM femin
lugdb. 107.
Caucalis africana,
p. 63. t. 63.
Habitat in Africa:
CONIUM femin
Habitat - - -
Causa quæque venen
à multatamur us
causis vixit alter a
alborum fructus
quædam datur
Sicut exprimitur
de Daucis in
manulatum est cog
folia tenuis ordo

Cachryl orient ferulae folio fructu alato plau. con iust.
 24 2 p. p. totan. mac con 1. mai. fl. 15. huius fruct. al. emulsi.
 folia mollia atenuata 9. 1. sub pubes. foliis caulibus petiolo subramuliculato. } Cachry ad 101
 umbell. unis radij cicut. 10. involub. (quandis 4 ad 8. latij. inq. inty
 unilob. p. radij 2 ad 10. cicut. involub. pet. (synnauis) 8. cicut. (long)
 lenit. cor luto videtur. atq. ovand. forat. Aug. (semine 4 ali)

PENTANDRIA DIGYNIA 247
 Hort. cliff. 95. Hort. wps. 61. Roy. lugdb. 99. Sauv. Libanoty. Dica gen
 monsp. 257.

Ferula femina plinii. Baub. pin. 148.

Ferula. Dod. pempt. 321.

Habitat in Europa australi. 2 p. tota 8 p. tota. tota levij. p. radij. 4 ad spium. laiu. linear.
 (p. radij. unis radij. cicut. 10. involub. pet. (synnauis) 8. cicut. (long)

2. FERULA foliolis multipartitis: laciniis linearibus pla-
 nis. Hort. cliff. 95. Roy. lugdb. 99.

Ferula folio glauco, semine lato oblongo. Baub. hist.

3. p. 45,
 Habitat in Sicilia, Italia. 2

3. FERULA foliolis laciniatis: lacinulis tridentatis inæ-
 qualibus. Hort. cliff. 95. Hort. wps. 61. Roy. lugdb. Ferula ad. 100

99. Ferula tingitana, folio ^{anguste} latissimo lucido. Herm. par. 165.
 t. 165.

Habitat in Hispania, Barbaria. 2 uti v. d. laiu. laterij. huius. ac spium. laiu. linear.
 (p. radij. unis radij. cicut. 10. involub. pet. (synnauis) 8. cicut. (long)

4. FERULA foliis pinnatifidis: pinnis linearibus planis Ferulago: gen.
 trifidis. Hort. cliff. 95. Roy. lugdb. 99.

Ferula latiore folio. Moris. hist. 3. p. 309. f. 9. t. 15. f. 1.

Ferulago latiore folio. Baub. pin. 148.

Habitat in Sicilia. ^{Ferula galbani huius Lib. p. 321}
 Ferulago tenuiore folio. C. D. 148

5. FERULA foliorum pinnis basi nudis, foliolis fetaceis. ^{Nasthiciun. Thuyph. s. v. r. thecia orientalis.}
 Hort. cliff. 95. Roy. lugdb. 100.

Ferula orientalis, folio & facie cachryos. Tournef. cor.
 22. itin. 3. p. 239. t. 239.

Habitat in Oriente.

6. FERULA foliorum pinnis utrinque basi auctis: folio-
 lis fetaceis. Hort. cliff. 95. Roy. lugdb. 100.

Laserpitium orientale, folio mei, flore luteo. Tournef.
 cor. 23.

Habitat in Oriente.

7. FERULA foliolis appendiculatis, umbellis subsessilibus. ^{nodiflora. s. p. ferula.}
 Ferula foliorum alis utrinque auctis: foliolis linearibus in-
 tegerrimis, umbellis terminatricibus subsessilibus. Roy.

lugdb. 100. Hort. wps. 61. ^{Prostrata unis radij. p. radij. 4 ad spium. laiu. linear.}
 Libanotis ferulae folio & semine. Baub. pin. 158.

Panax asclepium, ferulae facie. Lob. ic. 783.

Habitat in Europa australi, Istria. 2 ^{5 p. tota. fol. unis radij. cicut. 10. involub. pet. (synnauis) 8. cicut. (long)}

8. FERULA lucida canadensis. Gron. virg. 147. Hort. canadensis.
 wps. 61.

Habitat in Virginia. 2

Q 4

amurricanum dist. ut. resina. granum arboris ferulae fructu. ^{agayllij. Dore. amurricanum. Plin. Theriacum. Plin. Phrymae. Plin.}
 qua ayabuxdis vocatur, et metopium. hae resina est antia. flava
 interius candida, granonum Theriac similitudine, sic cura castorei odore
 amara. Praeterquam. Theriacum Plinio dicit, altera qua sordis parietu
 p. p. p. Phryma in mixtura d. Plinio.

9. FE-
 agayllij. Dore.
 amurricanum. Plin.
 Theriacum. Plin.
 Phrymae. Plin.

Sphondylium ad alpinum. 1015.

HERACLEUM foliis simplicibus, floribus radiatis. Sphondylium alpinum glabrum. *Baub. pin. 157. prodr. 83. t. 83. fl. albi caq. ind.*

Sphondylium montanum glabrum, albo flore. *Barr. ic. 55.*

Habitat in Helvetiæ Alpibus, 7 spid. fol. indivisa non pinn. obtusa tantum / curvata

Ligusticum ad 100

LIGUSTICUM.

1. LIGUSTICUM foliis multiplicibus: foliolis superne incis. *Hort. cliff. 97. Hort. ups. 62. Mat. med. 119. Roy. lugdb. 104. Sauv. monsp. 261.*

Ligusticum vulgare. *Baub. pin. 157. umbell. anil.*

Levisticum vulgare. *Morif. hist. 3. p. 275. f. 9. t. 3. f. 1. bagin. flor.*

Habitat in Apenninis Liguriæ. 4 spid. levitate

Ligusticum ad 105

2. LIGUSTICUM foliis biternatis.

Ligusticum foliis duplicato-ternatis. *Hort. cliff. 97. Fl. suec. 232. Roy. lugdb. 104. Gron. virg. 31.*

Ligusticum humilius scoticum. *Pluk. alm. 217. t. 96. f. 2.*

Apium maritimum. *Fl. lapp. 107.*

Seseli maritimum scoticum. *Herm. par. 227. t. 227. Habitat ad litora Maris in Anglia, Suecia.*

Lappitium ad 97

3. LIGUSTICUM foliis multiplicato-pinnatis: foliolis pinnatim incis. *Hort. cliff. 97. Roy. lugdb. 104. Sauv. monsp. 259.*

Cicutaria latifolia foetida. *Baub. pin. 161.*

Seseli peleonnesense. *Cam. epit. 514.*

Habitat in Peleonnesiacis & Rheticis montibus nemorosis. 3 spid. fol. laev. fol. rad. 2 ad 4. pinn. petiol. cyl. un. rad. caudic. tot. petiol. vagin.

athusa ad 96

4. LIGUSTICUM foliis bipinnatis: foliolis confluentibus incis integerrimis. *Hort. ups. 62. Mat. med. 161. Roy. lugdb. 103.*

Seseli montanum, cicuta folio, glabrum. *Baub. pin. 161. Denticum cicuta: fol. glabrum nit.*

Seseli i. montanum pannonicum. *Clus. hist. 2. p. 193. Habitat in Austriæ alpinis. 2 spid. laev. fl. alb.*

angelica ad 97

ANGELICA.

1. ANGELICA foliorum impari lobato. *Fl. lapp. 101. Fl. suec. 233. Mat. med. 120. Hort. cliff. 97. Roy. lugdb. 103.*

Angelica fativa. *Baub. pin. 155.*

Angelica major. *Dod. pempt. 318.*

angelica Archangeli ad 97. ca.

angelica Nagelub. lugdb. 103.

angelica fativa. Baub. pin. 155.

angelica major. Dod. pempt. 318.

β. Ar-

angelica aquatica. A.P. 156.

archangelica. Dod. lb.
v. unyuratina ad.
253 ~ 1/2 259

PENTANDRIA DIGYNIA.

3. Archangelica. Clus. hist. 2. p. 295.
Habitat in Alpibus Lapponiæ, ad rivulos. ♂ 2 ad 7 ped.

2. ANGELICA foliis æqualibus ovato-lanceolatis serratis. Hort. cliff. 97. Fl. suec. 234. Mat. med. 121. angelica ad. 97
Gron. virg. 31. Hall. helv. 444. Roy. lugdb. 103.

Angelica sylvestris major. Bauh. pin. 155.
Angelica sylvestris. Dod. pempt. 318. Fl. lapp. 102.
Habitat in Europæ frigidioris subhumidis sylvaticis. ♀

3. ANGELICA extimo foliorum pari coadunato: folio terminali petiolato. Roy. lugdb. 103. atropurpurea
Angelica canadensis atropurpurea. Corn. canad. 198. t. 199.
Habitat in Canada.

4. ANGELICA foliolis æqualibus ovatis inciso-serratis. Lucida
Hort. cliff. 97. Hort. ups. 62. Roy. lugdb. 103. angelica ad. 97
Angelica lucida canadensis. Corn. canad. 196. t. 197.
Moris. hist. 3. p. 281. f. 9. t. 3. f. 8.
Habitat in Canada. ♂

SIUM.

1. SIUM foliis pinnatis, umbella terminali. Hort. cliff. latifolium. Sium ad
98. Fl. suec. 235. Roy. lugdb. 104. Hall. helv. 435. latifolium
Sium latifolium. Bauh. pin. 154.
Sium. Riv. pent. 78.
Habitat in Europæ rivulis & ad ripas paludosas. ♀

2. SIUM foliis pinnatis, umbellis axillaribus sessilibus. Hort. nodiflorum. Sium ad
cliff. 98. Roy. lugdb. 105. Sauv. monsp. 231. nodiflorum
Sium aquaticum procumbens, ad alas floridum. Moris. Sium ad
hist. 3. p. 283. f. 9. t. 5. f. 3. nodiflorum
Habitat in Europa ad ripas fluviorum.

3. SIUM foliis pinnatis, floralibus ternatis. Hort. cliff. 98. Sisarum
Hort. ups. 62. Roy. lugdb. 104. Sisarum
Sisarum germanorum. Bauh. pin. 155.
Sisarum. Dod. pempt. 681.
Habitat in China. ?

4. SIUM foliis serratis pinnatis rameis ternatis, vide Mat. Sisarum
med. 117. Sisarum
Sisarum montanum coræense, radice non tuberosa. Sisarum
Kempf. amoen. 817. t. 818. Sisarum
Habitat in China.

5. SIUM foliis pinnatis, foliolis lanceolatis subintegerrimis. rigidum
Pim-

Lindera ad. a. d. Myrrhis perennis lutea. Bauh. pin. 154. Gron. virg. 147. t. 11. f. 4. 10. t. 315.

Lindera. Bot. 101

Lindera. Bot. 211.

PENTANDRIA DIGYNIA.

Rimpinella foliolis lanceolatis glabris acuminatis saepius integerrimis, rarius serratura notatis. Gron. virg. 32.
Oenanthe maxima virginiana, pæoniæ feminae foliis. Moris. hist. 3. p. 288, f. II. t. 7. f. 1.
Habitat in Virginia. 4

~~Killing~~
Faleria. Lon

6. SIUM foliolis linearibus decurrentibus connatis. Hort. cliff. 98. Roy. lugdb. 105. Sauv. monsp. 232.

~~Prostratum~~ ad 97.

Eryngium arvense, foliis serratis. Bauh. pin. 386.

? Nardus mont. dicitur

Amми perenne repens, Moris. hist. 3. p. 294, f. 9. t. 8. f. 1.

Habitat in Flandria, Helvetia, Bohemia, Alsatia, Gallia. 4

? Lindera ad 101

7. SIUM foliis bipinnatis. Hort. cliff. 98. * Roy. lugdb. 105.

~~Stachnum~~ ad.

Ligusticum græcum, folio apii, Tournef. cor. 23.

N. Genu. ? ad 101

Habitat in Græcia. 4

~~Andromeda~~ ad.

8. SIUM foliis radicalibus ternatis, caulinis bipinnatis. Roy. lugdb. 105.

~~Andromeda~~ ad.

Myrrhis foliis pastinacæ late virentibus. Tournef. cor. 22.

Daucus, pastinacæ folio, ficulus. Zan. hist. 78. t. 30.

Habitat in Sicilia. 4

SISON

I. Genu. Sison ad 97.

1. SISON foliis pinnatis, umbellis erectis. Roy. lugdb. 105. Sauv. monsp. 232.

~~Sison~~ ad.

Sison foliis pinnatis. Hort. cliff. 98.

~~Sison~~ ad.

Sison quod Amomum officinis nostris. Bauh. pin. 154.

Petrofelinum macedonicum fuchii. Dod. pempt. 697.

Habitat in Angliæ humectis lutosis.

I Sison ad 97.

2. SISON foliis pinnatis, umbellis cernuis. Roy. lugdb. 105. Hort. ups. 63.

~~Sison~~ ad.

Sium terrestre, umbellis rarioribus. Moris. hist. 3. p. 283. f. 6. t. 5. f. 6.

Habitat in Angliæ agris inter segetes. 4

2. Genu. canadense.

3. SISON foliis ternatis. Hort. cliff. 99. Gron. virg. 147. Roy. lugdb. 106.

~~Sison~~ ad.

Myrrhis canadensis trilobata. Moris. hist. 3. p. 301. f. 9. t. II. f. 4.

Habitat in America septentrionali. 4

3. Genu. amurid. ad 97.

4. SISON foliis caulinis subcapillaribus. Hort. ups. 63.

~~Sison~~ ad.

Mat. med. 140.

~~Sison~~ ad.

PENTANDRIA

Amми lacinulis folio
89. Roy. lugdb.
Amми parvum, fo
Amми. Gron. epit.
Habitat in Apulia, I

SISON repens, un
Sium foliis submersis
lugdb. 105. Sauv
Sium minimum, fol
223. f. 9. t. 9. f.
Sium minimum umb
61. f. 3. 2. Al
Habitat in Europæ

SISON foliolis ven
Carum foliolis seta
Sauv. monsp. 168.
Bunium bulbis oblo
Oenanthe foliis pinna
lib. paris. 90.
Daucus pratensis, n
150.

Daucus pratensis. L
Sium foliis tenuissim
6. 506.

Habitat in Gallia,
Involucrum huic un
melli. cilli. fol. thym. h
Daucus pratensis. M
150.

BUBON foliolis r
numerofissimis. I
med. 133. Roy. I
Sium macedonicu
Petrofelinum mace
Habitat in Macedo

BUBON foliolis
paucis. Hort. cli
100.

Sium africanum
rum. Pluk. alm.
Ferula africana g
Herm. par. 163.

Habitat in Ethiopi
Sium. M. L. 3. 4
Sium metopium

Ammi lacinulis foliorum caulis capillaribus. Hort. cliff.

89. Roy. lugdb. 96.

Ammi parvum, foliis foeniculi. Bauh. pin. 159.

Ammi. Casp. epit. 522.

Habitat in Apulia, Aegypto. ☉

5. SISON repens, umbellis bifidis. It. scan. 397. *

Sium foliis submersis capillaribus, emeris pinnatis. Roy.

lugdb. 105. Sauv. meth. 232

Sium minimum, foliis imis ferulaceis. Moris. hist. 3. p.

223. f. 9. t. 9. f. 5.

Sium minimum umbellatum, folio varians. Pluk. phyt.

61. f. 3. ^{2. Micran. petiol. fol. ananth. sp. fol. petiole umbellat. in vagin. alb.}

Habitat in Europæ mundatis. a fontaine bleue. ^{5. florib. minimum alb. petiol. subint. semine. nat. culicis. ananth.}

Phellandrium 96. ad.

Phellandrium 96. ad. ^{in p. d. 2. p. d. 2. p. d. 2.}

Phellandrium 96. ad. ^{in p. d. 2. p. d. 2. p. d. 2.}

Phellandrium 96. ad. ^{in p. d. 2. p. d. 2. p. d. 2.}

Phellandrium 96. ad. ^{in p. d. 2. p. d. 2. p. d. 2.}

6. SISON foliolis verticillatis capillaribus.

Carum foliolis fetaceis verticillatis, radice napiformi.

Sauv. monsp. 168.

Bunium bulbis oblongis. Sauv. monsp. 256.

Oenanthe foliis pinnatis: foliolis lineariter laciniatis. Da-

lib. parif. 90.

Daucus pratensis, millefolii palustris folio. Bauh. pin.

150.

Daucus pratensis. Dalech. hist. 718.

Carvi foliis tenuissimis, aphodeli radice. Tournef. inst.

206.

Habitat in Gallia, Pyrenæis. ^{2. 1. p. d. 2. 1. p. d. 2. 1. p. d. 2.}

Involucrum huic universale & partiale. latum, buse, fl. alb.

umbell. nulli. fol. ^{2. 1. p. d. 2. 1. p. d. 2. 1. p. d. 2.}

^{2. 1. p. d. 2. 1. p. d. 2. 1. p. d. 2.}

BUBON. eorum ammi. hippocistis. Galbanum. ^{ad. 97.}

1. BUBON foliolis rhombeo-ovatis crenatis, umbellis

numerossimis. Hort. cliff. 95. Hort. ups. 62. Mat.

med. 133. Roy. lugdb. 100.

Apium macedonicum. Bauh. pin. 154.

Petroselinum macedonicum. Lob. ic. 708. ^{2. 1. p. d. 2. 1. p. d. 2. 1. p. d. 2.}

Habitat in Macedonia. ^{2. 1. p. d. 2. 1. p. d. 2. 1. p. d. 2.}

2. BUBON foliolis rhombeis ferratis glabris, umbellis

paucis. Hort. cliff. 96. Mat. med. 132. Roy. lugdb.

100.

Anisum africanum frutescens, folio anisi, galbanife-

rum. Pluk. alm. 31. t. 12. f. 2.

Ferula africana galbanifera, folio & facie ligustici.

Herm. par. 163. t. 163,

Habitat in Aethiopia. ^{2. 1. p. d. 2. 1. p. d. 2. 1. p. d. 2.}

Chalbane. ^{2. 1. p. d. 2. 1. p. d. 2. 1. p. d. 2.}

Orta metopion. ^{2. 1. p. d. 2. 1. p. d. 2. 1. p. d. 2.}

3. DU-

verticilla = . G

? *verticilla* vel

verticilla ad. 97.

verticilla ad.

Galbanum. ^{ad. 97.}

Galbanum. ^{ad. 97.}

Galbanum. ^{ad. 97.}

Galbanum. ^{ad. 97.}

Galbanum. ^{ad. 97.}

Galbanum. ^{ad. 97.}

Galbanum. ^{ad. 97.}

Galbanum. ^{ad. 97.}

Galbanum. ^{ad. 97.}

Galbanum. ^{ad. 97.}

Vogelia ad. 97.

• maculata.
herba à moreau. canad.

3: CICUTA foliorum ferraturis mucronatis, petioli membranaceis apice bilobis.

Ægopodium foliolis lanceolatis acuminatis ferratis. Gron. virg. 32. flor. termin. invol. univ. o. patiale polyphyllum

Angelica caribæarum elatior, olusatrici folio, flore albo, seminibus luteis striatis, cumini odore & sapore. *Pluk. alm. 31. t. 76. f. 1. angelica canad. tunc. apha*

Angelica virginiana, foliis acutioribus, semine striato minore, cumini sapore & odore. *Moris. hist. 3. p. 281.*

Habitat in Virginia aquosis. 2. 2 ped. ad 2 ped. om. fl. rad. 2 ad 3 ped. caud. dact. 2 ped. cyl. non tub. caud. tot. ped. 2. 2. caetera undique ab. 1. univ. qd. patiale. fl. non nove modo in leavy.

æthusa ad 96.

• *Cynapium* R. I.
æthusa. lia.

1: ÆTHUSA. Hort. cliff. 100. Fl. suec. 240. Roy. lugdb. 109. Hall. herb. 433.

Cicuta minor, petroselino similis. *Baub. pin. 160.*

Cicutaria fatua. *Lob. ic. 280.*

Habitat inter Europæ olera. 2. 2 ped. fl. rad. 2 ad 3 ped. caud. dact. 2 ped. cyl. non tub. caud. tot. ped. 2. 2. caetera undique ab. 1. univ. qd. patiale. fl. non nove modo in leavy.

CORIANDRUM.

Coriandrum ad. 97.

• *Sativum* R. I.
Coriandrum R. I.
Coriandrum R. I.
Coriandrum R. I.

CORIANDRUM fructibus globosis. Hort. cliff. 100. Hort. ups. 63. Mat. med. 135. Roy. lugdb. 109. Sauv. monsp. 260.

Coriandrum majus. *Baub. pin. 158.*

Coriandrum. *Cam. epit. 523.*

Habitat in Italia agris. 2. 2 ad 3 ped. fl. rad. 2 ad 3 ped. caud. dact. 2 ped. cyl. non tub. caud. tot. ped. 2. 2. caetera undique ab. 1. univ. qd. patiale. fl. non nove modo in leavy.

Coriandrum ad. 97.

• *testiculatum*.

2: CORIANDRUM fructibus didymis. Hort. cliff. 100. Roy. lugdb. 109. Sauv. monsp. 260.

Coriandrum minus testiculatum. *Baub. pin. 158. Pluk. alm. 120. t. 169. f. 2.*

Coriandrum minus odorum. *Baub. hist. 3. p. 91.*

Habitat in Europæ australis agris. 2.

SCANDIX.

Myrrhis ad. 96.

• *odorata*.

Myrrhis. *matth.*
Myrrhis. *matth.*
Myrrhis. *matth.*
Myrrhis. *matth.*

1: SCANDIX seminibus fulcatis angulatis. Hort. cliff. 101. Hort. ups. 64. Roy. lugdb. 111. umbellarum disco masculino.

Myrrhis major, Cicutaria odorata. *Baub. pin. 160.*

Myrrhis. *Dod. perpt. 701.*

Habitat in alpihus Alvarnia. 2. 2 ped. tot. quib. fl. rad. 2 ad 3 ped. caud. dact. 2 ped. cyl. non tub. caud. tot. ped. 2. 2. caetera undique ab. 1. univ. qd. patiale. fl. non nove modo in leavy.

Scandix ad. 96.

• *Pecten*.

Scandix.

2: SCANDIX seminibus lævibus rostro longissimo. Hort. cliff. 101. Hort. ups. 64. Roy. lugdb. 111.

Scandix, semine rostrato, vulgaris. *Baub. pin. 152.*

Scandix.

Pecten veneris. Can. Habitat inter Germ. tes. 2. 2 ad 3 ped. fl. rad. 2 ad 3 ped. caud. dact. 2 ped. cyl. non tub. caud. tot. ped. 2. 2. caetera undique ab. 1. univ. qd. patiale. fl. non nove modo in leavy.
SCANDIX semine
cliff. 110. Fl. suec.
32. Roy. lugdb. 111.
Cherophyllum semine
testibus. *Bœhm.*
Cherophyllum sativum
Cherophyllum. *Dod.*
Habitat in apris & 2. 2 ad 3 ped. fl. rad. 2 ad 3 ped. caud. dact. 2 ped. cyl. non tub. caud. tot. ped. 2. 2. caetera undique ab. 1. univ. qd. patiale. fl. non nove modo in leavy.
SCANDIX semine
formibus, caule
Scandix seminibus
241. Roy. lugdb.
Myrrhis sylvestris,
Myrrhis sylvestris a
110. t. 112.
Habitat in Europæ 2. 2 ad 3 ped. fl. rad. 2 ad 3 ped. caud. dact. 2 ped. cyl. non tub. caud. tot. ped. 2. 2. caetera undique ab. 1. univ. qd. patiale. fl. non nove modo in leavy.
SCANDIX semine
diatis, caulibus
Scandix seminibus
bus. *Sauv. monsp.*
Scandix cretica mi
Scandix, semine ro
Amilomaratarum. *C.*
Habitat in G. Na
SCANDIX semine
hisido, geniculis
Cherophyllum artic
fida. *Hort. cliff.*
Cerefolium annuan
Moris. hist. 3. p.
Myrrhis nodosa an
Habitat in Sicilia.
SCANDIX semine
Roy. lugdb. 111.
Scandix orientalis,
Habitat in Oriente
SCANDIX semine
decompositis. *G.*

Cerefolium virginianum procumbens, fumariae foliis.
Moris. hist. 3. p. 303. f. 11. t. 11. f. ult.
Habitat in Virginia.

CHÆROPHYLLUM.

Cherophyllum ad. 96. * Floribus omnibus hermaphroditis.

Cherophyllum sylvestre.
Myrrhis. Lich. Dod.
Cicutaria. 94 n.
3. 10 p. 11.

1. CHÆROPHYLLUM flosculis omnibus fertilibus, caule æquali. Hort. cliff. 101. Fl. suec. 243. Roy. lugdb. 112. Mat. med. 143.

Cherophyllum feminibus lævibus nitidis, petiolis ramis æqualibus. Hort. cliff. 101. Fl. suec. 243. Roy. lugdb. 112. Mat. med. 143.

Cherophyllum sylvestre perenne, cicutæ folio. Tournef. inst. 114. Fl. lapp. 104.

Myrrhis sylvestris, feminibus lævibus. Bauh. pin. 160.

Cicutaria vulgaris. Dod. pempt. 701.

Habitat in Europæ pomariis & cultis. 23 p.

Myrrhis bulbosum.

2. CHÆROPHYLLUM caule lævi: geniculis tumidis. Cherophyllum foliis supradecompositis: caulinis articulis lævibus superne incrassatis. Hort. ups. 64.

Cherophyllum radice turbinata carnosâ. Hort. cliff. 102. Roy. lugdb. 112.

Cicutaria bulbosa. Bauh. pin. 161.

Myrrhis foetens. Riv. pent. 49.

Habitat in Alsatia, Hungaria, Helvetia. ♂

Cherophyllum ad.
temulum.

* Floribus disci masculis.

3. CHÆROPHYLLUM caule scabro: geniculis tumidis.

anthracis. Plin. Delub.
myrrhodes. hist.

Cherophyllum caule maculato: geniculis tumidis. Hort. cliff. 102. Fl. suec. 244. Roy. lugdb. 112. Gort. gelr. 59.

Cherophyllum sylvestre. Bauh. pin. 152.

Myrrhis annua vulgaris, caule fusco. Moris. hist. 3. p. 302. f. 9. t. 10. f. 7.

Habitat ad Europæ arvos, vias & sepes. ♂ hirs.

hirsutum.

4. CHÆROPHYLLUM caule æquali, foliolis incis acutis.

broccinum. Aidan.

Cherophyllum foliolis dissectis, petiolis ramiferis universalibus utrinque membrana auctis. Hort. cliff. 101.

Roy. lugdb. 111. Sauv. monsp. 262.

Coloratum Lin.
S. n. 214

Cerefolium latifolium hirsutum album & rubrum. Moris. hist. 3. p. 304. f. 9. t. 10. f. 6.

Cicu-

Cicutaria palustris la
Cicutaria palustris la
Myrrhis perennis alb
reo. MacHall. jer.
Myrrhis broccenberg
Seseli montanum, cic
161. prodr. 85.
Habitat in Alpibus I
CHÆROPHYLL
is integris.
Cherophyllum folio
gris. Hort. cliff.
Cerefolium, rugoso
mas. 2. p. 29. t.
Angelica sylvestris
prodr. 82.
Habitat in Lusatia,
CHÆROPHYLL
Cicuta arbor virginia
Cicutaria arbor virgi
Habitat in Virginia
Ciculis frutescens. F
pinnis paten
bellæ tenues, albæ
fertiles.
IMP
IMPERATORIA
Mat. med. 122.
Imperatoria. Bauh.
Magilstrantia. Cam.
Habitat ad radices A
SESELI caule dec
nutantibus.
Habitat in Europa
Ciculis perennis. Foli
is alternis: hæ et
nearibus, planis, e
res, ante florescent
me erectus foliolo
spathæformi, oblon
bellæ ante florese

- 1. mai flor. 15. hinc fruct.*
- a. Cicutaria palustris latifolia alba. *Baub. pin. 161.* *2. ped. mag. 2. ped. B.*
 - b. Cicutaria palustris latifolia rubra. *Baub. pin. 161.* *foliis minus acutis, hinc hinc latioribus nec utque pediculis communi cunctis.*
 - Myrrhis perennis alba minor, foliis hirsutis, semine aureo. *MacHall. jer. 282. t. 5.*
 - Myrrhis broccenbergensis. *Baub. pin. 160.*
 - Seveli montanum, cicutæ folio, subhirsutum. *Baub. pin. 161. prodr. 85.*

hirsutum 5.

4 aurum l. n. 214

Habitat in Alpibus Helvetiæ. 2. 3. ped. hirs. virens. caulis epl. nerv. mag. nodi hirsuti inflecti.

- 5. CHÆROPHYLLUM caule æquali, foliolis serratis integris. *aromaticus.*

Chærophyllum foliolis lanceolato-ovatis serratis integris. Hort. cliff. 102. Roy. lugdb. 112.

Cerifolium, rugoso angelicæ folio, aromaticum, Bocc. mus. 2. p. 29. t. 19. myrrhis folio angelicæ rugoso hirsuto Bocc.

Angelica sylvestris hirsuta inodora. Baub. pin. 156. prodr. 82. Umbellæ folio ovato. involucro o. patenti & folio latius limbo hirsuto.

Habitat in Lusatia, Misnia. 2. 2. ped. fol. angulata 2. pinn. angula dentata.

- 6. CHÆROPHYLLUM fruticosum. *arborescens.*

Cicuta arbor virginiana. Pluk. mant. 49.

Cicutaria arbor virginiana. Raj. suppl. 257.

Habitat in Virginia. 5. Caulis frutescens. Folia chærophylli, ampla, supradecomposita, pinnis patentissimis, levia, inciso-serrata. Umbellæ tenues, albæ; involucrio partiali. flosculi omnes fertiles.

IMPERATORIA.

Imperatoria ad. 100.

- 1. IMPERATORIA. *Hort. cliff. 103. Hort. ups. 65. Ostrathium. galen. Dal. Mat. med. 122.*

Imperatoria. Baub. pin. 156. fol. ovata. involucro o. patenti & folio latius limbo hirsuto.

Magistrantia. Cam. epit. 592. angulata. eq. 156. arborescens. Imperatoria mag. 100.

Habitat ad radices Alpium Helvetiæ, Austriæ. 2. 3. ped. pinn. fol. ovata. involucro o. patenti & folio latius limbo hirsuto. continet tota pinnæ bracteas.

SESELI,

Imperatoria. ad. 100. Imperati. pot. ant non alt. pinnis.

- 1. SESELI caule declinato, umbellis ante florescentiam nutantibus. *Pimpinelloides.*

Habitat in Europa australiore. 2.

Radix perennis. Folia pinnata, pinnis multifidis, segmentis alternis: hæc etiam alternatim secta, segmentis linearibus, planis, extrorsum versis. Caulis pedalis, teres, ante florescentiam decumbens, sub florescentia ferme erectus foliolo uno alterove: petiolo membranaceo, spathiformi, oblongo; e quo pedunculus simplex. Umbellæ ante florescentiam nutantes ut in Pimpinella

1. Sesel. 96.

