

Hunt Institute for Botanical Documentation 5th Floor, Hunt Library Carnegie Mellon University 4909 Frew Street Pittsburgh, PA 15213-3890 Telephone: 412-268-2434

Email: huntinst@andrew.cmu.edu Web site: www.huntbotanical.org

The Hunt Institute is committed to making its collections accessible for research. We are pleased to offer this digitized item.


Usage guidelines


We have provided this low-resolution, digitized version for research purposes. To inquire about publishing any images from this item, please contact the Institute.


About the Institute


The Hunt Institute for Botanical Documentation, a research division of Carnegie Mellon University, specializes in the history of botany and all aspects of plant science and serves the international scientific community through research and documentation. To this end, the Institute acquires and maintains authoritative collections of books, plant images, manuscripts, portraits and data files, and provides publications and other modes of information service. The Institute meets the reference needs of botanists, biologists, historians, conservationists, librarians, bibliographers and the public at large, especially those concerned with any aspect of the North American flora.


Hunt Institute was dedicated in 1961 as the Rachel McMasters Miller Hunt Botanical Library, an international center for bibliographical research and service in the interests of botany and horticulture, as well as a center for the study of all aspects of the history of the plant sciences. By 1971 the Library's activities had so diversified that the name was changed to Hunt Institute for Botanical Documentation. Growth in collections and research projects led to the establishment of four programmatic departments: Archives, Art, Bibliography and the Library.















TRIGYNIA Juny flor exputing papy new correles restroting it. So ustionity as hiteties Plum. gen. 34. OCTANDRIA TETRAGYNIA. matis, petiolis margina Halicacabus peregrinus. Dod. pempt. 455. B. Corindum ampliore folio, fructu maximo. Tournef. inst. Zautau and a nilun ampositis, caule acule 43I. V. Corindum fructu & folio minori. Tournef. inst. 431. Habitat in Indiis. O whings how \$226 ft. 2 ternate flen common folyp. & racemofa. Plum. 1. SAPINDUS foliis pinnatis inter enterland its ut punched Saponaria. Sapindus. Hort. cliff. 152. Mat. med. 532. Roy. lugab. 464. Quity hup any 113. 189. c. 3 atis, foliolis ovatiss amatis, caule inermi. fructu racemolo m trifoliata. Saguedy 2. SAPINDUS foliis ternatis. Poerinsii s. Vercæpælongi. Rheed. mal. 4. P. 43. t. ourinti a Samitani s. Habitat in Malabaria. & Salao dos Canaring, hunt: Siep notion Rely.

and morne logan flago mordines foll oppol nonvarotentata alait Lin) comi franche logan flago produces follogan la comi franche la specificata alait Lin) comi franche la specificata alait Lin (specificata alait Lin) comi franche la specificata alait Lin (specificata alait Lin) comi franche la specificata alait Lin (specificata alait Lin) comi franche la specificata alait Lin (specificata alait Lin) comi franche la specificata alait Lin (specificata alait Lin) comi franche la specificata alait Lin (specificata alait Lin) comi franche la specificata alait Lin (specificata alait Lin) comi franche la specificata alait Lin (specificata alait Lin) comi franche la specificata alait Lin (specificata alait Lin) comi franche la specificata alait Lin (specificata alait Lin) comi franche la specificata alait Lin (specificata alait Lin) comi franche la specificata alait Lin (specificata alait Lin) comi franche la specificata alait Lin (specificata alait Lin) comi franche la specificata alait Lin (specificata alait Lin) comi franche la specificata alait Lin (specificata alait Lin) comi franche la specificata alait Lin (specificata alait Lin (specificata alait Lin (specificata alait Lin (specif tescens curassavica lati J. G. sign fruity and Venerally ETRAGINIA, unko ani duro alto. fruter / apomarii abltorgutar pruseriin natis. Hort. cliff. 153. Pary. ad 446. PARIS. ex racemofa. Plum. quadrifolia. I. PARIS. Paris foliis quaternis. Fl. lapp. 155. Fl. suec. 325. Hort. Saux Louice com cliff. 153. Roy. lugdb. 461. Hall. belv. 412. Solanum quadrifolium bacciferum. Baub. pin. 167. Aconitum salutiferum. Tabern. bist. 720. e. b Finbeen gum Habitat in Europæ nemoribus. 4 miculati. ADOXA. tas foliolis incisis, peni 2. * Koy. lugdb. 464. 1. ADOXA. Hort. cliff, 152. Fl. Suec. 326. Roy. lugdb. Moschatelli-1. Plam. gen. 34. Capros Slin. Enous and, tructu racemo Moschatella. Cord. hist. 172, Ranunculus nemorosus Moschatellina dictus. Bauh. morchatella. condi M. Met. 76. t. 91. Danticulata. Dalech Joan. Jam. III. adopa Lin pin. 178. Fumaria bulbosa s. tuberosa minima. Tabern. ic. 39. Habitat in Europæ nemoribus. 2 Huc relata secundum florem terminalem ex principiis ELATINE. En galin nom Yamica Phil. bot. 178. 1. ELATINE foliis oppositis. Fl. lapp. 156. Fl. suec. Hydropiper. Amer. cliff. 150. Hort. Potemapithy. Bunk 327. Gron. virg. 158. Roy. lugdb. 452. groc alba macula notif Hydropiper. Buxb. cent. 3. P. 35. t. 37. f. 3. Alsi-H

















DEC

BAUHINI Arbor f. Th

bist. 1751. Habitat in N Corollæ paten pureoque v

BAUHINI
tus toment
Chovanna-m
Habitat in It
Flores patent
stantibus.

BAUHIN!
mentofis.
Bauhinia fol
Hort, clif

Hort, clip lugdb. 46 Bauhinia fo Burm. zo Mandaru m

britie sple Chanschena Habitat in Corollæ can

BAUHIN
Bauhinia in
cuminate
Fl. zeyl.
Sennæ spu
bisidis.


Velutta-mi hist. 17: Habitat in Corollæ ca

PARKIN 99. Ro Parkinfor Plum.


Parkinfor Walth Habitat

Ruchy.

IONOGYNIA Rauhinia Disila. } Diguill . Very and 317. petiolatis: foliolis or DECANDRIA MONOGYNIA. verticillata, Amer. acai 5. BAUHINIA foliis cordatis: lobis coadunatis obtusis. variegata. Arbor s. Thomæ s. Assitra. Zanon. hist. 26. t. 15. assitra Zum Demidoff. Chovanna-mandaru. Rheed. mat. 1. p. 57. t. 32. Raj. Bauhinia. ad 317 YRIS. bist. 1751. Habitat in Malabariæ, Maderæ arenosis. 5 Corollæ patentes: Petalis ovatis, acutis, roseis, luteo pur-I. p. 93. Roy. Tugdb. 371, pureoque variegatis. 6. BAUHINIA foliis subcordatis bipartitis rotundatis sub-purpurea. choveres mandage him tus tomentosis. montibus h Chovanna-mandaru. Rheed. mal. 1. p. 59. t. 33. Bauhinia a Habitat in Indiæ arenosis. b Flores patentes, purpurascentes: Petalis lanceolatis, diculatis glabris. Hort stantibus. Ingab. 463. 7. BAUHINIA foliis cordatis: lobis semiorbiculatis to-tomentosa. Baub. pin. 402. Caschen apore him mentosis. Bauhinia foliis cordato-subrotundis: laciniis rotundatis. Bauhinia 237 Hort. cliff. 157. Hort. ups. 99. Fl. zeyl. 147. Roy. Varbona, 5 lugdb. 464. bescentibus. Hort. Bauhinia foliis subrotundis, flore flavescente striato. 4746. 463. Gron. ving Burm. zeyl. 44. t. 18. Manderu maderaspatense, foliis sirmioribus bisulcis glarotundo minori, britie splendentibus. Pluk. alm. 240. t. 44. f. 6. 8. BAUHINIA foliis ovatis: lobis acuminatis semiovatis. acuminate. linking and your Bauhinia inermis, foliis cordatis semibifidis: laciniis a-Velutta mand an for Hore fructuque caren cuminato-ovatis erectis dehiscentibus. Hort. cliff. 157. Land. Sainy 1977. 328. Grankinia at 317 Fl. zeyl. 148. 1 57. t. 29. Sennæ spuriæ aut Asphalto affinis arbor siliquosa, foliis bisidis. Sloan. jam. 150. hist. 1. p. 51. Velutta-mandaru. Rheed, mal. 1. p. 61. t. 34. Raj. Hort. cliff. 156.1 Habitat in Indies. B ator 15 pl. caying contile fung in agra valse Dunter francis of mio & emarginato, Pa Corollæ campanulatæ, albæ: Petalis abtusis. Parking 200 PARKINSONIA. W. 2. 3 I. PARKINSONIA. Hort. cliff. 157. t. 13. Hort. upj. aculeata. bbis divaricatis. The laciniis acuminatis re 99. Koy. lugdb. 465. 2. 15. Roy. lugdb. 49 Parkinsonia aculeata, foliis minutis uni costæ adnexis. Parkinsonia aculeata, foliis mimosæ uni costæ assixis. bas parallelis. Techa linea bifidis.h Walth. hort. 6. t. 13. Habitat in America calidiore. 5 Ruchy comment was a later , promote 2 comment sing .. paris film.



ONOGYMA. Catin ita art magne alter flier Romanisti win Cabicità May. Virgueiro diposita mayor 137! fao amoralle hegit DECANDRIA MONOGYNIA. callia. Atopulis cordato-lanceoly Cassia minor hexaphylla fruticosa, sennæ foliis. Sloan. jam. 146. hist. 2. p. 44. t. 180. f. 1. 2. 3. 4, Raj. mjuzata S. duo in petiolal dendr. 110. Absupar. Grinta: Stipula corle Habitat in Caribæis. 5 odtufifolia. 7. CASSIA foliolis trijugatis ovatis obtufiusculis. Cassia fœtida, foliis sennæ italicæ. Dill. elth. 71. t.62. ovatis. Fl. zeyl. 173.1 a hirfuta, flore aureo fav f. 72. Cassia minor herbacea plerumque hexaphylla, folio obtuso. Sloan. jam. 148. hist. 2. p. 47. t. 180. f. 5.? araphylla filiquiferagh Senna av 17 Habitat in Cuba. O foliorum propendent 8. CASSIA foliolis trijugatis quadrijugatisque subovatis. Senna. Tray. July . matte Hort. cliff. 159. Mat. med. 200. Roy. lugdb. 468. Zavaragui Print Zmanyo inestapalto hope) 100 pin. 332. Senna Alexandrina s. foliis acutis. Bauh. pin. 397 Moris. bist. 2. p. 201. S. 2. t. 24. f. I. proestantion est. Duluh. B. Senna italica s. foliis obtusis. Baub. pin. 397. Moris. Land. ogladajung sipulis ciliatis. bist. 2. p. 200. S. 2. t. 24. f. 2. commerce viliar est-gyn. Tilla arborescens, file Senna. Dod. pempt. 361. Habitat in Agypto. 24. 100 2 ped fuch long. Tomi jun anguli . Amm. herb. 603.11. 9. CASSIA foliolis quadrijugatis ovato-l'anceolatis retro-falcata, absuy au 1. 52? Raj. bist. 17 At and filing fortibal. falcatis: glandula baseos petiolorum. Hort. cliff. 159.* a fleformibus. Petiolid 10. CASSIA foliolis quinquejugatis ovato-lanceolatis occidentalis. Habitat in America. (9) annicalata, venosa, q un le fortida du ogli Storie cordate J. con feos petiolorum. Alata parium ovato-lanceolatis, glandu-Paiominista Sy 87. Ervade bisho Ligh ovatis: exterioribus mo la baseos petiolorum. Hort. cliff. 159. Roy. lugab. 467. mer mieriora. Roy. lan Senna occidentalis, odore opii viroso, orobi pannonici foliis mucronatis, glabra. Comm. bort. I. P. munger g. 51. t. 26. agun de latin que per comminuel se peter caluida vacua munger g. ap . 100. Traci. Plum. Spec. 18. Habitat in Jamaica, y sina dour ount. putotis comen dani lup, glandole vertale en many Caulis sesquipedalis, punctis vagis scaber, exaratus deor-stae inter omany D.M. elth. 72. t. 63.f. muchyh 5. 2.97 1-2 sum a singula petiolo sulcis duobus. Folia superiora in the transposente. atteres, acuminate, apue susce, inter singe Foliolis quinqueparium, ovato-lanceolatis, glabris margine scabris, acuminatis, exterioribus sensim majoricon outer extimum parfill macula. La for tout a terminalis. Flores lutei absque oborsais glabris: interior ashyau me clandula interjedaga 11. CASSIA foliolis quinquejugatis ovato-lanceolatis gla-100. Roy. lugdb.40. bris, glandula baseos petiolorum. Roy. lugdb. 468. missiri. Plum. spec. Is. avai avance may Cassia siliquis planis. Plum. spec. 18. Fisila interiorabrevil Habitat in America calidiore. 12. CASSIA foliolis quinquejugatis ovatis acuminatis fistula. glabris, petiolis eglandulosis. Fl. zeyl. 149. Mat. med. Conia. ad. 317 mas rotundatis emargio Willia Todova hun 6. 2.9. Welliaponnaviva. Sarpouli-Beram .. groot. gli Hourt. Maly. 152 Roy. lagdb. 467. ia Tagera: him 6. 2.9. Wellia ponna viva. Sangoreli-Beram . groot gambrenlif gru Wagnen Sultan spud. inevnij. Fol alt. calina. Gad 6. natio fol fittata. ett. 2. tehny longer lunniger Men spice anill . Silig. nigr. 1. lations/ grain fittidas. ajuid. logiko. 20 cind. loc-elfun. ovat. udgs all fatiddentest.




gualignocaiber pil 80. arb wastisiina segulahining hirune flow . Intelle qualignocaiba this soltate lilig billing to color of francis light brigging of continue francis to the continue of th am lanceolatis: extinis emb. pin. 405. Comm.b Capiarad. calle fretate topletona C. A. Senna spuria frutescens, siliquis tenuissimis. Houst.ms. star ony 37. 2. 21, Habitat in Havana. 5 Cellia-ad 19. CASSIA foliolis decemjugatis lanceolatis, glandula Sophera, al baseos oblonga. Fl. zeyl. 150. * galege affinis de la Senna vigintifolia, filiquis teretibus. Burm. zeyl. 213. haracaque machit. cam che t. 98. ovatis acuminatis law db. 467. Ponnam-Tongera. Rheed. mal. 2. p. 101. t. 52 s. Sonna virum et lagera.

Habitat in India. 21. 9. 15.

galage offini pfun data & fin 352. s amplioribus villosis. viroso, foliis orobiy 26. CASSIA foliolis duodecim-jugatis obtusis acumine, diriculate. glandulis subulatis pluribus, stipulis renisormibus bar- Land 317 Herm. Madb. 556. batis. Fl. zeyl. 151. * Senna spuria maderaspatana, caule ad foliorum alas gecaris lanceolatis: exin minatis subrotundis appendiculis auriculato. Pluk.alm. petiolorum. Hort. 341. t. 314. f. 4. Raj. dendr. 110. 8. 47. Roy. lugdb. Habitat in India. 21. CASSIA foliolis duodecim jugatis oblongis obtusis Javanica: et. 10. Dill. eleb. glabris, glandula nulla. Cassia fistula javanica, flore carneo. Comm. bart. 1. p. Joseph. mucronatis angul at. cent. 21. t. 21. 217. t. 111. Habitat in India. Flores mihi non protulit. s crali-oblongis: inten * Chamæcristæ foliolis numerosis. 22. CASSIA foliolis multingatis, glandula petioli pedi-Chamæcrista matchofis, Atipulis patri cellata, stipulis ensiformibus. Hort. ups. 101. 100. Roy. Higdb. 461 Cassia foliolis plurimum parium linearibus, stipulis su- Vuca Balatis. Plum. Spec. 18. bulatis. Hort. cliff. 158. Gron. virg. 47. Johnstin Rugshy. ?! Chamæcrista pavonis major. Comm. bort. I. p. 53. t. ChamæChrista pavonis americana, siliqua multiplicia 37. 27. ovito-oblongis aqual West. cliff. 19 Habitat in Jamaica, Barbados, Virginia. (3) 3,000,5,00. Foliola 20: Peduncellus spatio supra petiolum egradiens.

23. CASSIA foliolis multijugatis inearibus: glandula ba-mimosoides. Dill. elth. 351. seos petiolorum obsoleta, stipulis setaceis. Fl. zeyl. form oblongis, calva 1 2 ged sped may 154. 4 Petioli absque glandula. Caulis non flexuosus. Stipulæ Habitat in Zeylona. ars ovalibus emarginatis lanceolatæ, seta terminatæ. Hort. cliff. 159. 24. CASSIA foliolis multijugatis, stipulis dimidiato-cor- sexuosa. Senna spuria occidentalis, siliqua singulari, foliis herbæ



nofisfima ma echin Habitat in CÆSALÍ

tis. Fl. z Ligno brasi Tham-pany Habitat in CESALI catis ove

Cæsalpina. Senna spur composit gris, sab t. 181.

Suty behots I. GUILA Guilandin Bonduc v

> Arbor ex Caretti. 1 Habitat 1; fol proposed

> > interio

Lignum pin. 4 Moringh jore, t Morung

Habitat Semina My June 3. GUIL

> que fi Habitat officer a

I. GUA (gondo. Kl

tolig Leg. 2 Cutter He