



Hunt Institute for Botanical Documentation
5th Floor, Hunt Library
Carnegie Mellon University
4909 Frew Street
Pittsburgh, PA 15213-3890
Telephone: 412-268-2434
Email: huntinst@andrew.cmu.edu
Web site: www.huntbotanical.org

The Hunt Institute is committed to making its collections accessible for research. We are pleased to offer this digitized item.

Usage guidelines

We have provided this low-resolution, digitized version for research purposes. To inquire about publishing any images from this item, please contact the Institute.

About the Institute

The Hunt Institute for Botanical Documentation, a research division of Carnegie Mellon University, specializes in the history of botany and all aspects of plant science and serves the international scientific community through research and documentation. To this end, the Institute acquires and maintains authoritative collections of books, plant images, manuscripts, portraits and data files, and provides publications and other modes of information service. The Institute meets the reference needs of botanists, biologists, historians, conservationists, librarians, bibliographers and the public at large, especially those concerned with any aspect of the North American flora.

Hunt Institute was dedicated in 1961 as the Rachel McMasters Miller Hunt Botanical Library, an international center for bibliographical research and service in the interests of botany and horticulture, as well as a center for the study of all aspects of the history of the plant sciences. By 1971 the Library's activities had so diversified that the name was changed to Hunt Institute for Botanical Documentation. Growth in collections and research projects led to the establishment of four programmatic departments: Archives, Art, Bibliography and the Library.

*Tithymalus chassius lanuginosus Pileus, Cup. h. cath. 24. 3^o p. p. l. v. uti (2 hibernicus)
12 l. l. lanuginosus etc. vir. foliis limbo serrulatis.*

CODECANDRIA TRIGYNIA.

Euphorbia inermis, foliis ligulatis spinula terminatis, ad
umbellam duodenis, bracteis trigonis spinula termina-
tis. *Sauv. monsp. 51.*

Tithymalus myrsinites latifolius. *Bauh. pin. 298.*

Tithymalus myrsinites legitimus. *Clus. hist. 2. p. 189.*

Habitat in Calabria, Monspelij. 24. 2^o p. l. v. uti.

Caules multi, pedales, deflexi, virides, inferne a caesa
foliorum cicatrifati. Folia alterna, spatulata, coriacea,
concaua, glauco-viridia, patentia, mucronata, margi-
ne subscabra, superiora reflexa. Umbella 7-9 fid.
radiis semel bifidis. Involucrum universale foliolis
7-9, ovatis, tenuioribus, acutis; Involucella diphylla,
subcordata, latiora, concaua, acuta, margine sub-
scabra. Flores in involucella primaria & secunda-
ria masculi, reliqui hermaphroditi. Calyces ore ser-
rati. Petala 4, flava, bicornia apicibus teretibus ni-
tentia. Capsulae glabrae.

Tithymalus ad

*palustris. 51. EUPHORBIA umbella multifida: subtrifida: bifida,
involucellis ovatis, foliis lanceolatis, ramis iterilibus.
Diff. euph. 47. **

Euphorbia foliis lanceolatis, umbella universali multifi-
da polyphylla, partialibus trifidis triphyllis, propriis di-
chotomis. *Hort cliff. 200. Fl. suec. 438. * Mat.
med. 255. Roy. lugab. 198. Dalib. paris. 153. Gort.
geln. 307.*

Tithymalus palustris fruticosus. *Bauh. pin. 292.*
Esula major. Dalech. hist. 1653.

Habitat in Suecia australi, Germania, Belgio. 24

hyberna.

52. EUPHORBIA umbella sexfida: dichotoma, involu-
cellis ovalibus, foliis integerrimis, ramis nullis, ca-
psulis verrucosis. *Diff. euph. 50.*

Tithymalus latifolius hispanicus. *Bauh. pin. 291. Ta-
bern. hist. 987.*

Tithymalus hibernicus, vasculis muricatis erectis. *Dill.
elth. 387. t. 290. f. 374.*

Habitat in Hibernia, Sibiria, Austria, Pyrenæis. 24

*Dendroides. 53. EUPHORBIA umbella multifida: dichotoma, invo-
lucellis subcordatis: primariis triphyllis, caule arboreo.
Diff. euph. 51.*

Tithymalus myrtifolius arboreus. *Bauh. pin. 290.*
Tithymalus dendroides. *Carm. epit. 965.*

Habitat in Italia, Creta, Insulis Staechadum. 5

3^o p. d. orang. caulis rub. fol. cord. fol. inty.

*Tithymalus oleae folio glaucis nascentibus. R. 87.
24. 1^o p. d. p. l. v. uti. caulis glaucus fol. ovatis limbo serrulatis.*

*Tithymalus chassius radice repente. h. h. Sauv. Mon.
24. 2^o p. d. p. l. v. uti 51. palustris.*

Tithymalus
24. 2^o p. d.
DOI
54. EUPH
lucelli
euph.
Tithyma
Habitat
55. EUPH
lucelli
gerrin
Tithym
Morij
839.
Tithym
Habitat
56. EUP
lis pe
frute
Euphor
li mu
bifid
Roy.
Tithym
Tithym
Tithym
Habit
Caule
cra
vill
mu
fru
uni
ref
obt
sili
ni
x
in
on
lo

Tithymalus canadensis flore magno albo. 2/45 corollata.
2/2 pnd. orany. latis vir. lavis fol. ovata subaut. pnt. caulis rub.

DODECANDRIA PENTAGYNIA. 463

54. EUPHORBIA umbella multifida: dichotoma, involu-
cellis perfoliatis orbiculatis, foliis obtusis. *Diff. euph.* 46.

Tithymalus characias amygdaloides. *Bauh. pin.* 290.
Habitat in Gallia, Germania.

Tithymalus ad
Amygdaloides.
alcebra *meucci. aut.*
scabra
alcebra

55. EUPHORBIA umbella multifida: dichotoma, involu-
cellis perfoliatis subcordatis, foliis lanceolatis inte-
gerrimis. *Diff. euph.* 45.

Tithymalus sylvaticus, lunato flore. *Bauh. pin.* 290.
Morif. hist. 3. p. 335. f. 10. t. 1. f. 3. *Barr. ic.* 830.
839. 829.

Tithymalus lunato flore. *Col. ephr.* 2. p. 57. t. 57.
Habitat in Germania, Gallia, Hispania, Italia. *h 2 ad 3 pnd. pt ten*
caulis foliis pubesc. fl. ovata acut. pntolata.

56. EUPHORBIA umbella multifida: bifida, involu-
cellis perfoliatis emarginatis, foliis integerrimis, caule
frutescente. *Diff. euph.* 44.

*Euphorbia inermis, foliis lanceolatis, umbella universa-
li multifida, partialibus dichotomis, involucris semi-
bifidis perfoliatis* *Hort. cliff.* 199. *Hort. ups.* 142. *
Roy. lugdb. 197.

Characias. math
Characias. dim. theyl
amygdaloides. theyl
amygdaloides

Tithymalus characias rubens peregrinus. *Bauh. pin.* 290.
Tithymalus characias i. *Clus. hist.* 2. p. 188.

Tithymalus foliis pini. *Bauh. pin.* 292.
Habitat in Gallia, Hispania, Italia. *h 2 ad 3 pnd. pnt. caulis rub.*

Pityusa. Diosc. ch.
πύτυσα. Diosc.

*Caules quadripedales, fruticosi, secundum annos ramosi,
crassitie digiti. Rami annotini superne crassiores, sub-
villosi, infra folia adpersi cicatricibus transversis. Ra-
mus florifer primo vere ex apice ramorum excrescit,
fruticat, perit, cum ad latera baseos novi rami prode-
unt. Folia lanceolata, coriacea, subtomentosa, viridia,
reflexa nervo utrinque elevato, versus flores latiora
obtusiora. Umbella parva, conferta, terminalis, ses-
silis: Radiis numerosis semel bifidis. Involucrum u-
niversale polyphyllum, sublanceolatum, parvum, refle-
xum; Involucella perfoliata, semibifida. Flores intra
involucella primaria masculi, reliqui hermaphroditi;
omnes Petalis 4, purpureis, humidis. Germina vil-
losa.*

PENTAGYNIA

GLINUS.

1. GLINUS.

Alfine lotoides sicula. *Bocc. sic.* 21, s. 11. *Morif. hist.* 2.
P. 552. *Alsi-*

Rotunda. adon.
Ed. Rolof.
lotoides. 256

Tithymalus montis Saulini. amygdali angustiore folio hirsutis
2/3 pnd. uti 55. sylvat. ad caulis ruben lavis, flia unidiq. pubesc. ovata obt.
1414.

Alfine heliotropio cognata. *Cup. cath.*
Portulaca bætica, luteo flore, spuria aquatica. *Barr. rar.*
478. t. 336.
Habitat in Sicilia, Hispania ad fossas.

DODECAGYNIA.

SEMPERVIVUM.

Sedum ad. 246

arboreum. 1. SEMPERVIVUM caule arborecente lævi ramoso.
Notion. vortios. vortiov. græc. Sempervivum caule inferne nudo lævi ramoso. *Hort.*
Cailagelam. arab. cliff. 179. *Hort. ups.* 118. *Roy. lugdb.* 456.
4. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 841. 842. 843. 844. 845. 846. 847. 848. 849. 850. 851. 852. 853. 854. 855. 856. 857. 858. 859. 860. 861. 862. 863. 864. 865. 866. 867. 868. 869. 870. 871. 872. 873. 874. 875. 876. 877. 878. 879. 880. 881. 882. 883. 884. 885. 886. 887. 888. 889. 890. 891. 892. 893. 894. 895. 896. 897. 898. 899. 900. 901. 902. 903. 904. 905. 906. 907. 908. 909. 910. 911. 912. 913. 914. 915. 916. 917. 918. 919. 920. 921. 922. 923. 924. 925. 926. 927. 928. 929. 930. 931. 932. 933. 934. 935. 936. 937. 938. 939. 940. 941. 942. 943. 944. 945. 946. 947. 948. 949. 950. 951. 952. 953. 954. 955. 956. 957. 958. 959. 960. 961. 962. 963. 964. 965. 966. 967. 968. 969. 970. 971. 972. 973. 974. 975. 976. 977. 978. 979. 980. 981. 982. 983. 984. 985. 986. 987. 988. 989. 990. 991. 992. 993. 994. 995. 996. 997. 998. 999. 1000.

Sedum ad
canariense.

2. SEMPERVIVUM caule foliorum ruderibus lacero,
foliis retusis.
Sempervivum caule infra folio lacero, foliis cuneiformibus: summis subrotundis. *Hort. cliff.* 179. *Roy. lugdb.* 457.

Etie calta. ægypt.
alcarajat. arab.
agon

coronæ celis. canariensis. Sedum canarium, foliis omnium maximis. *Cornm. hort.* 2. p. 189. t. 95.

Sedum majus canarium acaulon, pilis ad oras foliorum hispidis. *Pluk. alm.* 340. t. 314. f. 1. *Raj. suppl.* 362.
Habitat in Canariis. h.

Sedum ad
tektorum.

3. SEMPERVIVUM foliis ciliatis, propaginibus patentibus.
Sempervivum foliis radicalibus carnosis ciliatis, caulibus imbricatis membranaceis, corymbo racemoso reflexo. *Hort. cliff.* 179. *Fl. suec.* 375. *Mat. med.* 222. *Roy. lugdb.* 457.
Sempervivum majus alterum s. Barba jovis. *Dod. pempt.* 127.

Singua
Mingusa. vityo. japon.
3wa veyge

Sedum majus vulgare. *Bauh. pin.* 283.
Habitat in Europæ tectis & collibus. 4

Sedum globiferum.

4. SEMPERVIVUM foliis ciliatis, propaginibus globosis.
Sempervivum foliis radicalibus in globum congestis ciliatis, propaginibus globosis. *Hort. cliff.* 180. *Roy. lugdb.* 457.

alchaisum. arab. his.

Sedum majus vulgari simile, globulis decidentibus.
Morij. hist. 3. p. 472. f. 12. t. 7. f. 18.

Sedum vulgari magno simile. Baub. hist. 3. p. 688.
Habitat in Rutheno D. Gmelin. &

5. SEMPERVIVUM foliis pilis intertextis, propagini-
bus globosis. *arachnoide=* Sedum
ad 288

Sempervivum foliis radicalibus in globum congestis: vil-
lis reticulatim connexis. Hort. cliff. 180. * Roy.
lugdb. 457.

Sempervivum rubrum montanum gnaphaloides: Col:
eophr. 1. p. 292 t. 291.

Sedum montanum tomentosum. Baub. pin. 284.
Habitat in Alpibus Italiae, Helvetiae. &

6. SEMPERVIVUM foliis integerrimis, propaginibus
patulis. *montanum; respaviva* Sedum

Sedum rosulis liberis, foliis laevibus. Hall. helv. 393.

Sedum alpinum, rubro magno flore. Baub. pin. 284.

Sedum majus montanum, foliis non dentatis, floribus
rubentibus. Baub. pin. 283.

Sedum minus, flore rubente. Best. eyst. vern. 6. t. 8:
f. 2.

Habitat in rupibus Helvetiae. &

*Succus emplaza magis quam opobalsamum v. aut Mardatiis omnino
tenui gutta, et in multo candido. Anticuti quidam non facit
sunt in trajectu. Plin. nullo probato in alio lae coguntur proditum
Sedum benth. foliis ad 7. in pin. 284. in pin. 284.
Baub. pin. 284.
Hall. helv. 393.
Baub. pin. 284.
Best. eyst. vern. 6. t. 8: f. 2.
Habitat in rupibus Helvetiae. &*

*Balsamum Indicum in arbore xyle dicta Rencia magis, foliis verticis.
P. Pin 401.
Hujus Calymma pura qua intillet opobalsamum vocatur.
Qua in ligno cortica et foliis imprimetur aut ignis si prolicitur, xyle
Balsamum vocatur. Monard. pag. ind. ovid.*

*Balsamum futa ramoso in Hispaniola. P. Pin 401
arbor foliis angulis 6 digit. longi 4/2 latij. Enca aliter succ.
Balsamum amarilancum P. Pin 401. ? Valisfr. c. 3. 401 V. p. 384
arbor vete, ramosa, fructu piri magnitudine, siliqua digitum longa
inclus. Monard. Salehi. ? siliqua piri attingit 1/2. quae
et pueri canis Plin. 1. pin. 1. Roy. multum.*

*Eudaimonibus arborem videtur pueri opaibus, eius lignum
ceteri ad gratia et anhuiba. Monard. v. p. 287.
Callia veta. ad.
Balsamum persianum. Sone d. p.
goacoraq. Hispaniola. ovid.
Balsamum Seravianum
Cabusiba. P. 57. 119.
hoitziloxit. Mon. h. un. 51.*

Caxaba ^{fructu} *Prodr.* n. 126. 24. erect 25 ped. truncus non spin. lignositate miselle
cava rami 8 goni angulati non profundius spinis bellatis 2 ad 3 p. l. tr. diamet.
articuli articuli vix 1. longioribus q. lat. immixtis. fl. solis. tenuis albi

Caxaba, Prodr

ICOSANDRIA MONOGYNIA. 467

Carambala, Prodr
Mary.

6. CACTUS subquingularis erectus longus articu- pentagonus.
latus. Hort. cliff. 182. * Roy. lugdb. 280. Cereus ad. 243

Habitat in America. 24. 4 ped. facie du 13. caulis erect. 2 v. 1 m. diam. 4. ad 5 ang.
^{1. alibi non obtusis. apert rami non flori adq. p. l. tr. articuli alta prius 8 2 lin. longi 10 floris}
^{non albi apert subtruncati da da nigri.}

7. CACTUS erectus longus octangularis: angulis com- repandus.
pressis undatis, spinis lana longioribus. Hort. cliff. Cereus ad. 243
182. Roy. lugdb. 279.

Habitat in America calidiore. b

8. CACTUS erectus longus subnothemangularis: angulis lanuginosus.
obfoletis, spinis lana brevioribus. Hort. cliff. 182. Cereus ad. 243
Roy. lugdb. 279.

Cereus curassavicus erectus maximus, fructu rubro non spinoso, lanugine flavescente. Herm. par. 115. t. 115.

Habitat in Curacao. b 5 ped. caulis et rami non articulati cili 2 p. diam.

9. CACTUS erectus longus suboctangularis: angulis ob peruvianus. Cereus ad
tusis. Hort. cliff. 181. Hort. ups. 120. Roy. lugdb. 279. Cereus Dal. qu. tab. 18.

Cereus erectus, fructu rubro non spinoso. Herm. par. Euphorbium cult

114. 4 ad 5 lin. longi 10 pedibus apia flori. non violas nigri. ^{1. aug. flori rugos.} ^{2. lin. longi 10. m. diam. articulis} ^{3. m. caulis amaro immo cibus flori albo fuita stru} ^{4. rami non articulati}
Cereus peruvianus spinosus, fructu rubro nucis magnitudi- ^{5. rami non articulati}
dine Baum. ^{6. rami non articulati}
Euphorbii arbor cerei effigie. Lab. 10. 2. p. 25.

10. CACTUS erectus articulatus sub-decangularis: ar- Royeni.
ticulis subovatis, spinis lanam æquantibus. Roy. lugdb. Cereus ad 243
279.

Habitat in America. b

* Cerei repentes radiculis lateralibus.

11. CACTUS repens subquingularis, 1. aug. flori grandiflorus.
Cactus scandens, angulis quinque pluribusque obtusis. Cereus ad
Hort. cliff. 182. Hort. ups. 121. * Roy. lugdb. 280.

Cereus americanus major articulatus, flore maximo no-
tole aperiente l. suavissimum odorem spirante. Volk.
Hort. ups. 133. t. 24.

Habitat in Jamaica, VeraCruce. b 6 ped. caulis sin 1. pedibus

12. CACTUS repens decemangularis. flagellifera.
Cactus scandens, angulis decem obfoletis. Hort. ups. Cereus ad. 243
121.

Cereus minor scandens polygonus spinosissimus, flore purpureo. Erhet. tab. 2. f. 2.

Ficoides americanum f. Cereus minima serpens ameri- cana. Pluk. alm. 148. t. 158. f. 6.

Habitat in America calidiore. b 1. aug. flori ^{10 ad 12 pedibus}

^{caulis uti 11 vna angulata l. l. 6. lin. diam.}
^{articuli tubulorum 10 ped. non articulat. p. l. tr. Capita subtruncata}
^{spina 10. 2 lin longi. non articulat. tunc debily latiuscula}
^{fl. rami 2 ad 3 p. l. tr. vna l. l. 6. lin. diam.} CA

4. p. 466 Lithaia ovied. { Carduus pinnatifidus brachyotus ou hispanide. P. Pin 384

mippi } mippi unvullu Indi caahata qua ovium fractus; allegata ea p. unvullu
caahata } solat. Clus. P. Pin. 458

468

ICOSANDRIA MONOGYNIA.

triangularis. 13. Cerey. ad 243

CACTUS repens triangularis. Hort. cliff. 182. Hort. ups. 121. Roy. lugdb. 280.
Ficoides americanum, f. Cereus erectus cristatus, foliis triangularibus profunde canaliculatis. Pluk. alm. 147. t. 29. f. 3.

Habitat in Brasilia, Jamaica.
* Opuntia compressa articulata prolifera.

moniliformis.

14. CACTUS articulato-prolifer, articulis globosis spinosis glomeratis. Melocactus, ex plurimis globulis opuntiae modo nascentibus, spinosissimus. Plum. spec. 20.

Habitat in America calidiore. b

Opuntia. ad 243

Opuntia. ^{Mex. Mexica} ^{Amur.} ^{Solia ad aut. 3. lin. long.}
Sembelle da Baye }
Riqui Sindi }
Bala } Belon Pin.
anapallu. Belon }
Napat } Napat. Cuto.
Nuchti }
Zala. ariani. Guil. }
Zulu } Baluh.
Zunab }
Zuni }
Zunab }

15. CACTUS articulato-prolifer, articulis ovatis, spinosis setaceis.

Cactus compressus articulatus ramosissimus, articulis ovatis: spinis setaceis. Hort. cliff. 183. Hort. ups. 120. Gron. virg. 54. Roy. lugdb. 280.

Opuntia vulgo herbariorum. Bauh. hist. 1. p. 154. Ficus indica, folio spinoso, fructu majore. Bauh. pin. 458. Habitat in America, Peru, Virginia, nunc in Hispania, Lusitania, b.

Opuntia. ad

16. CACTUS articulato-prolifer, articulis ovato-oblongis, spinis setaceis.

Cactus compressus articulatus ramosus, articulis ovato-oblongis: spinis setaceis Hort. cliff. 183. Hort. ups. 120. Roy. lugdb. 280.

Habitat in America calidiore. b

2400. Opuntia. ad

17. CACTUS articulato-prolifer, articulis ovato-oblongis, spinis subulatis. Stigmata 7. en Dill.

Cactus compressus articulatus ramosus, articulis ovato-oblongis, spinis subulatis. Hort. cliff. 183. Hort. ups. 120. Roy. lugdb. 280.

Tuna major, spinis validis flavicantibus, flore gibbo. Dill. elth. 396. t. 295. f. 238.

Opuntia major, folio oblongo rotundo: spinis longis & validissimis, flore luteo. Sloan. jam. 103. hist. 2. p. 149. t. 224. f. 1.

Habitat in Jamaica & America calidiore. b - spu.

Opuntia. ad 243

cochenillifer }
Rayotte à la Cochenille }
Cardasse } en amurq. }
Tuna }
Cardi. amar }
Zunab }
Zunab }
Zuni }

18. CACTUS articulato-prolifer: articulis ovato-oblongis subinermibus. Stigmata 8. en Dill

Cactus compressus articulatus ramosus, articulis ovato-oblongis subinermibus. Hort. ups. 121.

uvicumbata }
compert. magis } subobovatis limbo angulatis et spinis b. p. 149.

Zuna Dill. Elth. 7. 294. Stigmata 5

Zuna Dill. Elth. 7. 296. Stigmata 6.

Ficus indica folio spinoso fructu minore B. Pin 458.
actuum partium illuminationibus prodest, et rupturam coarctat. ovicid.
Paracatia. Pl. 100. 2130 ad 40 ped. truncus laevi lympha intus medullosa
ignemute leoda proscata fructus parvi rarisimè pediti. fl. orbiculati. articulis
pleno usu & p. 100. 2130 ad 40 ped. truncus laevi lympha intus medullosa

ICOSANDRIA MONOGYNIA. 469

Tuna mitior, flore sanguineo, cochinillifera. *Dill. elth.*
 399. t. 297. f. 383.
 Ficus indica major lævis f. spinosa vermiculos profe-
 rens. *Pluk. alm. 146. t. 281. f. 383.*
 Opuntia maxima, folio oblongo rotundo majore spinu-
 lis nonnullis & innocentibus obsito. *Sloan. jam. 194.*
hist. 2. p. 152. t. 8. f. 1. 2.
 Habitat in Jamaica & America calidiore. 5

Paracatia. Pl. 100. 2130 ad 40 ped. truncus laevi lympha intus medullosa
ignemute leoda proscata fructus parvi rarisimè pediti. fl. orbiculati. articulis
pleno usu & p. 100. 2130 ad 40 ped. truncus laevi lympha intus medullosa
Paracatia. Pl. 100. 2130 ad 40 ped. truncus laevi lympha intus medullosa

19. CACTUS articulato-prolifer, articulis cylindrico-
 ventricosus compressis.
 Cactus tereti-compressus articulatus ramosus. *Hort. cliff.*
 182. *Hort. ups. 120. Roy. lugdb. 280.*
 Ficus indica f. Opuntia curassavica minima. *Comm. hort.*
 1. p. 107. t. 56.
 Ficus indica f. Opuntia minor caulescens arbusculæ in
 modum, ramis cineritiis spinosissima. *Pluk. alm. 147.*
 t. 281. f. 3.

curassavicus. X
Opuntia ad 243

Habitat in Curacao. 5

20. CACTUS prolifer ensiformi-compressus ferrato-re-
 pandus.
 Cactus foliis ensiformibus obtuse ferratis. *Hort. cliff.*
 183. *Roy. lugdb. 281.*
 Cereus scolopendri folio brachiato. *Dill. elth. 73. t. 64.*
 f. 74.
 Phyllanthos americana, sinuosis foliis longis. *Pluk. alm.*
 296. t. 247. f. 5.

Phyllanthus.
Epiphyllum. hem
Cereus ad 243

Habitat in Brasilia, Surinamo, Americæ meridionali. 5

21. CACTUS caule tereti arboreo spinoso, foliis lanceo-
 lato-ovatis.
 Pereskia. *Hort. ups. 122. Roy. lugdb. 281.*
 Pereskia aculeata, flore albo, fructu flavescente. *Plum.*
 gen. 37. *Dill. elth. 305. t. 227. f. 294.*

Pereskia ad 243
Plum. u. 197. f. 1.

Malus americana spinosa, portulacæ folio, fructu folio-
 so, semine reniformi splendente. *Comm. hort. 1. p.*
 135. t. 70.

Portulaca americana latifolia ad foliorum ortum lanugi-
 ne obducta, longioribus aculeis horrida. *Pluk. alm.*
 135. t. 215. f. 6.

Habitat in America calidiore, Jamaica, Margaretha. 5

22. CACTUS caule tereti arboreo spinoso, foliis cunei-
 formibus retusis.
 Opuntia arbor spinosissima, foliis portulacæ cordatis.
Pluk. spec. 6.

portulacifo- lius. Pereskia.
Opuntia ad 243

Opuntia Peruviana Cerei fructu, ovata non angulata, nec articulata. charantonia. a
2. 6 ped. per. ch. rami cit 2 ped. d. diam. tuberculati denarij via promin. Euphorbi.
medulla orbiculati planis albi pubescentibus pilis & albi et nigri & argenti.
4 lin. long. divaricati utraque Cerei. Sub spinis folia varis apice cordatis. tantum
cit apice acuta & lin. longa. circumscriptis tuberculis dicit.

Cereus ad
Opuntia

Guaiava { Coca monod. & myrta simili indica fructu ruscuro p. sin 469.
ad. 48 { Caca chy. Dalah. arb. pumila fol. myrta vel Ror. apinacea, cujus folia pro pumilia sunt, et interea dem
mela cotony
guajava. unenic
Dica/ur
alber colka
mator. aentz
guaynavilli. }

470 ICOSANDRIA MONOGYNIA

Habitat in America calidiore. Fructus hujus minime foliis adpersus, uti procedentia.

Syringa ad 244.

PHILADELPHUS.

coronarius. 1. PHILADELPHUS foliis subdentatis, Philadelphus. Hort. cliff. 188. Hort. ups. 122. Syringa alba f. Philadelphus athenæi. Bauh. pin. 399. Frutex coronarius. Clas. hist. 1. p. 55. Habitat in ... Flos primarius quinquesidus calyce, corolla, pistillo, capsula. Phil. bot. 178

Syringa ad 244

inodorus. 2. PHILADELPHUS foliis integerrimis. Philadelphus flore albo majore inodoro. Catesb. car. 2 p. 84. t. 84 Habitat in Carolina. b

guaiava ad. 48

PSIDIUM.

Guajava. Psidium ramis tetragonis. Hort. ups. 122. Psidium caule quadrangulo. Hort. cliff. 184. Fl. zeyl. 192. Guajava alba acida, fructu rotundiore. Pluk. alm. 181. Guajava alba dulcis. Comm. hort. 1. p. 121. t. 63. Habitat in India.

EUGENIA.

malaccensis. 1. EUGENIA foliis integerrimis, pedunculis ramosis lateralibus. Fl. zeyl. 187. Perfici officulo fructus malaccensis rubens. Bauh. pin. 441. Nati-schambu. Rheed. mal. 1. p. 29. t. 18. Raj. hist. 1478. Habitat in India. b

Jambos ad 48

2. EUGENIA foliis integerrimis, pedunculis ramosis terminalibus. Fl. zeyl. 188. Perfici officulo fructus malaccensis ex candido rubescens. Bauh. pin. 441. Malacca schambu. Rheed. mal. 1. p. 27. t. 17. Raj. hist. 1478. Habitat in India. b

Jambos ad 48

3. EUGENIA foliis integerrimis, pedunculis unifloris lateralibus. Fl. zeyl. 189.

Malucca Sela. h. m. 3. 2. 33. a Eugina-pelauka. Hal xcept 1 - Perchi
cypensis guaiava fol. paul. mij. q. 1. flou. 5 pet.
Bacca glob. vulgo 2. tenuis. carne pumica in ut.
Sela. guayabo tyrocinis. h. m. 3. 2. 35. Pelauka. Baeda
arb. 12 pd. fol. viciat alt. in fog. Dentata castanea aplos
flou. 4pt. pumica in pumica ramulanda. et tunc corolla longiora flou. in pumica
Bacca pumica. Tyri vulg. magis. folia darumadul. alba. sem. majora. d. m. l. l. l.

Malla Katou Zjambou l. 49. 6. Malinabetti Prachun. Jambou dot Bugio. Myrti Sygae jambou l. 49. 6.
 Fl. 5. ovata, obtusa, petiolata, glabra, opposita. Flores solitarii, axillares, pedunculati, pedunculo aphylo.
 Corollae petala 4. l. 5, lacera-ciliata, obverse ovata, concava, reflexa. Stamina circiter 40.

DECANDRIA MONOGYNIA.

Habitata Pray. myrti. 471.
 Eugenia. Roy. lugdb. 265.
 Eugenia indica, myrti folio deciduo, flore albo, fructu suaverubenti molli leviter sulcato & odoro. Mich. gen. 226, t. 108.
 Myrtus indica, foliis rigescentibus latis ac recurvis parum odoratis. Till. pis. 117. t. 44.
 Habitat in India. b

4. **EUGENIA** foliis crenatis, pedunculis terminalibus, pomis oblongis acutangulis. Fl. zeyl. 190. *
 Thieria-samstravadi. Rheed. mal. 4. p. 51. t. 7. Raj. hist. 1480. gwa-ladapali. Prachun.
 Habitat in India. b

5. **EUGENIA** foliis crenatis, racemis longissimis, pomis ovatis. Fl. zeyl. 191. *
 Samstravadi l. Caibatsumbu. Rheed. mal. 4. p. 11. t. 16. Raj. hist. 1479. Sada-pali. Prachun.
 Habitat in India. b

MYRTUS.

1. **MYRTUS** floribus solitariis: involuero diphylo. Hort. communis. cliff. 42. Hort. upf. 123. Mat. med. 224. Roy. lugdb. 269.
 Myrtus communis italica. Baub. pin. 468.
 2. Myrtus batica latifolia 1. 2. Baub. pin. 469. Clus. batica.
 3. Myrtus minor vulgaris. Baub. pin. 469.
 4. Myrtus foliis minimis & mucronatis. Baub. pin. 469.
 5. Myrtus sylvestris, foliis acutissimis. Baub. pin. 469.
 6. Myrtus angustifolia batica. Baub. pin. 469.
 7. Myrtus latifolia belgica. Baub. pin. 469.
 8. Myrtus latifolia romana. Baub. pin. 468.
 Habitat in Europa australi, Asia, Africa. b

2. **MYRTUS** floribus solitariis, pedunculis nudis, petalis subciliatis.
 Arbor brasiliiana, myrti laureae foliis inodoris. Comm. hort. 1. p. 173. t. 89.
 Habitat in Brasilia. D. Wochend. b
 Folia ovata, obtusa, petiolata, glabra, opposita. Flores solitarii, axillares, pedunculati, pedunculo aphylo.
 Corollae petala 4. l. 5, lacera-ciliata, obverse ovata, concava, reflexa. Stamina circiter 40.

3. **MYRTUS** pedunculis multifloris, foliis lanceolato-ovatis. Fl. zeyl. 185. *
 Habitat in Zeylona. b

4. **MYR**
 Habitata Pray. myrti. 471.
 Myrtus indica, myrti folio deciduo, flore albo, fructu suaverubenti molli leviter sulcato & odoro. Mich. gen. 226, t. 108.
 Myrtus indica, foliis rigescentibus latis ac recurvis parum odoratis. Till. pis. 117. t. 44.
 Habitat in India. b

Myrtus indica. D. Wochend. 459.
 Myrtus indica, myrti folio deciduo, flore albo, fructu suaverubenti molli leviter sulcato & odoro. Mich. gen. 226, t. 108.
 Myrtus indica, foliis rigescentibus latis ac recurvis parum odoratis. Till. pis. 117. t. 44.
 Habitat in India. b

Handwritten notes at the top of the page, including "En ore est myrte favit. vel pres foliis. Zeylonia a tenore famula" and other botanical references.

ICOSANDRIA MONOGYNIA.

Handwritten notes on the left margin: "Pamalat... Zeylanica... myrtus ad. 88"

4. MYRTUS pedunculis multifloris, foliis ovatis subpetiolatis.

Myrtus foliis ovatis acuminatis obtusiusculis. Fl. zeyl. 182. *

Myrtus zeylanica odoratissima, baccis niveis monococis. Herm. lugdb. 434. t. 435.

Myrtoides foliis ovatis. Hort. cliff. 489. Roy. lugdb. 535. Habitat in Zeylona. b

5. MYRTUS pedunculis multifloris, foliis subovalibus sessilibus. Fl. zeyl. 184. *

Habitat in Zeylona. b

Handwritten notes: "C. caryophylla... myrtus ad. 88"

6. MYRTUS pedunculis multifloris, foliis obovatis. Fl. zeyl. 183. Mat. med. 225.

Caryophyllus aromaticus ind. occid. foliis & fructu rotundis. Pluk. alm. 188. t. 155. f. 3.

Habitat in Zeylona. b

Handwritten notes: "myrtus ad. 88"

7. MYRTUS foliis alternis. Fl. zeyl. 186. Mat. med. 225.

Myrtus calycibus absque appendiculis. Hort. cliff. 501.

Myrtus arborea aromatica, foliis laurinis. Sloan. jam. 161, hist. 2. p. 76. t. 191. f. 1.

Caryophyllus aromaticus americanus, lauri acuminatis foliis, fructu orbiculari. Pluk. alm. 88. t. 155. f. 4.

Habitat in India. b Kaimun.

Handwritten notes: "Punica ad. 88"

PUNICA.

Handwritten notes on the left margin: "Sakuro... Dijak... Punica ad. 88"

1. PUNICA. Hort. cliff. 134. Hort. ups. 122. Mat. med. 223. Roy. lugdb. 267.

Malus punica sylvestris. Bauh. pin. 438.

Malus punica sativa. Bauh. pin. 438.

Malus punica. Cam. epit. 130. 131.

β. Balauſtia flore pleno majore & minore. Bauh. pin. 438. Habitat in Hispania, Italia, Mauritania solo cretaceo. b

AMYGDALUS.

Handwritten notes: "amygdalus ad. 88"

1. AMYGDALUS foliorum ferraturis omnibus acutis. Hort. cliff. 189. Hort. ups. 123. Mat. med. 230. Roy. lugdb. 267.

Perſica molli carne & vulgaris. Bauh. pin. 440.

Perſica rubra. Cam. epit. 145.

β. Nuciperſica, quæ nucum juglandium faciem repræſentat. Bauh. pin. 440. Raj. hiſt. 1516.

Habitat in Perſia dura carne cauſa a alijs in albo ſubſtant. B. Pin. 440. 2. A.

Handwritten notes: "Rhodaina... Dausedna"

Handwritten notes: "Cydoniaria"

Handwritten notes: "Antiperſica"

Handwritten notes: "amygdalus perſica"

Handwritten notes: "Cariota"

Handwritten notes: "Rhodaina... Dausedna"

Handwritten notes: "Cydoniaria... Antiperſica"

Handwritten notes: "amygdalus perſica... Cariota"

Hunt Institute for Botanical Documentation

Pedica affinis in Cappobona. B. Pin. 440. fructus rot. non arillane pau, nucleis amaris } gehuph } Indon. Chev. Dabli
 gummicen arbore utriusque maris } altan }

ICOSANDRIA MONOGYNIA. 473

2. AMYGDALUS foliis petiolatis: ferraturis infimis glandulosis. Hort. cliff. 186. Hort. upf. 123. Mat. med. 229. Roy. lugdb. 267. Amygdalus sylvestris. Bauh. pin. 442. Amygdalus sativa. Bauh. pin. 441. Amygdalus. Dod. pempt. 798. Amygdalus amara. Tournef. inst. 627. Habitat in Mauritaniae septibus.
3. AMYGDALUS foliis petiolatis basi attenuatis. Hort. cliff. 186. Hort. upf. 124. Roy. lugdb. 267. Amygdalus indica nana. Pluk. alm. 28. t. II. f. 3. Armeniaca persicae foliis, fructu exsucco. Amm. ruth. 273. t. 30? Habitat in Asia septentrionali?

goan. } amygdalus }
 Rep. }
 Mandelbaum. goan
 Laug. arab.
 Lauf.
 amygdalus Brant. ang.

PRUNUS.

1. PRUNUS floribus racemosis, foliis deciduis basi subtus biglandulosis. Padus glandulis duabus basi foliorum subjectis. Hort. cliff. 185. Fl. suec. 396. Roy. lugdb. 269. Hall. helv. 397. Padus foliis annuis. Fl. lapp. 198. Cerasus racemosa sylvestris, fructu non eduli. Bauh. pin. 451. Habitat in Europa.
2. PRUNUS floribus racemosis, foliis deciduis basi antice glandulosis. Cerasus sylvestris, fructu nigricante in racemis longis pendulis phytolaccæ instar congestis. Gron. virg. 54. Roy. lugdb. 537. Cerasi similis arbuscula mariana, padi folio, flore albo parvo racemoso. Pluk. mant. 43. t. 339. Gatesb. car. I. p. 28. t. 28. Habitat in Virginia.
3. PRUNUS floribus racemosis, foliis sempervirentibus eglandulosis. Padus foliis glandula destitutis. Vir. cliff. 42. Hort. upf. 126. Roy. lugdb. 269. Padus foliis sempervirentibus ovatis. Hort. cliff. 185. LauroCerasus lusitanica minor. Dill. elth. 193. t. 159. f. 193. Habitat in Lusitania, Pennsylvania.

Padus ad 309.
 Padus. Dabli
 Padus. Theoph
 Pseudoligustrum Ba
 Pseudo cary. quib. Ba.
 Putier

Virginiana.
 Cerasus ad

Lauro Cerasus

G 8 5

4. PRU-
 myrtus arborea ramifera, ceteri folis ampliori Bauh. } Bois Louis.
 myrtus latif. cortice punctato, fructu lactescente Bauh. } iito. Bot. mag.
 Malpighiana ad.

Comin. Indon. clus. { fructus rotundus inaequalis cinerascens, lanosus, B. Pin. 406.
ad 354. { nucis magnitud. putamen sassa duntaxat, nucleo albo amygdalino.
arbutum. clus. { fructus hirsutus, inaequalis, semine fere foveato, B. Pin. 405.

474 ICOSANDRIA MONOGYNIA.

Lauro Cerasus ad 305.
• Lauro Cera-
sus. Bellon
Laurifolium. clus.

4. PRUNUS floribus racemosis, foliis sempervirentibus dorso biglandulosis.
Padus glandulis duabus dorso foliorum innatis. Vir. cliff. 42. Hort. ups. 126. Roy. lugdb. 269.
Padus foliis sempervirentibus lanceolato-ovatis. Hort. cliff. 185.
Cerasus folio laurino. Baub. pin. 450.
Laurocerasus. Clus. hist. 1. p. 4. Cam. hort. t. 23.
Habitat in Trapezunte unde in Europam venit 1576. b

Cerasus Padus ad 305.
• Mahaleb. math. Dalis

5. PRUNUS floribus corymbosis, foliis ovatis.
Cerasus foliis ovatis. Vir. cliff. 43. Hall. helv. 360.
Roy. lugdb. 268. crenatis. Hort. cliff. 487.
Ceraso affinis. Baub. pin. 451.
Mahaleb. Cam. epit. 91. Chamæcerasus
Habitat in Helvetia. b 50 ped. fructu nigro dulci

macaleb. amb. Bellon
Macholebum. clus.
Dama. theph.
Lacina. gaza
Lacatha. quibus

Patrocen. 9. p. 4. Pin. 451
Argemone. math.

6. PRUNUS floribus sessilibus, foliis subcordatis.
Prunus foliis ovato-cordatis. Hort. cliff. 186. Hort. ups. 124. Roy. lugdb. 268.
Mala Armeniaca majora. Baub. pin. 442.
Mala Armeniaca majora, nucleo dulci. Baub. pin. 442.
Malus Armeniaca minor. Baub. pin. 442.
Habitat - - -

Baracocea. cas.
munia. cas.
amaga. cas.
Proconia. Pin.

Boelina ad 305
• fibirica.

7. PRUNUS floribus sessilibus, foliis ovato-oblongis.
Armeniaca betulæ folio & facie, fructu exsucco. Amm. ruth. 272. t. 29.
Habitat in Sibiria
An haec satis distincta a precedenti?

Boelina ad 305
• D. amato Luytau

Cerasus ad 305.
• Cerasus.

8. PRUNUS pedunculis simplicibus, foliis ovato-lanceolatis conduplicatis.
Cerasus foliis ovato-lanceolatis. Vir. cliff. 43. Hort. ups. 125. Mat. med. 233. Roy. lugdb. 267. Hall. helv. 356.

Aproniana. cl.
rolea.
plena.
dulcis.
juliana. quing. E.
actiana. ...

Cerasus fativa rotunda rubra & acida. Baub. pin. 449.
C. Cerasus hortensis, flore roseo. Baub. pin. 450.
C. Cerasus hortensis, flore pleno. Baub. pin. 450.
C. Cerasa alba dulcia. Baub. pin. 450.
C. Cerasa carne tenera & aquosa. Baub. pin. 450.
C. Cerasus sylvestris ac major, fructu subdulci: nigro colore inficiente. Baub. pin. 450.
C. Cerasus acidissima sanguineo succo. Baub. pin. 450.
C. Cerasus pumila. Baub. pin. 450.
C. Cerasus racemosa hortensis. Baub. pin. 450.

gasconia. ger
corbine. ...
cociliana. Pin.

Biachala. gastera.
pumila.
avium.

Te. Po. o. Luytau. { Cerasus flor. simpliciori fructu amaro. Baub. Pin. 799.
Saxia. { Cerasus flor. simpliciori fructu amaro. Baub. Pin. 799.
Lamina Saxia. { Cerasus pumila fl. albo pleno. Baub. Pin. 799.
Niva Saxia. { Cerasus flor. simpliciori fructu amaro. Baub. Pin. 799.
Ro. d. de Saxia. { Cerasus flor. simpliciori fructu amaro. Baub. Pin. 799.

gasconia. ger
corbine. ...
cociliana. Pin.

Biachala. gastera.
pumila.
avium.

Te. Po. o. Luytau. { Cerasus flor. simpliciori fructu amaro. Baub. Pin. 799.
Saxia. { Cerasus flor. simpliciori fructu amaro. Baub. Pin. 799.
Lamina Saxia. { Cerasus pumila fl. albo pleno. Baub. Pin. 799.
Niva Saxia. { Cerasus flor. simpliciori fructu amaro. Baub. Pin. 799.
Ro. d. de Saxia. { Cerasus flor. simpliciori fructu amaro. Baub. Pin. 799.

Prunus cerasifera similis fructus aspicantur. Baub. pin. 444. 2 lineis distinctis. } Ergen Indur
Prunus hirsutissima folio angusto pinnato. Baub. pin. 444 } Zaccan. Celt
Prunus similis pinnata Baub. pin. 444 } Prunus ad 305
 } Prunus domestica

ICOSANDRIA MONOGYNIA. 475

- α. Cerasa fativa majora. Baub. pin. 450. Bigarella.
- λ. Cerasa crassa carne dura. Baub. pin. 450. *Prunus domestica*. Duracina. *Marsala* multo
Habitat in Europa. } *Prunus domestica*
Prunus domestica } *Prunus domestica*
- 9. PRUNUS pedunculis simplicibus, foliis lanceolato-ovatis convolutis. *Prunus domestica*.
Prunus inermis, foliis lanceolato-ovatis. Hort. cliff. 186. Hort. upf. 124. Mat. med. 232. Roy. lugdb. 268.
Prunus. Baub. pin. 443. } *Ruxo*. Japon
- β. Pruna majora dulcia & parva atro-cærulea. Baub. pin. 443. n. 23. } Damascena. *Prabyla* thes
Prunus majora dulcia } *Prunus majora dulcia*
Prunus parva atro-cærulea } *Prunus parva atro-cærulea*
- γ. Pruna magna crassa subacida. Baub. pin. 443. } hungarica.
- δ. Pruna oblonga cærulea. Baub. pin. 443. } juliana. *Prunus doctyla* Pray
Prunus oblonga cærulea } *Prunus oblonga cærulea*
- ε. Pruna nigra: carne dura. Baub. pin. 443. } periconica. *Prunus periconica*
Pruna nigra } *Prunus periconica*
- ζ. Pruna coloris ceræ ex candido in luteum pallefcente. Baub. pin. 443. } cerea.
- ν. Pruna magna rubra rotunda. Baub. pin. 443. } *Prunus magna rubra rotunda*
- θ. Pruna rotunda flava dulcia mali amplitudine. Baub. pin. 443. } maliformis.
- ι. Pruna Augusto maturefcentia minora & austeriora. Baub. pin. 443. } augustana. *Prunus augustana*
- κ. Pruna parva præcocia. Baub. pin. 443. } præcox. *Prunus præcox*
- λ. Pruna parva ex viridi flavescentia. Baub. pin. 443. } cereola. *Prunus cereola*
- μ. Pruna amygdalina. Baub. pin. 443. } amygdalina. *Prunus amygdalina*
- ν. Pruneoli albi oblongiusculi acidi. Baub. pin. 443. } galatensis. *Prunus galatensis*
- ο. Pruna ex flavo rufescentia mixti saporis gratissima. Baub. pin. 443. } Brignola. *Prunus brignola*
- ξ. Prunus fructu rotundo nigro-purpureo dulci. Baub. pin. 444. } myrobalanus. *Prunus myrobalanus*
Prunus fructu rotundo nigro-purpureo dulci } *Prunus fructu rotundo nigro-purpureo dulci*
Habitat in Europæ australioris locis elevatis. } *Prunus fructu rotundo nigro-purpureo dulci*

10. PRUNUS spinosa, foliis lanceolatis. Hort. cliff. 186. Fl. suec. 397. Mat. med. 231. Roy. lugdb. 268. Hall. belv. 355. } spinosa. *Prunus spinosa*

Prunus sylvestris. Baub. pin. 444. Tabern. ic. 992. } *Prunus sylvestris*
Habitat in Europæ collibus apricis. } *Prunus sylvestris*
En hujus prunus sylvestris. celtis pinnis imprimatur, insolatur, et sic creatum. et } *Prunus sylvestris*
tentationem deditur, acacia vera loco operatur. quæ pinnis dantur } *Prunus sylvestris*

DIGYNIA.

1. CRATÆGUS. } *Cratægus* } *Cratægus*

1. CRATÆGUS foliis ovatis inæqualiter serratis subtus tomentosis. Hort. cliff. 187. Fl. suec. 398. Vir. cliff. 43. Mat. med. 234. Roy. lugdb. 271. Sauv. monsp. 306. 20. mai. flor. albu. } *Cratægus*. *Prunus*
Cratægus folio subrotundo serrato, subt. a. pinnis imbricatis, insolatur, et sic creatum. et } *Cratægus*
a fontainilleans. solo mali. in hujus pinnis sub obtusa, subtus vallis. in hujus pinnis sub obtusa, subtus vallis. } *Cratægus*
una. in hujus pinnis sub obtusa, subtus vallis. in hujus pinnis sub obtusa, subtus vallis. } *Cratægus*
fl. copiosi tendit. albi pardi. stipe 2. ovum. 2. lumb. lumbis. in hujus pinnis sub obtusa, subtus vallis. } *Cratægus*
in hujus pinnis sub obtusa, subtus vallis. in hujus pinnis sub obtusa, subtus vallis. } *Cratægus*
sed mandoralt. p. cu. alpina folio rotundo fructu Symplicis. } *Cratægus*

Sorbus terminalis. Plin. L. 15. C. 21. Sorbus 4 duplex differentia. alia enim eorum retunditas mali
alio turbiditate pyriformi ovata. paucis cum malorum aliquibus in generis
quibus utraque rubra tenere folia. Item genus terminalis appellat remedi
tantum propter alio dicitur. Sorbus in manu quae p. 100. dicitur
arbor terminalis. folia plana. Platanus. crataegus fol. latera dentata. Sicutum

ICOSANDRIA DIGYNIA.

apla. Theophr.

Alni effigie, lanato folio, major. Bauh. pin. 452.

Aria. Dalech. hist. 202.

fucica.
Sorbus terminalis. Non an
adant.

β. Crataegus inermis foliis ellipticis ferratis transversaliter
innuatis subtus villosis. Edm. Lapp. 199.

Crataegus ad 296

Sorbus sylvestris anglica Ray. hist. 1459.
Habitat in Europæ, Helvetiæ, frigidis: β. in Suecia,
Anglia. β

Crataegus terminalis.

2. CRATÆGUS foliis cordatis septangulis: lobis infi-
mis divaricatis.

Crataegus Theophr. ang Dalech
hypomeli - Palladii

Crataegus foliis cordatis acutis: laciniulis acutis ferratis.
Hort. cliff. 187. Roy. lugdb. 271. Sauv. monsp. 286.

Crataegus Theophr. ang Dalech
hypomeli - Palladii

Sorbus torminalis & Crataegus theophrasti. Bauh. hist. 1.
p. 63. Baga rub. 6. Crataegus. 5. Sorbus torminalis.

Crataegus Theophr. ang Dalech
hypomeli - Palladii

Sorbus torminalis. Cam. epit. 162.

Crataegus Theophr. ang Dalech
hypomeli - Palladii

Mespilus, apii folio, sylvestris non spinosa f. Sorbus
torminalis. Bauh. pin. 454.

Crataegus Theophr. ang Dalech
hypomeli - Palladii

Habitat in Anglia, Germania, Helvetia, Burgundia. β

Crataegus Theophr. ang Dalech
hypomeli - Palladii

3. CRATÆGUS foliis ovatis repando-angulatis ferratis
glabris. Hort. cliff. 187. Hort. ups. 126. Gron. virg.
Roy. lugdb. 272.

Crataegus Theophr. ang Dalech
hypomeli - Palladii

Mespilus, apii folio, virginiana spinis horrida, fructu
amplo coccineo. Pluk. alm. 249. t. 46. f. 4.

Crataegus Theophr. ang Dalech
hypomeli - Palladii

Mespilus spinosa f. Oxyacantha virginiana maxima.
Angl. hort. 49. t. 13. f. 1.

Crataegus Theophr. ang Dalech
hypomeli - Palladii

Habitat in Virginia, Canada. β
Variat cum validis spinis lateralibus & absque spinis.

Crataegus Theophr. ang Dalech
hypomeli - Palladii

4. CRATÆGUS foliis lanceolato-ovatis ferratis glabris,
ramis spinosis.

Crataegus Theophr. ang Dalech
hypomeli - Palladii

Mespilus aculeata pyriformis denticulata splendens, fructu
insigni rutilo, virginensis. Pluk. alm. 249. t. 46. f. 1.

Crataegus Theophr. ang Dalech
hypomeli - Palladii

Mespilus pruni foliis, spinis longissimis fortibus, fructu
rubro magno. Clayt. virg. 55. 20. Mespilus alba

Crataegus Theophr. ang Dalech
hypomeli - Palladii

5. CRATÆGUS foliis cuneiformi-ovatis ferratis sub-
angulatis subtus villosis, ramis spinosis.

Crataegus Theophr. ang Dalech
hypomeli - Palladii

Mespilus inermis, foliis ovato oblongis ferratis subtus
tomentosis. Gron. virg. 55.

Crataegus Theophr. ang Dalech
hypomeli - Palladii

Habitat in Virginia. β

Crataegus Theophr. ang Dalech
hypomeli - Palladii

6. CRATÆGUS foliis lanceolato-ovatis subtrilobis fer-
ratis glabris, caule inermi.

Crataegus Theophr. ang Dalech
hypomeli - Palladii

Mespilus inermis, foliis oblongis integris acuminatis ferra-
tis parvis utrinque viridibus. Gron. virg. 163.

Crataegus Theophr. ang Dalech
hypomeli - Palladii

Habitat in Virginia. β

Crataegus Theophr. ang Dalech
hypomeli - Palladii

7. CRA-

ICOSANDRIA
7. CRATÆGUS foliis
corymbis squamosis.
Habitat in India. β
Frutex ramis inermib.
ferrata, crassiuscula,
pedunculis squamosis.
CRATÆGUS foliis
cliff. 188. Fl. succ. 3
Mespilus, apii folio, f.
Bauh. pin. 454.
Oxyacantha 1. Spina
Habitat in Europæ
CRATÆGUS foliis
Mespilus apii folio lacini
Mespilus Aronia veteru
Mespilus orientalis,
orient. 189. t. 85.
Habitat Florentia, Mo
Differre videtur ab O
Sorbus domestica a sy
omnia; spina in cult
Crataegus Rhypho
P. lesione et longior
folia quæ inermis f.
TRI
SC
1. SORBUS foliis pinna
250
Sorbus foliis pinnatis.
Mat. med. 235. Ro
Sorbus sylvestris, foliis
Sorbus sylvestris. Can
Habitat in Europæ fri
2. SORBUS foliis pinna
351
Sorbus sativa. Bauh.
Sorbus legitima. Claf.
Habitat in Europæ rali
Sorbus sativa. Bauh.
Sorbus legitima. Claf.
Habitat in Europæ rali
Sorbus sativa. Bauh.
Sorbus legitima. Claf.
Habitat in Europæ rali
Sorbus sativa. Bauh.
Sorbus legitima. Claf.
Habitat in Europæ rali

Cratægus fol. subrot. parte subtus incana. styli 2. ovar. 2. bract. bracteis nondistinctis. cotyledonibus, singulis 2. spindulibus lye

Cratægus folio laciniato subtus incano. 2. partibus. styli 2. ovar. 2. bract. bracteis nondistinctis. cotyledonibus, singulis 2. spindulibus lye

7. CRATÆGUS foliis lanceolatis ferratis, caule inermi, indica, corymbis squamosis. Habitat in India. Frutex ramis inermibus. Folia lato-lanceolata, obtuse ferrata, crassiuscula, petiolata. Corymbi terminales pedunculis squamosis, bracteis subulatis.

8. CRATÆGUS foliis obtusis bitrifidis ferratis. Hort. cliff. 188. Fl. suec. 399. Roy. lugdb. 272. Mespilus, apii folio, sylvestris spinosa f. Oxyacantha. Bauh. pin. 454. Oxyacantha f. Spina acuta. Dod. pempt. 751. Habitat in Europæ pratis apricis duris.

9. CRATÆGUS foliis obtusis bitrifidis subdentatis. Mespilus apii folio laciniato. Bauh. pin. 453. Mespilus Aronia veterum. Bauh. hist. i. p. 67. Mespilus orientalis, apii folio, subtus hirsuto. Pock. orient. 189. t. 85. Habitat Florentiæ, Monspelii. Differre videtur ab Oxyacantha sola magnitudine, ut Sorbus domestica a sylvestri; in hac quadruplo majora omnia; spinæ in culta pauciores & sepe nullæ.

10. CRATÆGUS foliis lanceolatis serratis, caule inermi, indica, corymbis squamosis. Habitat in India. Frutex ramis inermibus. Folia lato-lanceolata, obtuse serrata, crassiuscula, petiolata. Corymbi terminales pedunculis squamosis, bracteis subulatis.

11. CRATÆGUS foliis lanceolatis serratis, caule inermi, indica, corymbis squamosis. Habitat in India. Frutex ramis inermibus. Folia lato-lanceolata, obtuse serrata, crassiuscula, petiolata. Corymbi terminales pedunculis squamosis, bracteis subulatis.

12. CRATÆGUS foliis lanceolatis serratis, caule inermi, indica, corymbis squamosis. Habitat in India. Frutex ramis inermibus. Folia lato-lanceolata, obtuse serrata, crassiuscula, petiolata. Corymbi terminales pedunculis squamosis, bracteis subulatis.

13. CRATÆGUS foliis lanceolatis serratis, caule inermi, indica, corymbis squamosis. Habitat in India. Frutex ramis inermibus. Folia lato-lanceolata, obtuse serrata, crassiuscula, petiolata. Corymbi terminales pedunculis squamosis, bracteis subulatis.

14. CRATÆGUS foliis lanceolatis serratis, caule inermi, indica, corymbis squamosis. Habitat in India. Frutex ramis inermibus. Folia lato-lanceolata, obtuse serrata, crassiuscula, petiolata. Corymbi terminales pedunculis squamosis, bracteis subulatis.

15. CRATÆGUS foliis lanceolatis serratis, caule inermi, indica, corymbis squamosis. Habitat in India. Frutex ramis inermibus. Folia lato-lanceolata, obtuse serrata, crassiuscula, petiolata. Corymbi terminales pedunculis squamosis, bracteis subulatis.

TRIGYNIA.

SORBUS.

1. SORBUS foliis pinnatis utrinque glabris. Hall. helv. 250. Sorbus foliis pinnatis. Hort. cliff. 188. Fl. suec. 400. Mat. med. 235. Roy. lugdb. 274. Sorbus sylvestris, foliis domesticæ similis. Bauh. pin. 415. Sorbus sylvestris. Cam. epit. 161. Habitat in Europæ frigidioribus.

2. SORBUS foliis pinnatis subtus tomentosis. Hall. helv. 351. Sorbus fativa. Bauh. pin. 415. Sorbus legitima. Clus. i. p. 10. Habitat in Europæ validioribus.

3. SORBUS foliis pinnatis subtus tomentosis. Hall. helv. 351. Sorbus fativa. Bauh. pin. 415. Sorbus legitima. Clus. i. p. 10. Habitat in Europæ validioribus.

4. SORBUS foliis pinnatis subtus tomentosis. Hall. helv. 351. Sorbus fativa. Bauh. pin. 415. Sorbus legitima. Clus. i. p. 10. Habitat in Europæ validioribus.

5. SORBUS foliis pinnatis subtus tomentosis. Hall. helv. 351. Sorbus fativa. Bauh. pin. 415. Sorbus legitima. Clus. i. p. 10. Habitat in Europæ validioribus.

6. SORBUS foliis pinnatis subtus tomentosis. Hall. helv. 351. Sorbus fativa. Bauh. pin. 415. Sorbus legitima. Clus. i. p. 10. Habitat in Europæ validioribus.

7. SORBUS foliis pinnatis subtus tomentosis. Hall. helv. 351. Sorbus fativa. Bauh. pin. 415. Sorbus legitima. Clus. i. p. 10. Habitat in Europæ validioribus.

PEN-

Pinus tre anst *Mespilus spes. pini longi foliis* *subtus tomentosa* *subtus tomentosa*
296 478 **ICOSANDRIA PENTAGYNIA.**

Mespilus. dicitur arbor. acubata *Syracanthus foliis. Somnum glab. vanda* *4. lra ddam. 5. mudi.*
arboria. dicitur. **PENTAGYNIA.**

Mespilus ad. 296. **MESPILUS.**

flor. p. dicitur. terminat. alij. subul. *calice corolla paulo longior*
1. MESPILUS inermis, foliis lanceolatis integerrimis subtus tomentosis, calycibus acuminatis. Hort. cliff. 189. Hort. ups. 129. Mat. med. 236. Roy. lugdb. 270.

Mespilus. Brev. Bay *Mespilus germanica, folio laurino non ferrato.* Baub. pin. 453. *Styli 5. bacca 5. loubi seu ovarij officij dicitur.*

Mespilus. Dod. pempt. 861. **Mespilus, folio laurino, major.** Baub. pin. 453. *Habitat in Europa australi.*

Mespilus spinosa, foliis lanceolato-ovatis crenatis, calycibus fructus obtusis. Hort. cliff. 189. Vir. cliff. 44. Roy. lugdb. 271. *Styli 5. loubi 5. officij dicitur.*

Oxyacantha diofcoridis f. Spina acuta, pyri folio. Baub. pin. 454. *Uva ursi.* Dalech. hist. 164. *Habitat in Galloprovincie, Italiae sepibus.*

2. MESPILUS inermis, foliis lanceolatis crenatis subtus tomentosis. Hort. cliff. 189. Roy. lugdb. 271. *Sorbus virginiana, folio arbuti.* Herin. lugdb. 578. t. 69. *Sorbus aucuparia virginiana, foliis arbuti.* Breyer. prodr. 1. p. 15. *Habitat in Virginia.*

3. MESPILUS inermis, foliis ovalibus ferratis, cauliculis hirsutis. *Mespilus inermis, foliis ovalibus ferratis acutis.* Hort. cliff. 189. Roy. lugdb. 271. *Alni affigie, lanato folio, minor.* Baub. pin. 452. *Vitis idaea III.* Clus. hist. 1. p. 75. *Habitat in Helvetia, Austria, Galloprovincia.*

Tenella adhuc herba ramis petiolis pedunculis foliis subtus villosa-tomentosa est, adulta fructifera glabra lanam exuit. *Habitat in Helvetia, Austria, Galloprovincia.*

4. MESPILUS inermis, foliis ovato-oblongis glabris ferratis, caule inermi. *Mespilus inermis, foliis ovato-oblongis glabris.* Gron. virg. 54. *Habitat in Virginia, Canada.*

canadensis. **5. MESPILUS inermis, foliis ovato-oblongis glabris ferratis, caule inermi.** *Mespilus inermis, foliis ovato-oblongis glabris.* Gron. virg. 54. *Habitat in Virginia, Canada.*

canadensis. **5. MESPILUS inermis, foliis ovato-oblongis glabris ferratis, caule inermi.** *Mespilus inermis, foliis ovato-oblongis glabris.* Gron. virg. 54. *Habitat in Virginia, Canada.*

canadensis. **5. MESPILUS inermis, foliis ovato-oblongis glabris ferratis, caule inermi.** *Mespilus inermis, foliis ovato-oblongis glabris.* Gron. virg. 54. *Habitat in Virginia, Canada.*

canadensis. **5. MESPILUS inermis, foliis ovato-oblongis glabris ferratis, caule inermi.** *Mespilus inermis, foliis ovato-oblongis glabris.* Gron. virg. 54. *Habitat in Virginia, Canada.*

canadensis. **5. MESPILUS inermis, foliis ovato-oblongis glabris ferratis, caule inermi.** *Mespilus inermis, foliis ovato-oblongis glabris.* Gron. virg. 54. *Habitat in Virginia, Canada.*

canadensis. **5. MESPILUS inermis, foliis ovato-oblongis glabris ferratis, caule inermi.** *Mespilus inermis, foliis ovato-oblongis glabris.* Gron. virg. 54. *Habitat in Virginia, Canada.*

Pyrus (varietas) en guinea B. Pin 439

Pyrus (varietas) fructus in Virginia B. Pin 439

Lata. chu. anana. metaque/unausa p. d. o. u. i. r.

ICOSANDRIA PENTAGYNIA.

479 *Pyra xanta ad 296*

6. MESPILUS foliis ovatis integerrimis. Hort. cliff. 189. Fl. suec. 403. Roy. lugdb. 271. Hall. helv. 352. Cotoneaster folio rotundo non ferrato. Baub. pin. 452. *Chamae Mespilus gesneri. Clus. hist. 1. p. 60. Chamae Mespilus cordi. Baub. pin. 452. Habitat in Europæ frigidioris collibus apricis inque Pyreneis, Ararat. h*

Cotoneaster gem anthedon thupa Dalech melpi. 2. D. epimeli Dalech. thupa

7. MESPILUS inermis, foliis ovalibus ferratis glabris, floribus capitatis, bracteis deciduis linearibus. Cratægus foliis ovalibus utrinque glabris plicatis indivisis ferratis. Hort. cliff. 497. Vir. cliff. 43. Roy. lugdb. 272. Hall. helv. 353. Cotoneaster folio oblongo ferrato. Baub. pin. 452. Cotoneaster forte gesneri. Clus. hist. 1. p. 63. Habitat in alpibus Austriacis, Pyrenaicis. h *2 Jul. 1. non flom. Folia pruni argute serrata serraturis versus apicem inflexis tenuissimis, utrinque nuda. Stipulæ lineares, petiolis longiores, deciduæ. Corymbus ex alis pedunculatus, conglobatus in capitulum, pedunculo subviloso, foliis dimidio brevior. Bractææ inter flores lineares, flore longiores, coloratæ, deciduæ.*

Pyra xanta ad. Ebamae Mez. Spilus. agnomula. Pelloni

PYRUS. *Pyrus sylvestris. pinosa oxyn. thupa. ex gaga. versione. ad non pinosa. Cay pas. thupa. Cay pas. thupa. Cay pas. thupa.*

1. PYRUS foliis ferratis, foliis basi productis. Hort. cliff. 190. Hort. ups. 130. Fl. suec. 401. Roy. lugdb. 266. Hall. helv. 351. *Pyrus sylvestris. Baub. pin. 439. Dod. pempt. 351. Pyrus Bergamotta gallis. Baub. hist. 1. p. 45. Pyrus boni christiani. Baub. hist. 1. p. 44. Pyrus jesu f. moschatellina rubra. Baub. hist. 1. p. 44. Pyra dorfalia eademque liberalia dicta. Baub. hist. 1. p. 53. Habitat in Europa. h*

communis. Pyrus ad 296. anios. gravis. Pyrus Brunf. gem. Pyrafter falerna. pompejana. favonia. Volema. Ri. nas. Japonia

2. PYRUS foliis ferratis, pomis basi concavis. Hort. cliff. 189. Hort. ups. 130. Fl. suec. 402. Mat. med. 237. Roy. lugdb. 266. Hall. helv. 351. Malus sylvestris. Baub. pin. 435. Dod. pempt. 790. Malus pumila, quæ potius frutex quam arbor. Baub. pin. 433. Malus prafomila. Baub. pin. 433. Malus fativa, fructu sanguinei coloris ex austero subdulci. Tournef. inst. 635. Mala curtispindula dicta. Baub. hist. 1. p. 21.

Malus. pumila. pumila. Malus. ad. 296. Malus. sylvestris. paradisiaca. prafomila. Renitia. c. v. cestiana.

Pomus fructu pumilo austero. sine varietatibus. Recepti ad rem. 600. Raikin. Raika. Jap.

Pyrus (similis) en guinea B. Pin 439
Pyrus (similis) fructus in Virginia B. Pin 439

Lata. clu.
metaguerunaru ad. 296
Pyra xanta
ad 296

ICOSANDRIA PENTAGYNIA.

6. MESPILUS foliis ovatis integerrimis. Hort. cliff. 189. Fl. suec. 403. Roy. lugdb. 271. Hall. helv. 352.
Cotoneaster folio rotundo non ferrato. Baub. pin. 452.
Chamae Mespilus gesneri. Clus. hist. 1. p. 60.
Chamae Mespilus cordi. Baub. pin. 452.
Habitat in Europæ frigidioris collibus apricis inque Pyreneis, Ararat. h

Cotoneaster
anthedon
melpi. 2. D.
epimeli
Dalch. Thyp

7. MESPILUS inermis, foliis ovalibus ferratis glabris, floribus capitatis, bracteis deciduis linearibus.
Cratægus foliis ovalibus utrinque glabris plicatis indivisis ferratis. Hort. cliff. 497. Vir. cliff. 43. Roy. lugdb. 272. Hall. helv. 353.
Cotoneaster folio oblongo ferrato. Baub. pin. 452.
Cotoneaster forte gesneri. Clus. hist. 1. p. 63.
Habitat in alpibus Austriacis, Pyrenaicis. h
Folia pruni ferrata serraturis versus apicem inflexis tenuissimis, utrinque nuda. Stipulæ lineares, petiolis longiores, deciduæ. Corymbus ex alis pedunculatus, conglobatus in capitulum, pedunculo subviloso, foliis dimidio brevior. Bractææ inter flores lineares longiores, coloratae, deciduæ.

Pyra xanta ad.
Chamae Mespilus.
agnomula. Pelloni

Cratægus 1 folio pubescenti
separato sub. circano. t.
arta. Geoff.

Pyrus sylvestris. pinnata. 0' x r r r. Thyp.
ead non pinnata. Sa x pas. Thyp.
productis. Hort. cliff. communis. 401. Roy. lugdb. 266.
Dod. pempt. 351.
Pyrafter
falerna.
pompejana.
favonia.
Voilema.

γ. Pyrus boni christiani. Baub. hist. 1. p. 44.
δ. Pyrus jesu s. moschatellina rubra. Baub. hist. 1. p. 44.
ε. Pyra dorsalia eademque liberalia dicta. Baub. hist. 1. p. 53.
Habitat in Europa. h

Pyrafter
falerna.
pompejana.
favonia.
Voilema.
Ri
nas

2. PYRUS foliis ferratis, pomis basi concavis. Hort. cliff. 189. Hort. ups. 130. Fl. suec. 402. Mat. med. 237. Roy. lugdb. 266. Hall. helv. 351.
Malus sylvestris. Baub. pin. 435. Dod. pempt. 790.
β. Malus pumila, quæ potius frutex quam arbor. Baub. pin. 433.
γ. Malus prafomila. Baub. pin. 433.
δ. Malus fativa, fructu sanguinei coloris ex austero subdulci. Tournef. inst. 635.
ε. Mala curtispindula dicta. Baub. hist. 1. p. 21.

Malus.
malus.
sylvestris.
paradisiaca.
prafomila.
cestiana.

Pomus fructu pumilo austero. sine varietatibus. Receipt ad. 296. 800
Raikiu
Raiko

achlady. centurijs *Pyrus sylvestris* antica B. Pin 429. *exiguus* vent. in mont. 2077.
agryga. Belloni

480 ICOSANDRIA PENTAGYNIA.

Epirotica. 5. Poma orbiculata. Ruell. stirp.
Habitat in Europa. 5

Malus coronaria
Malus ad 296.

3. PYRUS foliis ferrato-angulosis.
Malus sylvestris, floribus odoratis. Gron. virg. 55.
Habitat in Virginia. 5

Syrus ad Cydonia
Syrus ad 296.
Quittenbaum gem

4. PYRUS foliis integerrimis. Hort. cliff. 160. Mal.
med. 238. Roy. lugdb. 267.

Malus cotonea sylvestris. Bauh. pin. 435.

Spitia *Chryso*
Chryso
cotonea con

5. Malus cotonea major. Bauh. pin. 434.

7. Malus Cotonea minor. Bauh. pin. 434.

Cotonea & Cydonia. Lob. hist. 580.
Habitat ad ripas petrosas Danubii. 5

TETRAGONIA.

Ludolfia ad 245
fruticosa

1. TETRAGONIA foliis linearibus. Roy. lugdb. 250.
Tetragonia. Hort. cliff. 188. Hort. ups. 126.

Tetragonocarpus africana rutilans, foliis longis & angu-
stis. Comm. hort. 2. p. 205. t. 103.

Eyonymo affinis africana, portulacæ folio. Seb. thes. 2.
p. 13. t. 11. f. 8.

Habitat in Æthiopia. 7

Ludolfia ad 245
herbacea

2. TETRAGONIA foliis ovatis. Roy. lugdb. 450
Tetragonocarpus africana, radice magna crassa & cano-

sa. Comm. hort. 2. p. 203. t. 102.

Habitat in Æthiopia. 5

MESEMBRYANTHEMUM.

N.g. gazoul. arab
ad 243

1. MESEMBRYANTHEMUM foliis alternis tereti-
bus, utriculis obtusis ciliatis. Hort. ups. 129.

Kali crassulæ minoris foliis. Bauh. pin. 289. Moris.
hist. 2. p. 610. f. 5. t. 33. f. 7.

Kali neapolitanum aizoides repens. Col. ephr. 2. p.
72. t. 73.

Kali II. Alp. egypt. 125. t. 127.

Habitat in Ægypto, Neapoli.

Mezembryum ad
Mezembryanthemum ad 242
La glaie
La glaie

2. MESEMBRYANTHEMUM foliis alternis ovatis
obtusis undulatis. Hort. cliff. 216. Hort. ups. 127.

Roy. lugdb. 281.

Mesembryanthemum crystallinum, plantaginis foliis un-
dulato. Dill. elth. 231. t. 180. f. 211.

1. ad 2 ped. humifera. tota caussa tuberculosa aqua crystallina
opaca. caulis cyl. ter. fol.
fol. att. nat. acut. ampl. 2 ad 4 p. lina longa. l. int. limbo
undulata tuberosa.
flor.
cal. vario inf. in diu. 5. f. 9. in aq.
cor. 1 pet. calori. tubo. laciniis. numeris. pluribus. ordina-
tis. 20. coroll. et calori. inf.
ovarium. 1/2. subglob. styli. 5. un. 2. sty. 5 aut.
cap. 5. l. 5. val.