



Hunt Institute for Botanical Documentation
5th Floor, Hunt Library
Carnegie Mellon University
4909 Frew Street
Pittsburgh, PA 15213-3890
Telephone: 412-268-2434
Email: huntinst@andrew.cmu.edu
Web site: www.huntbotanical.org

The Hunt Institute is committed to making its collections accessible for research. We are pleased to offer this digitized item.

Usage guidelines

We have provided this low-resolution, digitized version for research purposes. To inquire about publishing any images from this item, please contact the Institute.

About the Institute

The Hunt Institute for Botanical Documentation, a research division of Carnegie Mellon University, specializes in the history of botany and all aspects of plant science and serves the international scientific community through research and documentation. To this end, the Institute acquires and maintains authoritative collections of books, plant images, manuscripts, portraits and data files, and provides publications and other modes of information service. The Institute meets the reference needs of botanists, biologists, historians, conservationists, librarians, bibliographers and the public at large, especially those concerned with any aspect of the North American flora.

Hunt Institute was dedicated in 1961 as the Rachel McMasters Miller Hunt Botanical Library, an international center for bibliographical research and service in the interests of botany and horticulture, as well as a center for the study of all aspects of the history of the plant sciences. By 1971 the Library's activities had so diversified that the name was changed to Hunt Institute for Botanical Documentation. Growth in collections and research projects led to the establishment of four programmatic departments: Archives, Art, Bibliography and the Library.

myagrura foetidum. B. Roder 51. Siliq. cordata, fl. pallide lutea. } *Myagrura foetidum* Giesou. ad

TETRADYNAMIA SILICULOSA *641* *Calceola*

Siliculae triloculares sed monospermae, s. in medio loculo tantum semine foetae. *Rapistrum* 2 ann. fol. ovatis acutis. *Calceola* ad

6. MYAGRUM filiculis ovatis pedunculatis polyspermis. *Jativum*. *Dovella* *Coarct.*
Hort. cliff. 328. Fl. suec. 197. Roy. lugdb. 330. *Myagrura* ad

Dalib. paris. 193. Cal. virid. erect. cor. flava. ped. integ. glandula 2 ovata. *Myagrura* ad

Myagrura sylvestre. *Baub. pin. 109.* *Myagrura* ad

β. Myagrura sativum. *Baub. pin. 109.* *Myagrura* ad

Camelina f. Myagrion. *Dod. pempt. 532.* ovata. *Myagrura* ad

Habitat in Europa inter linum. ☉

7. MYAGRUM filiculis globosis compressis punctato-paniculatum. *Myagrura* ad

rugosis. Hort. cliff. 328. Fl. suec. 542. Roy. lugdb. 330. *Hall. belv. 536.* *Dalib. paris. 193.* *Myagrura* ad

Myagrura monospermum hirsutum, filiculis rotundis *Myagrura* ad

Loef. pruss. 174. t. 56. *Myagrura* ad

Myagro similis filiqua rotunda. *Baub. pin. 109.* *Myagrura* ad

Habitat in Europa, juxta agros. ☉ *Myagrura* ad

8. MYAGRUM filiculis angulatis, foliis tripartitis. *Hasselq. aegyptium.* *Myagrura* ad

Habitat in Aegypto. *Myagrura* ad

Caulis divaricatus, Racemis virgatis. Folia petiolata, tripartita vel quinquupartita, dentata. Capsulae duobus articulis tetragonis. Flores lutei. An potius Bunias? *Myagrura* ad

VELLA

1. VELLA foliis pinnatifidis, filiculis pendulis, *Myagrura* ad

Vella. Hort. cliff. 329. Hort. upf. 186. Roy. lugdb. 331. *Myagrura* ad

Nasturtium sylvestre, eruceae facie. *Baub. pin. 105.* *Myagrura* ad

Nasturtium sylvestre valentinum. *Clus. hist. 2. p. 130.* *Myagrura* ad

Habitat in Hispania. ☉ *Myagrura* ad

2. VELLA foliis integris, filiculis erectis. *Myagrura* ad

PseudoCytisus flore leucoji luteo. *Baub. pin. 230.* *Myagrura* ad

Cytisi facie Alysson fruticans quorundam. *Lob. ic. 2. p. 49.* *Baub. hist. 1. p. 374.* *Myagrura* ad

Habitat in Hispania circa oppidum Aranjuez. *D. Minuart.* *Myagrura* ad

Planta frutescens, Foliis integris, sessilibus, hirtis, obverse ovatis, Folliculis erectis. *Minuart.* *Myagrura* ad

ANASTATICA

1. ANASTATICA. Hort. cliff. 328. Hort. upf. 183. *Myagrura* ad

Roy. lugdb. 331. *Myagrura* ad

S s

Thlaspi

hieracuntica. *Myagrura* ad
hieracuntica. *Myagrura* ad
Thlaspi *Myagrura* ad

Blattar bot. holland. Rosa hierichuntica ericetis similis. B. Pin. 464.
 Ind. or. fl. luteo. 2. com. ① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨ ⑩ ⑪ ⑫ ⑬ ⑭ ⑮ ⑯ ⑰ ⑱ ⑲ ⑳ ㉑ ㉒ ㉓ ㉔ ㉕ ㉖ ㉗ ㉘ ㉙ ㉚ ㉛ ㉜ ㉝ ㉞ ㉟ ㊱ ㊲ ㊳ ㊴ ㊵ ㊶ ㊷ ㊸ ㊹ ㊺ ㊻ ㊼ ㊽ ㊾ ㊿
 Konig ad. 420. 642

TETRADYNAMIA SILICULOSA.

Thlaspi Rosa de Hiericho dictum. Moris. hist. 2. p. 228.
 f. 5. t. 25. f. 2. 3.
 Rosa hierichuntea vulgo dicta. Bauh. pin. 484.
 Rosa hierichuntica. Com. hort. t. 41.
 Habitat in littoribus maris rubri. ①

Contar. ad. 420.
~~Convolvulus~~ a. d. lanceolatus. SUBULARIA. et Raji. nomen
 de Calamaria. p. 1100.

1. SUBULARIA. Fl. lapp. 253. Fl. suet. 527.
 Alyssum palustre, folio junci. Buxb. act. 2. p. 369. t. 23. f. 1.
 Graminifolia aquatica, thlaspeos capitulis rotundis: sepi-
 mento siliculam dirimente. Pluk. alm. 180. t. 188. f. 5.
 Habitat in Europæ borealis inundatis lacustribus flu-
 viis. ①

Konig 420
 ad. alpina.
 Phyllon 2
 f. Thelygonum
 a. aurogoum
 Dalich
 in Dioc.

DRABA.

1. DRABA scapo nudo simplici, foliis lanceolatis integer-
 rimis. Fl. lapp. 255. Fl. suet. 524. Hort. cliff. 333.
 Roy. lugdb. 333. Dalib. paris. 197.
 Sedum alpinum hirtutum luteum. Bauh. pin. 284.
 Leucojum luteum aizoides montanum. Col. ecph. 2.
 Bursa pastoris alpina rosea lutea. Moris. hist. 2. p. 306.
 f. 3. t. 20. f. 6. alyssum alpinum hirtutum luteum.
 Habitat in Alpibus Europæ. ①
 2. DRABA caulibus nudis, foliis incis. Hort. cliff. 333.
 Fl. suet. 523. Roy. lugdb. 333. Hall. helv. 538.
 Gron. virg. 76.
 Bursa pastoris minor, loculo oblongo. Bauh. pin. 108.
 Alysson vulgare, polygoni folio, caule nudo T. Segu.
 veron. 1. p. 575. t. 4. f. 3.
 Pilosella minor. Thal. harc. 84. t. 7. f. E.
 Habitat in Europæ aridis. ①

Gausblum. sernu. ad.
 + Gausblum. p. 108. 109.
 id est avarum fl.
 my. fl. Dalich

pyrenaica.

3. DRABA caule nudo, foliis pinnatis ternatisque. Læff.
 Alysson pyrenaicum perenne minimum, foliis trifidis.
 Tournef. inst. 217.
 Habitat in Pyrenæis. ①

Carfana
 ygra muralis.
 Coulea. ad. ad. Cowley.
 +

4. DRABA caule ramoso, foliis cordatis dentatis amplexi-
 caulibus. Roy. lugdb. 33. It. gotl. 192. * Fl. suet.
 525. Hall. helv. 539.
 Bursa pastoris major loculo oblongo. Bauh. pin. 108.
 prodr. 50. t. 50.
 Habitat in Europæ nemoribus. ①

alysson yernice foliis hirt. 27. In. gallos in
 ① yepid. fl. hirt. radio yernice lumbi vomi mior
 Col. v. d. erect.
 Con put. caty. para alta
 ob. 6.
 Hyst. 0.
 Capit. Du Draba (2. v. m. m.)

5. DRABA

... SILICULOSA.
 ... dictum. Moris. hist. 2. p.
 ... dicta. Baub. pin. 484.
 ... hort. t. 41.
 ... ris rubri. ☉
 ... MARIA. ed. ...
 ... pp. 253. Fl. suet. 527.
 ... junci. Buxb. act. 2. p. 34.
 ... laspeos capitulis rotundis.
 ... ente. Pluk. alm. 180. t. 188.
 ... ealis inundatis lacustribus.
 ... RABA.
 ... simplici, foliis lanceolatis.
 ... Fl. suet. 524. Hort. cliff.
 ... alib. paris. 197.
 ... m luteum. Baub. pin. 28.
 ... oides montanum. Col.
 ... Moris. hist. 2. p. 294. f. 3. t. 25. f. 17.
 ... Thlaspi verum dioscoridis 1. Zan. hist. 193.
 ... dis, foliis incis. Hort. cliff.
 ... lugdb. 333. Hall. tab.
 ... oculo oblongo. Baub. pin.
 ... goni folio, caule nudo.
 ... f. 3.
 ... hort. 84. t. 7. f. E.
 ... idis. ☉
 ... foliis pinnatis ternatisque.
 ... perenne minimum, foliis
 ... fo, foliis cordatis dentatis.
 ... db. 33. It. gotl. 192. * Fl.
 ... 39.
 ... oculo oblongo. Baub. pin.
 ... nemoribus. ☉
 ... in

Myagrum ...
 2. f. **TETRADYNAMIA SILICULOSA.** 643
 myagrum si sumatur il ...
 ...

Soria. Zanoni
 421. ad.

5. DRABA caule ramolo, foliis ovatis sessilibus dentatis. nemorosa. ? Konig ad
 Bursa pastoris alpina hirsuta. Baub. pin. 108. prodr. fl. lutea.
 51. t. 51?
 Draba minima muralis discoides. Col. ephr. 1. p. 274. & ac 4 murali, in Tour.
 t. 272.
 Habitat in Sueciæ nemoribus. ☉.
 Præcedenti simillima, sed folia majora, minus acuta,
 magis hirsuta, sessilia nec amplexicaulia. Flores lutei,
 nec ut in præcedenti albi.
6. DRABA foliis caulinis numerosis incauis, siliculis ob- incana.
 liquis. Fl. suet. 526. It. gotl. 192. *
 Draba caule ramoso folioso, foliis dentatis. Fl. lapp. 254.
 Hort. cliff. 334. Lunaria obliqua obli. intorta. Tour. 219.
 Leucorum i. Lunaria vasculo oblongo intorto. Pluk.
 alm. 215. t. 42. f. 1.
 Habitat in Alpibus & alpinis Europæ. ♂

LEPIDIDIUM.

1. LEPIDIDIUM foliis caulinis pinnato-multifidis, rami- perfoliatum.
 feris cordatis amplexicaulibus integris. Hort. cliff. 331. Kaudis. adans. 2. d.
 Hort. ups. 183. Roy. lugdb. 335. Kaudis. anglo. purgator.
 Nasturtium spicatum perlicum perfoliatum maximum. int. 214.
 Moris. hist. 2. p. 294. f. 3. t. 25. f. 17.
 Thlaspi verum dioscoridis 1. Zan. hist. 193.
 Habitat in Persia, Syria. ☉
2. LEPIDIDIUM caulium geniculis inflatis. vesicarium.
 Lepidium orientale, nasturtii folio, caule vesicario. Tour-
 nes. cor. 15. Buxb. cent. 1. p. 17. t. 26.
 Habitat in Iberiæ, Mediæ aridis. ☉
3. LEPIDIDIUM scapo nudo simplicissimo, floribus te- nudicante.
 trandris.
 Lepidium foliis filiformibus apice pinnatifidis, caule nu-
 do. Sauv. monsp. 228. 281.
 Nasturtium minimum vernalis, foliis tantum circa radi-
 cem. Magn. monsp. 187. t. 186.
 Habitat Monspeli. ☉
 Folia radicalia multa, linearia, apice pinnatifida vel den-
 tata. Siliculæ emarginatæ. Petala equalia. Stamina. 4.
4. LEPIDIDIUM foliis pinnatis: impari majore, caule pro- procumbens.
 cumbente. Sauv. monsp. 228.
 Nasturtium foliis omnibus alternatim pinnatis. Dalib.
 paris. 194.

644 TETRADYNAMIA SILICULOSA.

Nasturtium pumilum supinum vernalium. *Magn. monsp.* 185. t. 184.

Habitat Montpelii. ☉

+ • petræum.
Nasturtium

5. LEPIDIUM foliis pinnatis integerrimis, petalis emarginatis calyce minoribus. *It. æl.* 52. *Fl. suec.* 535. *Nasturtium alpinum tenuissime divisum. Baub. pin.* 105. *Nasturtium petræum annuum nostras. Pluk. alm.* 262. t. 206. f. 4. mal.

Cardamine pusilla saxatilis montana discoides. Col. et-phr. 1. p. 274. t. 273. bon.

Nasturtium pumilum vernalium. Baub. pin. 105. *Habitat in Lapidosis Oelandiæ, Angliæ.* ☉

Nasturtium sativum. Dod. ad.

+

6. LEPIDIUM floribus tetradynamis, foliis oblongis multifidis. *Vir. cliff.* 63. *Hort. ups.* 183. *Mat. med.* 322. *Roy. lugdb.* 335.

Lepidium foliis varie divisis incisisque. Hort. cliff. 331.

Nasturtium sylvestre vulgatum. Baub. pin. 103.

Nasturtium hortense. Dod. pempt. 771.

β. *Nasturtium hortense crispum. Baub. pin.* 104. *prodr.* 44. t. 43.

Habitat - - - ☉

lyratum.

7. LEPIDIUM foliis lyratis crispis. *Lepidium orientale, nasturtii crispifolio. Tournef. cor.* 15. *itin.* 339. t. 339. *Habitat in Oriente.*

Nasturtium latifolium.

+

*Coxiviana. qual
Zouchon. Rhiz. altera
Pipanti. gal. 3rd.
malt.*

8. LEPIDIUM foliis ovato-lanceolatis integris serratis. *Hort. cliff.* 330. *Fl. suec.* 533. *Roy. lugdb.* 334. *Dalib. paris.* 194.

Lepidium latifolium. Baub. pin. 97.

Lepidium plinii. Dod. pempt. 716.

Habitat in Galliæ, Angliæ umbrosis, succulentis. 4

iberis. ad. subulatum.

9. LEPIDIUM foliis subulatis indivisis sparsis, caule suffruticoso.

Lepidium, capillaceo folio, fruticosum hispanicum. Tournef. inst. 216.

Habitat in Hispania. Læst. 4

Radix perennis, cespitem promens foliorum & ramulorum persistentium. Caules vix spithamei, simplices, plures. Folia sparsa, subulata, linearia, acuta, supra plana, subtus semiteretia. Racemi terminales & ex alis supremis foliorum, simplices. Petala alba. Siliculæ omnino L. ruderalis. Stamina sex.

10. LE.

TETRA
9. LEPIDIUM
bus dentato
Fl. suec. 5
Nasturtium
Nasturtium
Habitat in E
1. LEPIDIUM
nearibus pi
Lepidium foli
76.
Lepidium fol
lugdb. 334
iberis humilio
2. p. 311.
p. 195. t.
iberis virginia
Habitat in V
2. LEPIDIUM
ferioribus
integerrim
Lepidium fol
331.
iberis latiore
iberis. Dod.
Habitat in G
3. LEPIDIUM
mibus pi
Lepidium fo
Thlaspi bor
elth. 281.
Habitat in I
4. LEPIDIUM
tis. Hort.
Draba umb
pin. 109.
Draba i. v
Draba chal
& quasi v
Habitat in
lia. 4
THLASE
integerrim

10. LEPIDIUM floribus diandris apetalis, foliis radicalibus dentato-pinnatis; ramiferis linearibus integerrimis. *ruderale. Iberis. ad.*
Fl. suec. 534. Hort. cliff. 331. Roy. lugdb 335.
 Nasturtium sylvestre, osyridis folio. *Baub. pin. 105.*
 Nasturtium angustifolium. *Fuchs. hist. 307.*
Habitat in Europæ ruderatis & ad vias. ☉

11. LEPIDIUM floribus subtriandris tetrapetalis, foliis linearibus pinnatis. *Virginiæ. Iberis. ad.*
Lepidium foliis lanceolato-linearibus ferratis. Gron. virg. 76.
Lepidium foliis omnibus lineari-lanceolatis ferratis. Roy. lugdb. 334.
 Iberis humilior annua virginiana ramosior. *Moris. hist. 2. p. 311. f. 3. t. 21. f. 2. Sloan. jam. 80. hist. 1. p. 195. t. 123. f. 3. Raj. hist. 827.*
 Iberis virginiana latifolia ramosa. *Moris. præl. 277.*
Habitat in Virginia, Jamaicae glareosis. ☉

12. LEPIDIUM floribus diandris tetrapetalis, foliis inferioribus lanceolatis ferratis; superioribus linearibus integerrimis. *Roy. lugdb. 334.*
Lepidium foliis lanceolato-linearibus ferratis. Hort. cliff. 331.

Iberis latiore folio. *Baub. pin. 97.*
 Iberis. *Dod. pempt. 714.*
Habitat in Germania, Gallia, Italia, Sicilia secus vias. ☉

13. LEPIDIUM floribus diandris tetrapetalis, foliis omnibus pinnato-multifidis. *bonariense.*
Lepidium foliis pinnatifidis incis. Roy. lugdb. 335.
 Thlaspi bonariense multiscissum, flore invisibili. *Dill. elth. 281. t. 286. f. 370.*
Habitat in Bonaria. ☉ Buen ayra.

14. LEPIDIUM foliis lanceolatis amplexicaulibus dentatis. *Hort. cliff. 331. Sauv. monsp. 78. 120.*
 Draba umbellata s. Draba major capitulis donata. *Baub. pin. 109. Moris. hist. 2. p. 313. t. 21. f. 1.*
 Draba i. vulgaris. *Clus. hist. 2. p. 123.*
 Draba chalepentis repens humilior, foliis minus cinereis & quasi viridibus. *Moris. hist. 2. p. 314.*
Habitat in Germania, præsertim Austria, Gallia, Italia. ☿

THLASPI.

1. THLASPI filiculis suborbiculatis, foliis lanceolatis integerrimis. *Hort. cliff. 330. * Roy. lugdb. 334.*

646 TETRADYNAMIA SILICULOSA.

Thlaspi, capsula cordata, peregrinum. *Baub. hist.* 2. p. 927. *Moris. hist.* 2. p. 297. f. 3. t. 18. f. 30.
Habitat - - - -

Thlaspi. Dion. ad. 421
arvense.

2. THLASPI filiculis orbiculatis, foliis oblongis dentatis glabris. *Fl. lapp.* 251. *Fl. suec.* 530. *Hort. cliff.* 330. *Mat. med.* 323. *Roy. lugdb.* 333.

Nasturtianum } cond.
Cardaminid. }

Thlaspi. Dion. Slav.

Thlaspi arvense, filiquis latis. *Baub. pin.* 105.

Rexicon. graec.

Thlaspi latius. *Dod. perempt.* 712.
Habitat in Europæ agris. *Cal. wood. p. 105.*

Thlaspi. alliaceum.

3. THLASPI filiculis subovatis ventricosis, foliis oblongis obtusis dentatis glabris. *Roy. lugdb.* 334.

Scorodithlaspi. aldov.

Thlaspi allium redolens. *Moris. hist.* 2. p. 297. f. 3. t. 18. f. 28.

+

Scorodo-Thlaspi ulyssis aldrovandi. *Baub. hist.* 2. p. 932.
Habitat in Europa australi. *1. ad 2 p. 1. aprilis fl.*

Antecedenti similis, sed Silicula ovato-ventricosa, margine minore. *fol. myagri monsp. min. radic. potul. alij.*

Thlaspi. ad. saxatile.

4. THLASPI filiculis ellipticis, foliis lanceolato-linearibus integerrimis. *Sauv. monsp.* 53. 71. *+*

Lithon thlaspi. col.

Thlaspi parvum saxatile, flore rubente. *Baub. pin.* 107.

δαβροפור. graec.

Lithonthlaspi quartum, carnosum rotundo folio. *Col. ecphr.* 1. p. 279. t. 277. f. 2.

Habitat in Italiæ, G. Narbonensis, Provinciæ saxosis.

Thlaspi. ad. perfoliatum.

5. THLASPI filiculis subrotundis, foliis amplexicaulibus cordatis subserratis.

Bitron. graec.

Thlaspi foliis radicalibus ovatis, caulinis amplexicaulibus lanceolatis. *Guett. stamp.* 142. *Dalib. paris.* 196.

Thlaspi arvense perfoliatum majus. *Baub. pin.* 106.

Thlaspi oleraceum. *Tabern. ic.* 462.

β. Thlaspi perfoliatum minus. *Baub. pin.* 106.

Thlaspi 3. pumilum. *Clus. hist.* 2. p. 131.

Habitat in Germaniæ, Helvetiæ, Galliæ apricis, agris.

hirtum.

6. THLASPI filiculis subrotundis pilosis, foliis caulinis sagittatis hirsutis. *Roy. lugdb.* 333. *Sauv. monsp.* 120.

+

Thlaspi capsulis hirsutis. *Baub. hist.* 2. p. 922.

Thlaspi villosum, capsulis hirsutis. *Baub. pin.* 106. *prodr.* 212. t. 212.

Habitat in Italia, Narbona.

Nasturtium ad. campestre.

7. THLASPI filiculis subrotundis, foliis sagittatis dentatis incanis. *Hort. cliff.* 330. *Fl. suec.* 531. *Roy. lugdb.* 333. *Hall. helv.* 544. *Dalib. paris.* 196.

Thlaspi. 1. malh. officinal

+

Thlaspi vulgaris. 10.

Thla-

TETRADYNAMIA SILICULOSA. 647

Thlaspi arvense, vaccariæ incano folio, majus. Bauh. pin. 106.

Thlaspi latifolium. Fuchs. hist. 306.

Habitat in Europæ arvis, viis argillosis, apricis. ♂

8. THLASPI filiculis obcordatis, foliis radicalibus cū-montanum. • +
neiformibus integerrimis.

Thlaspi filiculis obverse cordatis, foliis imis spathulatis; summis amplexicaulibus sagittatis. Sauv. monsp. 121.

Thlaspi alpinum, bellidis cæruleæ folio. Bauh. pin. 106.

Thlaspi montanum, bursæ pastoris folio. Col. ecphr. 1. p. 275. t. 276.

Thlaspi montanum 2. Clus. hist. 2. p. 131.

Habitat in Helvetiæ, Austriæ, Italiæ, Monspeli petrosis.

9. THLASPI filiculis obcordatis, foliis radicalibus pin-natifidis. Fl. lapp. 252. Fl. suec. 532. Hort. cliff. 330.

Mat. med. 324. Roy. lugdb. 334. Hall. helv. 545.

Dalib. paris. 196. Bursa pastoris major, folio fissato. Bauh. pin. 108.

Bursa pastoris, folio fissato. Bauh. pin. 108.

Bursa pastoris. Fuchs. hist. 611.

β. Bursa pastoris media. Bauh. pin. 108.

Habitat in Europæ cultis ruderatis. ⊙

COCHLEARIA. ad 421

1. COCHLEARIA foliis radicalibus subrotundis, caulinis oblongis subsinuatis. Fl. lapp. 256. Fl. suec. 537.

Hort. cliff. 332. Mat. med. 320. Roy. lugdb. 335.

Cochlearia folio subrotundo. Bauh. pin. 110.

Cochlearia. Dod. pempt. 594. Habitat in Europæ borealis littoribus marinis. ⊙. 1. ad 2. p.

Habitat in Europæ borealis littoribus marinis. ⊙. 1. ad 2. p.

2. COCHLEARIA foliis hastatis angulatis. Fl. suec. 196. danica. arabis. ad.

Cochlearia aremorica. Tournef. inst. 215.

Thlaspi hederaceum. Lob. ic. 615. Habitat in Danicæ, Sueciæ litoribus marinis. ⊙

β. Cochlearia danica repens. Bauh. pin. 110. prodr. 53.

γ. Cochlearia minor erecta. Bauh. pin. 110. prodr. 53.

Habitat in Danicæ, Sueciæ litoribus marinis. ⊙

3. COCHLEARIA foliis reniformibus integris. Hort. grælandicæ. cliff. 498. * Roy. lugdb. 335.

Cochlearia minima repens insulæ alholmiæ. Barth. act.

3. p. 143. t. 144.

Cochlearia minima. Boerb. lugdb. 2. p. 10.

Habitat in Norvegia, Islandia, Grælandia. ⊙

648 TETRADYNAMIA SILICULOSA.

saxatilis. 4. COCHLEARIA foliis radicalibus lanceolatis serratis; caulinis linearibus. *Sauv. monsp.* 122.
iberi. 3/anatoli.
L. n. 435 Cochlearia perennis saxatilis minima. *Magn. hort.* 59.
 Thlaspi alpinum minus, capitulo rotundo. *Bauh. pin.* 107. *prodr.* 48. t. 48.
 Thlaspi tertium saxatile. *Cam. epit.* 338.
 β. Thlaspi alpinum majus, capitulis rotundis. *Bauh. prodr.* 49. t. 49. *pin.* 106. n. 6.
Habitat in Alpibus Helvetiæ, Monspeli. 2

Nasturtium. 5. COCHLEARIA foliis pinnatifidis. *Hort. cliff.* 331.
Coronopus.
ambrosia mellea
Cavara cap *Fl. suec.* 539. *Roy. lugdb.* 335. *Dalib. paris.* 195.
Sauv. monsp. 254.
 Ambrosia campestris repens. *Bauh. pin.* 138.
 PseudoAmbrosia. *Cam. epit.* 596.
Habitat in Europæ apricis, nudis. 3

Cochlearia. 6. COCHLEARIA foliis radicalibus lanceolatis crenatis, caulinis incis. *Hort. cliff.* 332. *Fl. suec.* 540. *Mat. med.* 321. *Roy. lugdb.* 336.
Armoracia.
Ravan. Ravn. gemm. Raphanus rusticanus. *Bauh. pin.* 96.
 Raphanis magna. *Dod. pempt.* 678.
Habitat in Europæ fossis & ad rivulas. 2

Cochlearia. 7. COCHLEARIA foliis caulinis cordato-sagittatis amplexicaulibus. *Hort. cliff.* 332. *Hort. ups.* 184. *Roy. lugdb.* 335.
glastifolia. Lepidium glastifolium. *Bauh. pin.* 97. *Moris. hist.* 2. p. 312. f. 3. t. 21. f. 3.
 Lepidium annuum. *Dalech. hist.* 1297.
Habitat - - - - - 3

IBERIS.

arab. ad semperstovens. 1. IBERIS frutescens, foliis cuneiformibus integerrimis obtusis. *Hort. cliff.* 330. *Hort. ups.* 184. *Roy. lugdb.* 336.
 Leucojum fruticosum umbellatum persicum, foliis leucoji instar sempervirentibus. *Moris. hist.* 2. p. 296.
 Thlaspi latifolium polycarpon, leucoji foliis. *Bocc. sic.* 55. t. 22. f. a--1. *De cas 2. en Tournefort*
 Thlaspi fruticosum, folio leucoji, semperflorens. *Seb. thes.* 1. p. 2. t. 13. f. 4.
Habitat in Sicilia, Persia. 5

arab. ad. 2. IBERIS frutescens, foliis linearibus acutis integerrimis. *Hort. cliff.* 330. *Roy. lugdb.* 336.
sempervirens.
Thlaspidium fetidum, leucis flis super florum. Mor. 214 Thla-

Magnus de alafam Meo Tab. 25 Oct 25. P. 12. que
la Dentelana de foudet que est le Lepidium dentellata d'Herb. C.
et monopitatus, lamine dentellee.

TETRADYNAMIA SILICULOSA. 649

- Thlaspi montanum sempervirens. *Baub. pin.* 106.
Thlaspi montanum candidum. *Dalech. hist.* 1180.
Thlaspi creticum perenne, flore albo. *Barr. ic.* 214. ☉
734.

Habitat in Cretæ rupestribus. ☿

3. IBERIS frutescens foliis apice dentatis. *gibraltarica.*
Thlaspidium hispanicum, ampliore flore, folio crasso
dentato. *Dill. elth.* 382. t. 287. f. 37.
Habitat ad Gibraltariam Hispaniæ. ☿

4. IBERIS foliis subrotundis crenatis. *Roy.*
Thlaspi montanum, serrato cepeæ folio, flore purpura-
scente umbellato. *Barr. ic.* 848.
Thlaspi alpinum, folio rotundiore carnosio, flore pur-
purascete. *Tournef. inst.* 212. *Scheuch. alp.* 50. 143.
Lepidium caule repente, foliis ovatis amplexicaulibus.
Hall. helv. 546.

Habitat in Helvetia. ☿ *J. n. libet.*

5. IBERIS foliis lanceolatis acuminatis; inferioribus ser-
ratis; superioribus integerrimis. *Hort. cliff.* 330. *Hort. ups.* 184. *Roy. lugdb.* 336.

Thlaspi umbellatum creticum, iberidis folio. *Baub. pin.* 106. *Thlaspi creticum quibus flore rub. l.*

Draba f. Arabis f. Thlaspi candidæ. Dod. pempt. 713.

Habitat in Hetruria, Creta. ☉

Fructus hujus corymbosus hemisphericus persistit, f. a-
maræ vero racemosus evadit. *cap. bifurca in*

6. IBERIS foliis lanceolatis indivisis, corymbis hemisphæ-
ricis. *Sauv. monsp.* 72. †

Thlaspi creticum, foliis indivisis, f. lini, amarum. *Baub. hist.* 2. p. 924.

Habitat Monspeli. ☉

7. IBERIS foliis lanceolatis acutis subdentatis, floribus amara,
racemosis. *Hort. ups.* 184. *arabij ad*

Iberis foliis obverse lanceolatis, floribus umbellatis.
Guett. stamp. 2. p. 146.

Thlaspi umbellatum arvense, iberidis folio. *Baub. pin.* 106.

Thlaspidium folio iberidis. *Riv. tetr.* 112.

Habitat in Helvetia ☉

8. IBERIS foliis linearibus superne dilatatis ferratis. *Roy. odorata. arabij ad*
lugdb. 336. *Hort. cliff.* 330.

Thlaspi umbellatum creticum, flore albo odoro, minus.
Baub. pin. 106. Thla-



650 TETRADYNAMIA SILICULOLA.

Thlaspi parvum 4, odorato flore. *Clus. hist. 2. p. 132.*
Habitat in Alpibus Allobrogicis. ☉

iberis ad. 422.
nudiculis.

9. **IBERIS** foliis sinuatis, caule nudo simplici. *Hort. cliff. 328. Fl. suec. 536. It. oel. 139. Roy. lugdb. 336.*
Bursa pastoris minor, foliis incis. Baub. pin. 108.
Bursa pastoris minor. Dod. pempt. 103.
Nasturtium petraeum. Tabern. ic. 451.
*Habitat in Europæ arenosis, sylvaticis, nudis, sterilis-
 Jimis.* ☉ *Swiss. J. Nibel.*

ALYSSUM.

* *Suffruticosa.*

spinosum.
adustum. grac. ad.
accyptm. grac.
adustum. grac.

1. **ALYSSUM** ramis senilibus spiniformibus nudis. *Hort. cliff. 332. Roy. lugdb. 331. Dalib. paris. 197.*
Thlaspi fruticosum spinosum. Baub. pin. 108.
Leucojum s. Thlaspi spinosum. Baub. hist. 2. p. 931.
Thlaspi spinosum hispanicum. Barr. ic. 808.
Habitat in Hispaniæ Galliæ caulis. h. 2. p. 10.

montanum.

2. **ALYSSUM** ramulis suffruticosis diffusis, foliis punctato echinatis. *Hort. upf. 185.*
Alyssum foliis lanceolatis obtusis incanis, caulibus procumbentibus, radice perenni. Hort. cliff. 332. Roy. lugdb. 331.
Thlaspi montanum luteum. Baub. hist. 2. p. 928. t. 929.
Habitat in Helvetia. h.

halimifolium.

3. **ALYSSUM** foliis lanceolato-linearibus acutis integerrimis, caulibus procumbentibus perennantibus. *Hort. cliff. 333. Roy. lugdb. 331.*
Thlaspi, halimi folio, sempervirens. Herm. lugdb. 594. t. 595.
 β. *Thlaspi parvum, halimi angusto incano folio. Bocc. mus. 2. p. 45. t. 39.*
Habitat in Europæ australis aridis. h.

knig ad.
adustum. grac. ad.
saxatile.
accyptm. grac.
adustum. grac.

4. **ALYSSUM** caulibus frutescentibus paniculatis, foliis lanceolatis undulatis integris. *Roy. lugdb. 331. n. 6.*
Alysson folio leucoji incano, flore luteo. Boerb. lugdb. 2. p. 3.
*Alyssum creticum saxatile, foliis undulatis incanis. Tour-
 nes. gor. 15.*
Habitat in Creta. h. 1. p. 1. p. 1. p. 1. p. 1.

* *Herbacea.*

incanum.
gambicum. ad.

5. **ALYSSUM** caule erecto, foliis lanceolatis incanis in-
 te-

TETRADYNAMIA SILIGULOSA. 651

calvid. erect. petala 2 fida gland. 4. caps. nat. inflata septa parallelis valv. 2 val.
 tegerrimis, floribus corymbosis. Hort. cliff. 332. Fl.
 suec. 528. Roy. lugdb. 331.

Thlaspi fruticosum incanum. Baub. pin. 108.

Thlaspi incanum machliniense. Clus. hist. 2. p. 132.

Habitat in Europæ septentrionalioris arenosis, apricis. 4 ♂

6. ALYSSUM caulibus herbaceis diffusis, foliis lineari-
bus tomentosis, siliculis compressis. minimum

Alyssum procumbens annum, foliis lineari-lanceolatis
subtomentosis. Sauv. meth. 70.

Lunaria annua minima hispanica, folio leucoji mariti-
mi. Boerb. lugdb. 2. p. 6.

Habitat in Hispania. ☉

7. ALYSSUM caule erecto herbaceo, siliculis sessilibus
ovalibus compresso-planis, petalis acuminatis. alysson. ad

Lunaria siliculis subsessilibus incanis lateralibus. Roy. alysson 2 dms dms can

Lunaria leucoji folio, siliqua oblonga majori. Tournef. aplophyllum græc

Leucojum alyssoides clypeatum majus. Baub. pin. 201. apidium græc.

Alysson dioscoridis. Dod. pempt. 89. inst. 218. aucta. gland. 4. gener. (thlaspi. var.)

Habitat in Europa australi. ☉ varietas ut floris ericay. ab floris. det. qd id p. h. ut in hanc familiam a fol. minutis det.

8. ALYSSUM caule herbaceo, foliis lanceolatis denta-
tis, siliculis inflatis sinuatum. • alyssoides

Alyssum foliis lanceolatis repando-dentatis. Hort. cliff. var. ad.

Alyssoides incanum, foliis sinuatis. Tournef. inst. 213.

Leucojum incanum, siliquis rotundis. Baub. pin. 201.

Erica peregrina. Clus. hist. 2. p. 134.

Habitat in Hispaniæ incultis, ad vias. ☉ ♂

Petala bifida. Filamenta lateralia obsolete dentata.

9. ALYSSUM caule herbaceo erecto, foliis incanis lan-
ceolatis integerrimis, siliculis inflatis. ereticum. alyssoides

Alyssoides fruticosum creticum, leucoji folio incano. ad..

Leucojum luteum, utriculato semine. Alp. exot. 117. t. 118.

Habitat in Creta.

10. ALYSSUM foliis linearibus dentatis, siliculis inflatis
angulatis acutis. Vesicaria. ~~thlaspi~~

Vesicaria orientalis, foliis dentatis. Tournef. cor. 49. itin. ad

Habitat in Oriente.

11. ALYSSUM foliis incanis dentatis, staminibus quatuor
bifurcatis. hyperboreum

16. alyssum. Linn. n. ed. 12. p. 497. d. Tribol. a. utriculatum. •

Thlaspi fruticosum. Linn. n. ed. 12. p. 497. d. Tribol. a. utriculatum. •

652 TETRADYNAMIA SILICULOSA.

Lunaria foliis ellipticis incondite dentatis. *Kraschen. act. petr. 1747. p. 381. t. 15. f. 1.*
Habitat in America septentrionali. D. Krascheninnikof.
 Stamina 2 breviora ungue acuto notata, reliqua 4 ad basin squama emarginata.

CLYPEOLA.

Jonthlaspi. ad 423.
5300. Jonthlaspi. ad.

+

1. CLYPEOLA filiculis unilocularibus monospermis.
Hort. cliff. 329. Hort. ups. 185. Roy. lugdb. 332.
Thlaspi clypeatum, serpilli folio. Bauh. pin. 107.
Jonthlaspi minimum spicatum lunatum. Col. ecphr. 1. p. 281. t. 284.
Habitat in Italiae, Narbonae sabulosis. ☉

Kandy
ad. Alyssoides.

+

Alysson Matth.
Alysson minimum
L. n. 436.

2. CLYPEOLA filiculis bilocularibus tetraspermis. *Hort. cliff. 329. Roy. lugdb. 332.*
Thlaspi Alysson dictum campestre majus. Bauh. pin. 107.
Alysson minimum. Clus. hist. 2. p. 133.
Habitat in Austria, Gallia. ☉

Kandy. Campestris.
ad.

+

3. CLYPEOLA annua, filiculis bilocularibus dispermis, calycibus persistentibus. *Sauv. monsp. 71. †*
Thlaspi Alysson dictum campestre minus. Bauh. pin. 107.
Habitat in Gallia. ☉

ad. grat. uad.
maritima.

+

4. CLYPEOLA perennis, filiculis bilocularibus ovatis dispermis. *Sauv. monsp. 71. †*
Thlaspi Alysson dictum maritimum. Bauh. pin. 107.
Thlaspi narbonense, centunculi angusto folio. Tabern. ic. 461.
Habitat in G. Narbonensi. ☿

Thlaspidium. ad.
auriculata.

+

BISCUTELLA.

1. BISCUTELLA calycibus nectario utrinque gibbis, filiculis in stylum coeuntibus. *Hort. cliff. 329. Hort. ups. 185. Roy. lugdb. 336.*
Thlaspidium biscutatatum villosum, flore calcari donato. Bauh. pin. 107. prodr. 49.
Leucojum montanum, flore pedato. Col. ecphr. 2. p. 59. t. 61.
JonDraba alyssoides lutea angustifolia. Barr. ic. 230.
Habitat in Italia, Galloprovincia. ☉

cal. longiusculi. v. d. vult. angust. 2. auricul. lutea. cal. lutea. d. lutea.
in luteo. lutea. vult.
Auriculata 6. pro. cal. p. 4. pendula. lutea. auriculata. d. lutea.
ovata. cal. lutea. styl. lutea. lutea. lutea. lutea. lutea. lutea. lutea.
lutea. lutea. lutea. lutea. lutea. lutea. lutea. lutea.

2. BI.

Thlaspidium apulum spicatum C. rubra unid. in basi erecta reddi tubuloseus ab ipse auriculis.
 cor creta unid. latera tubula C. rubra creta. Pauli.

TETRADYNAMIA SILIQUOSA. 653

2. BISCUTELLA filiculis orbiculato-didymis a stylo ^{didyma.} divergentibus. Hort. cliff. 329. Hort. ups. 185. Roy. ^{Thlaspidium} Lugdb. 337. Sauv. monsp. 72. 282. ^{Lunaria. Gabel +}
 Thlaspi biscutatatum asperum hieracifolium majus. Baub. pin. 107.

Thlaspi clypeatum. Clus. hist. 2. p. 133.

- β. Jon Draba alyssoides apula spicata. Col. ecphr. 1. p. 283. t. 285.

Habitat in Germania, Gallia, Italia. ☉

Vulgaris fructu majori: disco glabro; Rarior minori fructu: disco scabro.

LUNARIA.

1. LUNARIA filiculis oblongis.

Lunaria foliis cordatis. Hort. cliff. 333. Fl. suec. 529. Roy. lugdb. 332. ^{Lunaria. ad rediviva. 419}

Viola lunaria major, filiqua oblonga. Baub. pin. 203. ^{Raphanid. Lb. Lunaria gem.}

Viola latifolia. Lunaria odorata. Clus. hist. 1. p. 297.

Habitat in Europa septentrionaliore. ♀

2. LUNARIA filiculis subrotundis.

Lunaria major, filiqua rotundiore. Baub. hist. 2. p. 881. ^{Lunaria. d. annua.}

Viola latifolia. Dod. pempt. 161. Dalech. hist. 805. ^{Bulbifera gem. Bulbifera. Lb.}

Habitat in Germania.

Ita affinis procedenti, ut etiamnum dubium utram vere distincta.

SILIQUOSA.

DENTARIA. ^{rhodanthemum}

1. DENTARIA foliis ternis ternatis.

Dentaria foliis omnibus ternatis. Roy. lugdb. 340. ^{Dentaria. ad 418}

Dentaria triphyllus. Baub. pin. 322. Clus. hist. 2. p. 121. n. 5. ^{enneaphyllos. + Ceratium. Plur. ed.}

Ceratia plinii. Col. ecphr. 1. p. 308. t. 307.

Habitat in Austria, Italia. ♀

2. DENTARIA foliis inferioribus pinnatis, summis simplicibus. Hort. cliff. 335. Fl. suec. 565. Roy. lugdb. 340. Hall. helv. 557. ^{bulbifera. Dentaria. ad}

Dentaria heptaphyllos baccifera. Baub. pin. 322. ^{Barbana. Lb.}

Dentaria heptaphyllos baccifera. Clus. hist. 2. p. 121. ^{St. cand. p. 522.}

- β. Dentaria baccifera, foliis ptarmicæ. Baub. pin. 322. ^{in eo glans. 6.}

Habitat in Europa australi ad radices montium umbras. ♀

3. DEN-

1753

Dentaria ad
- pentaphyllos
H Dentaria matth
Dentetaria. Dalch
Cavallody. Condi
alabastri. lob.

- 3. DENTARIA foliis summis digitatis.
- a. Dentaria foliis septenis, superioribus quinatis Hall. helv. 556. *fl. pura tendit pedunculata. fl. 6 ad 10. cal. long. erecta rubra. cor. rotunda. long. intus patens.*
- Dentaria heptaphyllos. Bauh. pin. 322.
- Dentaria 8. heptaphyllos. Clus. hist. 2. p. 123.
- β. Dentaria pentaphyllos, foliis mollibus. Garid. prov. 152. *1. apud fl. 29 gland. 2. long. 2. flos. styl. long. 1. long. hucum ph.*
- Dentaria pentaphyllos. Bauh. pin. 322.
- γ. Dentaria pentaphyllos, foliis asperis. Tournes. inst. 225.
- Dentaria 6. pentaphyllos 1. Clus. hist. 2. p. 122.
- Habitat in Alpibus Helveticis, Allobrogicis, aliisque. *rad 1 ped. caulis infra terram / quoniam / quoniam / caulis alt. uni ordi. in basi folior. alabastri. contulit. nunc quoniam fl. 6 ad 10. huc*

CARDAMINE

- bellidifolia 1. CARDAMINE foliis simplicibus ovatis integerrimis: petiolis longis. Fl. lapp. 206. t. 9. f. 2. Fl. sœc. 564. Hall. helv. 566. n. 476
- Nasturtium alpinum, bellidis folio, minus. Bauh. pin. 105.
- Plantula cardamines amula. Clus. hist. 2. p. 129.
- Habitat in Alpibus Lapponiæ, Helvetiæ, Britannia. *quoniam*
- asarifolia. 2. CARDAMINE foliis simplicibus subcordatis. Nasturtium montanum, asari folio. Bocc. sic. 3. t. 3. Herm. par. 203. t. 203. Raj. hist. 816.
- Nasturtium alpinum palustre rotundifolium, radice repente. Moris. hist. 2. p. 224.
- Nasturtium alpinum, bellidis folio, majus. Bauh. pin. 105. prodr. 46?
- Habitat in Alpibus Italicis.
- nudicaulis. 3. CARDAMINE foliis simplicibus lanceolatis finuato-dentatis, caulibus nudis. Habitat in Sibiria. D. Gmelin.
- petraea. 4. CARDAMINE foliis simplicibus oblongis dentatis. Cardamine petraea cambrica, nasturtii facie. Dill. elt. 70. t. 61. f. 71.
- Nasturtium petraeum. Pluk. alm. 261. t. 101. f. 3. Pet. herb. 50. f. 3.
- Habitat in Angliæ, Arvoniæ, Merviniæ, Sueciæ rupibus excelsis.

* Foliis ternatis.

- trifolia. 5. CARDAMINE foliis ternatis obtusis, caule subnu- do. *Cardamine ad 418 do.*

TET
Cardamine
Cardamine
lapp. 257
Cardamine
Nasturtium
Habitat in
CARDAM
mossimo
Nasturtium
na. Hern
Nasturtium
nis christo
5. Raj. s
Habitat in
CARDAM
Cardamine
Nasturtium
rascente
Habitat in
CARDAM
Wgoth. 2
Cardamine
336. Fl. J
Saw. m
Sifymbrii
hist. 2. p
Habitat in
CARDAM
libus peti
Nasturtium
cyrenæu
Sio minim
sic. 84.
Habitat in
CARDAM
Hort. c
virg. 77
Nasturtium
Sifymbriu
Habitat in
Car-

TETRADYNAMIA SILIQUOSA. 655

Cardamine foliis ternatis. *Hall. helv.* 559. *Fl. suec.* 563.

Cardamine foliis ternatis crenatis, caule simplici. *Fl.*

lapp. 257. *Hort. cliff.* 336. *Roy. lugdb.* 346.

Cardamine alpina trifolia. *Clas. hist.* 2. p. 127.

Nasturtium alpinum trifolium. *Baub. pin.* 104.

Habitat in Alpibus Helveticis, Lapponicis.

6. CARDAMINE foliis ternatis acuminatis, caule ra-^{africana.}
mosissimo.

Nasturtium africanum, foliis ternis, facie christophoria-

næ. *Herm. par.* 202. t. 202.

Nasturtium africanum, floribus albis spicatis, foliis ter-

nis christophorianæ facie. *Pluk. alm.* 152. t. 101. f.

5. *Raj. suppl.* 414.

Habitat in Africa.

* *Foliis pinnatis.*

7. CARDAMINE foliis pinnatis: foliolis quinis incis. *Chelidonia. • Cardamine*

Cardamine glabra, chelidonii folio. *T. Barr. ic.* 156.

Nasturtium pyrenæorum aquaticum latifolium, purpu-

rascente flore. *Herm. par.* 203. t. 204.

Habitat in Sibiria, Italia. Cardamine pyrenæorum latif. purp. flor.

8. CARDAMINE foliis pinnatis, floribus apetalis. *It. impatiens. •*

Wgoth. 26. *anum. enigma flore.*

Cardamine foliis pinnatis: pinnis laciniatis. *Hort. cliff.*

336. *Fl. suec.* 561. *Roy. lugdb.* 345. *Hall. helv.* 557.

Sauv. monsp. 255.

Sisymbrii cardamines species quædam insipida. *Baub.*

hist. 2. p. 886.

Habitat in Europæ nemoribus ad radices montium. ☉

9. CARDAMINE foliis pinnatis: foliolis palmatis æqua-^{græca. • Cardamine}
libus petiolatis. *Roy. lugdb.* 345. *Hort. ups.* 188. *at.*

Nasturtium montanum nanum, rotundo thaliætri folio,

cyrenæum. *Bocc. mus.* 2. p. 171. t. 166.

Sio minimo prosperi alpini affinis, filiculis latis. *Bocc.*

fic. 84. t. 44. f. 2. *Cardamine Costa pinnatis folio.*

Habitat in Sicilia, Corsica, insulis Græciæ. ☉

10. CARDAMINE foliis pinnatis, floribus tetrandris. *hirsuta. • Sisymbrium*

Hort. cliff. 336. *Fl. suec.* 562. *Roy. lugdb.* 345.

virg. 77. *Cardamine h. Dulich.*

Nasturtium aquaticum minus. *Baub. pin.* 104.

Sisymbrium aquaticum alterum. *Cam. epit.* 270.

Habitat in Europæ arcis, hortis, arvis.

11. CAR-

656 TETRADYNAMIA SILIQUOSA.

Cardamine *pratensis*.

Cardamine 1^o. *ditto*.

Hibernia *fructu*
1. *Hibernia*

II. CARDAMINE foliis pinnatis: foliolis radicalibus subrotundis; caulinis lanceolatis.

Cardamine foliis pinnatis: foliolis subrotundis integris.

Fl. suec. 559. *Dalib. paris.* 198.

Cardamine foliis pinnatis, caule erecto. *Fl. lapp.* 258.

Hort. cliff. 336. *Roy. lugdb.* 345.

Nasturtium pratense, magno flore. *Bauh. pin.* 104.

Flos cuculi. *Dod. pempt.* 592.

β. *Nasturtium pratense*, folio rotundiore, flore majore.

Bauh. pin. 104.

Habitat in Europæ pascuis aquosis. & *lyp*

amar.

12. CARDAMINE foliis pinnatis, axillis stoloniferis. *It.*

W. goth. 76. *

Cardamine foliis pinnatis, foliolis subrotundis angulosis.

Hall. helv. 558. *Fl. suec.* 560. *Dalib. paris.* 199.

Nasturtium aquaticum majus & amarum. *Bauh. pin.* 104.

Habitat in Europæ septentrionalioris nemoribus. &

resedifolia.

Fracusa adunc.

13. CARDAMINE foliis pinnatis: foliolis decurrentibus confluentibus.

Nasturtium alpinum minus, resedæ folio. *Bauh. pin.*

104. *prodr.* 45. t. 45. *Bocc. mus.* 2. p. 41. t. 46.

Habitat in Alpibus Helveticis, Pyrenæis.

Virginiaica.

14. CARDAMINE foliis pinnatis: foliolis lanceolatis basi unidentatis,

Alyssum foliis radicalibus pinnatis in orbem positis; cau-

linis lanceolatis, siliculis compressis. *Gron. virg.*

170.

Nasturtium, bursæ pastoris folio, virginianum, flore albo,

siliqua compressa. *Pluk. alm.* 251. t. 101. f. 4.

Habitat in Virginia.

Folia radicalia in orbem digesta, pinnata: foliolis numerosis, fere imbricatis, sublanceolatis, a latere postico denticulo uno brevi juxta basin. Caulis minus foliosus: foliis raris, sæpius linearibus integris. Habitus Bursæ pastoris

* *Foliis supradecompositis.*

Lunaria.

15. CARDAMINE foliis supradecompositis, siliquis unilocularibus pendulis,

Habitat in Ægypto. *D. B. Jusseus.*

Folia supradecomposita. Siliquæ lata, membranaceo-com-

pressa, fere Lunaria. Semina orbiculata, emarginata.

Commune ad 418.

Scopolia a D.

Scopolia

Scopolia

Scopolia

Scopolia

Scopolia

Scopolia

Scopolia

Scopolia

Scopolia

Scopolia

Lin. N. 438

SISYM-

TET
*
SISYMB
liolis sub
Scam. 278
virg. 17
Sisymbria C
Nasturtium
Habitat in
SISYMB
liolis lanc
341. Da
lip. 118.
Eruca palu
pin. 98.
Eruca quib
hist. 2. p
Eruca sylve
98.
Eruca sylve
Habitat in
SISYMB
foliis pin
Sisymbriur
Sisymbriur
Hort. cl
Raphanus
Bauh. p
Sisymbriur
cliff. 33
548.
Raphanus
Raphanus
Sisymbriur
Sisymbriu
ribus pi
Habitat in
SISYME
riis, fo
Erysimun
Roy. la

SISYMBRIUM.

* Siliquis declinatis brevibus.

1. SISYMBRIUM filiquis declinatis, foliis pinnatis: foliolis subcordatis. Hort. cliff. 336. Fl. suec. 552. It. Scan. 278. * Mat. med. 331. Roy. lugdb. 340. Gron. virg. 170. Dalib. paris. 203. Sisymbrium aquaticum matth. Sisymbria Cardamine, Fuchs. hist. 223. Nasturtium aquaticum lupinum. Bauh. pin. 104. Habitat in Europa & America septentrionali ad fontes.

2. SISYMBRIUM filiquis declinatis, foliis pinnatis: foliolis lanceolatis serratis. Hort. cliff. 336. Roy. lugdb. 341. Dalib. paris. 204. Sauv. monsp. 228. Boehm. lips. 118. Gort. gelr. 399. Eruca palustris, nasturtii folio, filiqua oblonga. Bauh. pin. 98. Eruca quibusdam sylvestris repens, flosculo luteo. Bauh. hist. 2. p. 866. Eruca sylvestris minor, luteo parvoque flore. Bauh. pin. 98. Eruca sylvestris Fuchs. hist. 263. Habitat in Helvetiæ, Germaniæ, Galliæ ruderatis.

3. SISYMBRIUM filiquis declinatis oblongo-ovatis, foliis pinnatifidis serratis. Sisymbrium aquat. capillari folio filiqua ovata. Sisymbrium foliis pinnatifidis serratis. Fl. suec. 551. Sisymbrium foliis infimis capillaceis, summis pinnatifidis. Hort. cliff. 337. Roy. lugdb. 341. Dalib. paris. 203. Raphanus aquaticus, foliis in profundas laciniâs divis. Bauh. pin. 97. prodr. 38. t. 38. Fl. lapp. 262. Sisymbrium foliis simplicibus dentatis serratis. Hort. aquaticum. cliff. 336. Fl. suec. 350. Roy. lugdb. 341. Hall. helv. 548. Raphanus aquaticus, rapistri folio. Bauh. pin. 97. Raphanus aquaticus alter. Bauh. prodr. 38. t. 38. Sisymbrium aquaticum, foliis variis. Vaill. paris. 185. terrestre. Sisymbrium foliis imis integris ovatis serratis, superioribus pinnatis. Hall. helv. 548. Habitat in Europæ septentrionalioris aquosis.

* Siliquis sessilibus axillaribus.

4. SISYMBRIUM filiquis axillaribus sessilibus solitariis, foliis dentato-sinuatis. Hort. ups. 196. Erysimum caule decumbente, filiqua laterali sessili. Roy. lugdb. 343. Dalib. paris. 201.

agnis. klyp
Sisymbrium ad
Hungros. Cannd. 417.
Nasturtium. H
S. m. Plin. ang.
germanisch. sub. Bau
Sium. vater. el. Bau. Bau
ang. 217.
Yella. galen. ang.
Sium? 30d. gal.
Laver
Sium. vater. ang.
Sisymbria. cat. gal.
sylvestre. • f. gem.
Rorippa. Scop.
Forscaend. 417.
17520.

Rorippa. adant. f
ambibium. 417
acnemum } auct. davis
alveum }
palustre. }
Remer

Radiola. 2d

supinum. • 417.
Rybera adant
à D. Ryber. Pr

163 Eruc. Composit. Eruca minimo flore monspeliensis. f. cad. peris. et. de Eruca fyl. minor lutea
Parsa past flis. c. B. q. vasa lutea sunt alteram. filicet G. muralium. alpti
G. muralis lita ut Eruca bellid. flos mon. que tamquam 3 metri longus vixit sunt
varietates ejusd. plantae. flos et bellid. muralis unum est. vasa muralis. plurimum in insis.

658 TETRADYNAMIA SILIQUOSA.

^{procumb.} Eruca ^{lupin} supina alba, filiqua ^{Sam. P.} singulari e foliorum alis erum-
pente. *Isnard. act. 1724. p. 295. t. 18.*
Habitat Parisiis ad agrorum margines, inque Hispania.

polyceratium 5.
Dentilaria gen

SISYMBRIUM filiquis axillaribus sessilibus subulatis
aggregatis, foliis repando-dentatis. *Hort. ups. 193.*
Sauv. monsp. 283.

Erysimum filiquis in alis foliorum sessilibus. *Hort. cliff.*
337. Cal. v. d. v. c. t. Cor. o. v. l. v. d. v. p. l. t. v. d. v. c. t. v. d. v. c. t.

Erysimum polyceratium f. corniculatum. *Bauh. pin.*
101. cap. v. d. v. c. t. f. l. v. d. v. c. t. v. d. v. c. t.

Irio altera. *Dalech. hist. 653.*
Habitat in Helvetiæ, Italiæ ruderatis. ☉

murale.
Brassica ad

6. SISYMBRIUM foliis lyratis denticulatis, filiquis ses-
silibus.

Sisymbrium foliis sinuato-pinnatis. *Guett. stamp. 150.*
Dalib. paris. 205. Eruca bellid. flis. mon.

Eruca sylvestris minor lutea, bursæ pastoris folio. *Bauh.*
pin. 98. prodr. 39. Barr. ic. 1016.

Eruca ficula, bursæ pastoris folio. *Bocc. sic. 18.*
Habitat Gallia, Sicilia.

* *Caule nudo.*

vimineum.
Manica ad

7. SISYMBRIUM foliis lanceolatis sinuato-ferratis, cau-
le subnudo erectiusculo. *Hort. cliff. 337. Roy. lugdb.*
341. Dalib. paris. 204.

Eruca, minimo flore, monspeliensis. *Bauh. hist. 2. p.*
862. Eruc. Composit. Eruca fyl. minor lutea. Parsa past flis. c. B. q. vasa lutea sunt alteram. filicet G. muralium. alpti

Bellis viminea, ibiridis folio, luteo flore. *Barr. ic. 131.*
Habitat Parisiis & ad Tyberis margines, inque Moravia.

arenosum.
Dalspurga ad ang
? Eruc. ad.

8. SISYMBRIUM foliis lyrato-ferratis scabris radicali-
bus, caule subnudo ramofo.

Eruca cærulea in arenosis proveniens. *Bauh. pin. 99.*
prodr. 40. fig. mal.

Eruca sylvestris major minorque, foliis subsperis in or-
bem sparsis. *Loes. pruss. 68. t. 13. bon.*

Habitat in Germania, Helvetia.

monense.

9. SISYMBRIUM foliis pinnatifidis integerrimis, cauli-
bus subnudis simplicibus procumbentibus.

Eruca monensis laciniata, flore luteo majore. *Dill. eltk.*
135. t. III. f. 135.

Habitat in Mona, insula Angliæ.

* *Bipin-*

TETRADYNAMIA SILIQUOSA. 659

* Foliis bipinnatis.

10. SISYMBRIUM filiquis scabris, foliis pinnatifidis: *asperum*.
pinnis lineari-lanceolatis subdentatis, corollis calyce
longioribus. *Sauv. monsp. 283. †*

Rovipia 417.
†

Sisymbrium foliis pinnatifidis subdentatis angustissimis.
Sauv. monsp. 255.

Sinapi parvum, filiqua aspera. *Baub. pin. 99. prodr. 41.*

Sinapi monspessulanum, filiqua aspera hirsuta. *Baub. hist.*
2. p. 857.

Habitat Monspeli.

11. SISYMBRIUM petalis calyce minoribus, foliis de
composito-pinnatis. *Fl. suec. 553. Dalib. paris. 204.*

Sophia. ad. †
†

Mat. med. 332.

Sisymbrium, corolla calyce minore, foliis multifidis line-
aribus. *Fl. lapp. 261. Hall. helv. 337. Roy. lugdb. 341.*

Chalcidum ad gal. 20
argutim ruy anglor.

Descurea. *Guett. stamp. 2. p. 164.*

Nasturtium sylvestre tenuissime divilum. *Baub. pin. 105.*

Seriphium Absinthium. *Fuchs. hist. 2.*

Habitat in Europæ maceris, muris, tectis. ☉ *fol. alata 2. ordm*

12. SISYMBRIUM foliis pinnatis: foliolis lanceolatis
pinnatifidis. *Roy. lugdb. 342.*

Rovipia ad 417.

Eruca fruticosa, foliis tanaceti, indica. *Zan. hist. 86. t.*

Eruca tanaceti foliis. *Moris. hist. 2. p. 231. f. 2. t.*
6. f. 19.

Habitat in Sabaudia? *Helvetia. D. Zibole. haller n. 460.*

13. SISYMBRIUM foliis pinnato-hastatis flaccidis: foli-
olis sublinearibus integerrimis, pedunculis laxis. *Hort.*

altissimum. ? Erysim

*ups. 193. * Sauv. monsp. 229.*

Erysimum filiquis laxis, foliis hastato-pinnatis. *Hort. cliff.*
338. Sauv. monsp. 284.

Rapistrum italicum, filiquis longissimis. *Baub. pin. 95.*

Rapistrum montanum s. *sylvestre*, irionis folio. *Col.*
ecphr. 1. p. 266. t. 268.

Erysimum monspessulanum, sinapios folio. *Walth. hort.*
55 t. 22.

Habitat in Italia, Gallia, Sibiria. ☉

14. SISYMBRIUM foliis pinnato-hastatis dentatis, fili-
quis erectis.

matt.
Col. Sophia. ad

Erysimum foliis lyrato-pinnatis: extimo hastato. *Fl. suec.*
556. Dalib. paris. 201. Sauv. monsp. 284.

Erysimum latifolium majus glabrum. *Baub. pin. 101.*

Irio lævis apulus, erucæ folio. *Col. ecphr. 1. p. 264. t. 265.*

Habi-

fol. alata 2. ordm. T 1 2

Cal. longis erect. laxis.

Con. lutea hirs. int.

Dist. abru. foss. 6. n. latis, cujus margo 6 g. hirs. t. hirs. latis

lapp. 2. sambud. hirs. Spec. in descurea.

