



Hunt Institute for Botanical Documentation
5th Floor, Hunt Library
Carnegie Mellon University
4909 Frew Street
Pittsburgh, PA 15213-3890
Telephone: 412-268-2434
Email: huntinst@andrew.cmu.edu
Web site: www.huntbotanical.org

The Hunt Institute is committed to making its collections accessible for research. We are pleased to offer this digitized item.

Usage guidelines

We have provided this low-resolution, digitized version for research purposes. To inquire about publishing any images from this item, please contact the Institute.

About the Institute

The Hunt Institute for Botanical Documentation, a research division of Carnegie Mellon University, specializes in the history of botany and all aspects of plant science and serves the international scientific community through research and documentation. To this end, the Institute acquires and maintains authoritative collections of books, plant images, manuscripts, portraits and data files, and provides publications and other modes of information service. The Institute meets the reference needs of botanists, biologists, historians, conservationists, librarians, bibliographers and the public at large, especially those concerned with any aspect of the North American flora.

Hunt Institute was dedicated in 1961 as the Rachel McMasters Miller Hunt Botanical Library, an international center for bibliographical research and service in the interests of botany and horticulture, as well as a center for the study of all aspects of the history of the plant sciences. By 1971 the Library's activities had so diversified that the name was changed to Hunt Institute for Botanical Documentation. Growth in collections and research projects led to the establishment of four programmatic departments: Archives, Art, Bibliography and the Library.

Noms

Noms des différents bois donnés à Emilie
avec leur synonymie et leur pays originaire
pris dans le Parc de Balme en 1848

origine
pays Familles

Acer	spicatum. parviflorum.	am. s.	(crabées)
Acer	striatum. pennsylvanicum. canadense.	canada	
Acer	tataricum.	tartarie	
Acer	negundo	am. s.	
Acer	coriaceum. hybridum.	am. s.	
Anona	glabra	?	anônes
Alnus	incana ?	alpes	amentacées
Alnus	viridis	?	
Alnus	cordifolia. trilobata	du hanovre	
Alnus	rubra.		
Abies	hemlockspruce. canadensis. americana.	canada	conifères
Abies	balsamea	virginie	
Abies	nigra. mariana. sapinette noire	am. s.	
	alba. sapinette blanche	am. s.	
	caerulea.	?	
Arbutus	unedo	franc. m.	Bruyères
Azalea	pontica lutea	am. s.	rosacées
Amorpha	fruticosa.	caroline	loganiacées
Baccharis	halimifolia.	virginie	corymbifères
Betula	aurica. excelsa canadensis	canada.	amentacées
Bignonia	tecoma radicans	virginie	Bignonées
Castanea	americana.	am. s.	amentacées
	chinensis	am. s.	
Cerasus	padus virginica	am. s.	rosacées
	lauro-cerasus.	levant	
	azarero. lusitanica.	portugal	
Cercis	canadensis	canada	legumineuses
Cornus	florida. calycina	floride	chevreuille
	caerulea. sericea. ferruginea. asinomum.	am. s.	
Crataegus	spicata. amelanchier à grappes.	canada	rosacées
Caragana	frutescens	chine	legumineuses
Celtis	aspera	?	amentacées
Cephalanthus	occidentalis	am. s.	rubiacées
Cupressus	distichia. taxodium.	am. s.	conifères
	thuyoides	canada	

<i>Chionanthus</i>	<i>virginicus.</i>	Virginie	Jasminées
<i>Cytisus</i>	<i>laburnum.</i>	alpes	legumineux
<i>Diospiros</i>	<i>lotus</i>	Virginie	plaguminiens
	<i>lucida. roycana.</i>	am. s.	nerpruns
<i>Eryonimus</i>	<i>americanus. sempervirens.</i>	autriche	
	<i>latifolia.</i>	Europe	Jasminées
<i>Fraxinus</i>	<i>lentiscifolia</i>	italie	
	<i>ornus</i>	am. s.	amentaux.
<i>Lagrus</i>	<i>americana</i>	Syrie	Jasminées
<i>Fontanesia</i>	<i>phyllirioides.</i>	Japon	indeterminée
<i>Ginkgo</i>	<i>biloba. salisburia adianthifolia.</i>	am. s.	malvées
<i>Gordonia</i>	<i>pubescens</i>	am. s.	legumineux
<i>Gleditsia</i>	<i>macrocartha</i>	am s	
	<i>triacantha</i>	Caroline	plaguminiens
<i>Halesia</i>	<i>tetraptera</i>	Virginie	vinettiers
<i>Hamamelis</i>	<i>virginica</i>	am. s.	nerpruns
	<i>flex. opaca.</i>	Caroline	térébinthes
<i>Juglans</i>	<i>aquatica</i>	am. s.	
	<i>cinerea. cathartica. oblonga.</i>	am s.	
	<i>amara</i>	am. s.	
	<i>tomentosa</i>	am. s.	
	<i>alba. latifolia.</i>	am. s.	
	<i>nigra.</i>	am s	
	<i>porcina</i>	asie	
	<i>fraxinifolia. Pterocarya</i>	Espagne	conifères
<i>Juniperus</i>	<i>thurifera.</i>	Suede	
	<i>suecica</i>	Virginie	
	<i>virginica</i>	chine	Saxoniens
<i>Koelreuteria</i>	<i>paniculata. sapendus. Paulinia aurea.</i>	Virginie	magnoliers
<i>Liriodendrum</i>	<i>tulipiferum</i>	Lexant	conifères
<i>Larix</i>	<i>cedrus. cèdre du Liban</i>	am. s.	amentaux
<i>Liquidambar</i>	<i>styraciflua.</i>	Lexant	
	<i>orientalis</i>	Caroline	Lauriers
<i>Sassa</i>	<i>sassafras</i>	am. s.	orties
<i>Macleura</i>	<i>aurantiaca</i>	Caroline	magnoliers
	<i>magnolia grandiflora ferruginea</i>	am. s.	
	<i>glauca</i>		
	<i>Soulangiana. hybride du purpurea</i>		
	<i>purpurea. discolor. obovata. dentata denudata.</i>	Japon	
	<i>rustica. acuminata.</i>	am s.	
	<i>auriculata. Fraseri.</i>	Caroline	
	<i>tripetala. umbrella</i>	am. s.	

<i>Morus</i>	<i>canadensis, heterophylla,</i>	Canada	orties
	<i>de Gasparin</i>	chine	
	<i>à bois rouge</i>	caroline	chalefs
<i>Nyssa</i>	<i>villosa, montana, integrifolia</i>	caroline	
	<i>aquatica, denticulata, angustisans, uniflora.</i>	am. S.	Erables
<i>Paria</i>	<i>spicata, macrostachia, parviflora, edulis,</i>	gergès	
	<i>hybrida, pallida,</i>	caroline	
	<i>lutea</i>	france	conifère
<i>Pirus</i>	<i>adunca de Bose, de monteray, (à 2 feuilles)</i>	levant	
	<i>romanae, ou Caramanicae, (à 2 fls)</i>	Jersey	
	<i>inops, Virginica, (à 2 fls)</i>	am. S.	
	<i>taeda, à 3 fleurs, (à 3 fls)</i>	am. S.	
	<i>strobilus, du Lord, à (5 fls)</i>	am. S.	
	<i>pungens (à 2 fls)</i>	france	
	<i>Sylvestris rubra (2 fls)</i>	baie d'HUDSON	
	<i>Banksiana, divaricata, rupestris, (2 fls)</i>	Russie	
	<i>riga (2 fls)</i>	Virginie	nerpruno
<i>Prinos</i>	<i>verticillata, Gronovii.</i>	(Europe méridionale)	Gasuniées,
<i>Phillirea</i>	<i>latifolia.</i>	Siberie	amentacées
<i>Planera</i>	<i>ulmifolia, richardii, Ulmus polygama, Ulmus crenata.</i>	caroline	myrthes
<i>Philadelphus</i>	<i>grandiflorus, inodorus.</i>	(caroline méridionale)	rosacées
<i>Prunus</i>	<i>caroliniana, cerasus caroliniana, touj. vert.</i>	Virginie	térébinthes
<i>Ptelea</i>	<i>trifoliata, orme de siberie.</i>	(France et Italie)	amentacées
<i>Quercus</i>	<i>Cerris</i>	(montagnes de France)	
	<i>appennina</i>	Portugal	
	<i>prase</i>	am. S.	
	<i>prinus, à fls de châtaigner</i>	am. S.	
	<i>palustris</i>	am. S.	
	<i>virginica, nigra des états unis.</i>	am. S.	
	<i>macrocarpa</i>	am. S.	
	<i>tinctoria</i>	am. S.	
	<i>imbricaria</i>	Espagne	
	<i>turneri</i>	am. S.	
	<i>aquatica</i>	am. S.	
	<i>coecinea</i>	am. S.	
	<i>alba</i>	am. S.	
	<i>x phellos, Virginiana.</i>	am. S.	
	<i>rubra</i>	am. S.	
	<i>x Phellos monstrueuse.</i>	Baleine	
	<i>recurvata</i>	Portugal	
	<i>toza</i>	France	
	<i>Suber, siége.</i>	(France méridionale)	
	<i>pannosa, de la Panouse</i>	?	

Robinia	gouindiana	caroline	leguminales
	stricta.	am. s.	
	viscosa	am. s.	
Rhamnus	cathartica. purgatif.	france	nerpruns
	latifolius	alpes	
	hybridus. burquidiana.	canada	
Rhododendrum	ponticum	am. s.	rosacee
Sorbus	hybrida laponica.	suède	rosacee
sophora	japonica	japon	leguminales
spiraea	opulifolia	canada	rosacee
sambucus	monstruosus	france	chevreuil
thuya	orientalis	chine	conifere
	canadensis. occidentalis	canada	
Tilia	pubescens. caroliniana	caroline	tilliacie
	mississippiensis	mississippi	
	truncata. hybrida	?	
	pendula. pumila	?	
	rubra	am. s.	
Ulmus	rugosa	?	amentacee
	americana fulva	am. s.	
Virgilia	lutea	am. s.	leguminales
Vitex	agnus castus	fr. merid.	gattibiers
Vitis	isabella	?	vignes
	catarba	am. s.	
Viburnum	castaneaefolia. prunefolia.	am. s.	chevreuil
	primina edulis.	am. s.	
	supplement	?	france
26	cotoneaster acuminata	france	rosacee
31	Faxus baccata	france m.	conifere
43			
42			

146
2

total des 4 pages

total 148