



Hunt Institute for Botanical Documentation
5th Floor, Hunt Library
Carnegie Mellon University
4909 Frew Street
Pittsburgh, PA 15213-3890
Telephone: 412-268-2434
Email: huntinst@andrew.cmu.edu
Web site: www.huntbotanical.org

The Hunt Institute is committed to making its collections accessible for research. We are pleased to offer this digitized item.

Usage guidelines

We have provided this low-resolution, digitized version for research purposes. To inquire about publishing any images from this item, please contact the Institute.

About the Institute

The Hunt Institute for Botanical Documentation, a research division of Carnegie Mellon University, specializes in the history of botany and all aspects of plant science and serves the international scientific community through research and documentation. To this end, the Institute acquires and maintains authoritative collections of books, plant images, manuscripts, portraits and data files, and provides publications and other modes of information service. The Institute meets the reference needs of botanists, biologists, historians, conservationists, librarians, bibliographers and the public at large, especially those concerned with any aspect of the North American flora.

Hunt Institute was dedicated in 1961 as the Rachel McMasters Miller Hunt Botanical Library, an international center for bibliographical research and service in the interests of botany and horticulture, as well as a center for the study of all aspects of the history of the plant sciences. By 1971 the Library's activities had so diversified that the name was changed to Hunt Institute for Botanical Documentation. Growth in collections and research projects led to the establishment of four programmatic departments: Archives, Art, Bibliography and the Library.

Galaterrus 1^{us} clus. hisp. (1)
 an phylleo humilior c. 477. b. 2.
 2^a sp. folio Leviter serrato c. (3)
 3^a sp. fol. ligustri c. (4)
 4^a sp. angustifolia 1^a c. (5)
~~Galimus latifolius sive Galimus~~
~~fruticosus c. (5)~~
 Rhamnus 1^{us} clus. hisp.
 2^a sp. alter fol. latis, flore ppureo c.
 3^a sp. 3^{us} flore herbaceo, bacis nigris
 Galimus latif. sive Galimus fruticosus,
 Mor. hist. ox. (3)
 arbutus fol. serrato c. (1)
 uva ursi clus. hisp. (1)
 tinus alter clus. hisp. (2)
 2^a t. 3^{us} clus. hisp. (3)
 Lentiscus vulgaris c. (1)
 Terebinthus vulgaris c. (1)
 althaea frutescens, fol. rotundiora
 inaequali c. (5)

pergelimenum rectum 2^{us} clus. hisp. (65)
 Thuia theophrasti c. (1)
 Cedrus, fol. cypressi, major, fructu
 flavo c. (1)
 Juniperus major, bacis rufescente
 c. (1)
 Myrica sylvestris clus. hisp.
 Erica maxima alba c. (4)
 2^a sp. 2^a clusii hisp.
 3^a sp. major, floribus in herbaceo ppur-
 eis c. (8)
 4^a sp. major, scoparium, foliis deciduis
 c. (9)
 5^a sp. tenuis per intervallo ramulis c.
 (14)
 6^a sp. humilis cortice cinereo arbuti fl-
 c. (11)
 Empetrum Lusat. fructu albo c. (3)
 Erica hirsuta anglica c. (13)
 Cedrus major, arborescens c. (1)
 Syringa alba sive philadelphus
 atheni c. (1)



Digitized by Hunt Institute for Botanical Documentation

Myrtus latif. botica 1^o vel foliis
Laurinis c. (2)

2^m. Sylv. foliis acutissimis. c. (8)

Cistus mas folio oblongo juncano
c. (5)

2 c. mas. 2. folio longiore. B. (2)

3 c. mas fol. undulatis & crispis. j. (6)

4 c. femina foliis salviae c. (7. 8. 9)

Helianthemum Galini folio brevior
obtus. j. (21)

Cistus folio Galini 2. clas. Gisp. 148. s

Helianthemum Lavandulae folio. j. (25)

Cistus folio Sampsuegi j. (29)

2 c. fol. thymi clas. Gisp. 149. p.

Chamaecistus fol. minoribus &
juncanis. c. 466. a. p.

Helianthemum flore albo, folio ang-
usto hirsuto. B. (3)

5. Salicis folio. j. (24)

Cistus salicis folio fl. candido. j. (11)

2 c. Ledon fol. populi nigro, major, c. (14)

3. c. Ledon hirsutum c. (17)

4. c. Ledon foliis oleae sed angustioribus
c. (18)

5. c. Ledon fol. roris-marini Gisp. c.
463. b. 11.

Helianthemum foliis roris-marini
splendentibus, subtus juncanis
j. (28)

Cistus Ledon foliis roris-marini sed
non juncanis c. (21)

Helianthemum folio thymi, floribus
umbellatis. j. (27)

Chamaelea tricaeas c. (1)

Thymalea folio lini c. (1)

2. 1. foliis chamaeleae minoribus
subhirsutis c. (20)

3. 2. fol. Kali lanuginosis salis c. (21)

4. 2. tomentosa, fol. ledi minoris
c. (27)

Globularia frutescens myrti folio
tridentato. j. (4)

Cario poetes Moucheusium,
thleophy. b. j. (1)

Ephedra marit. major j. ap. 663 f

(65) *E. maritima*, minor j. ap. 663 (3)

Anagyris foetida c. (1)

Cytisus minoribus foliis, ramulis-
tenellis villosis c. (4)

2. c. foliis angustis inaequalis quasi comp-
-latis c. (8)

Barbo-jovis hyp. flore luteo j. (4)

Cytisus q. w. clus. hyp. 193-f.

Coronilla sive *collutea* minima
lob. j. ()

Genista tinctoria, frutescens, foliis
inaequalis c. (5)

Dorychnium Mompeliensium lob-
je (1)

Lotus pentaphyllus inaequalis, c. 332. 28

Spartium alternum, semine reni-
simili c. (1)

2. c. 3 ~~um~~ flore alba. c. (2)

Genista - *spartium*, spinosum, majus,
flore luteo c. (1)

g. s. spinosum, minus c. (5)

Erinacea Hispanica j. (1)

Tragacantha potentium forte clus. (3)
B. (2)

Smilax aspera fructu rubente
c. (1)

Eleonatus peregrina, foliis pyri-
-incis c. (3)

Scirpaea Mompeliensis foliis rotu-
-ndioribus j. (3)

Tenuium - *Caetium* clus. hyp. (1)

Lavandula foliis crenatis j. (9)

2. l. foliis diverte c. (7)

Tragoriganum angustifolium c.
223. c. 3.

Potium marit. supinum venes-
-um

Liber 2^{us}.

Narcissus flore multiplex clus-
-hyp. 246. m.

2. n. lotus albus, major c. (12)

3. n. juncifolius oblongo calyce luteo,
major c. (43)

4. n. albus, autumn. minimus c. (16)

Narcissus autumnalis major
j. (10)

Allium angustifolium umbellatum
flore albo j. (34)

Crocus vernalis angustifolius magno
flore c. (41)

2 C. vernus angustifolius parvo flore
c. (43)

3 C. vernus purpureo - violaceus Lob. 140
vid. j. a. 21. ad 24.

4 C. alpinus autumnalis c. (3)

Colchicum mont. angustifolium c. (49)

Ornithogalum majus flore dilute
purpureo j. (45)

Narcisso - Leucivium - autumnale
capillareo folio j. (9)

Xyphion latif. aciculon odoratum fl.
purpureo j. (2)

2x. angustifolium flore vario j. (19)

3x. flore luteo inodoro j. (21)

Sisyrinchium medium j. (3)

Iris biflora clus. hisp.

Narcissus narcissus c. (92. 93)

Ornithogalum majus seu scylla radice
alba j. (58)

2. o. merit. seu scylla rad. rubra j. (57)

Asphodelus minor clus. hisp. 295. p.

Convolvulus indicus vulgo patates
dictus Raii fist. R. S. feuille

Arum maximum aegyptiacum
quod vulgo colocasia c. (11)

Arisarum latifolium alterum
c. (1)

Arum scorzonera folio j. (34)

Arenone cyclaminis seu malva
folio lutea c. (1)

2. a. latifolia altera 2. clus. hisp.
308. p.

3. a. geranii rupestris folio, cern.
- leu an dioscor. c. (39)

4. a. tenuifolia multiplex rubra c.
(127)

Parnassium autumnalis clus. hisp.
315. p.

Aristolochia rotunda flore r. pu.
- uro - nigro c. (1)

2. *a. longa vera* c (3)
 3. *a. clematis recta aut serpens* c (5.6)
 4. *a. pistolechia dicta* c (7)
cammarovus latifolius vulgaris j. (1)
anacampseros maxima B. (1)
Leucium marinum, minus clus -
 sup. 333. f.
Lycnis sylvestris, pluribus foliis simul
 junctis c (17)
 2. *L. syl.* 2. clus. sup. 335. f.
 3. *L. syl.* 3. clus. sup. 338. p.
 4. *L. syl.* 4. clus. sup. 338. m.
 5. *L. syl.* lanuginosa, major c (58)
 6. *L. syl.* lanuginosa minor c (59)
 7. *L. viscosa*, flore muscosa c (54)
Reseda alba minor. c. 100. b. 4.
Linaria bellidii folio. c. (6)
gentiana alpina pumila verna
 major j. (7)
Centaurium majus, folio non dissecto


Centaurium luteum perfoliatum (73)
 c. (18)
Centaurium majus fol. non dissecto
 c. (2)
galea foliis cichoraceis villosis alt.
 - *Stiva* flore purpureo j. (21)
 2. j. calyculis argenteis major j. (20)
carduus luteus centaurioides Segetum
 j. (30)
scabiosa stellata, folio laciniato,
 major c (30)
chrysanthemum valentinum clus
 sup. 368. p.
stratiotes lutea clus. sup. 370. p.
Verbena tenuifolia c (4)
capnos tenuifolia clus. sup. 374. p.
virga aurea major, foliis glutinosis
 & grave olentibus j. (14)
Phlomis lychnitis clus. sup. (8)
asteriscus naut. annuus parvus
 j. (5)

(74) *Convolvulus peregrinus pulcher, folio
betonicae B. (50)*
 2. *C. Anaviae folio assurgens j. (35)*
*Alysson verticillatum folio profunde
incis. c. 232. a. 1.*
Sydehita fistula procrebens c. (1)
*Galeopsis hisp. arvensis folio rotundiore
j. (12)*
Peltostropium minus supinum c. (5)
*Ricinoides ex quo paratur Tournesol
gallorum j. ap. 6 (1)*
*Mercurialis fruticosa germana inteu-
lata j. (5)*
 2. *M. fruticosa germana epicata j. (6)*
*Papaver corniculatum albidum
clus. hisp. 403. p.*
 2. *P. corniculatum 3 var. clus. hisp. 403. f*
Gypsoson latior folio j. (1)
*Brassica campestris 1. clus. hisp
408. f*
Cerinthae quosundam majoris versicol

(75)
 ore flore B. (1)
alsine repens clus. hisp
Myosotis hisp. segetum j. (1)
Chondrilla prior clus. hisp. 417. m.
*Alyssoides germanum, folio sinuatis
j. (2)*
*Nasturtium sylv. brucea affine c
115. b. 3.*
harmala D. P. (1)
*Hypericum supinum tomentosum
majus vel supinum hypericu
m c. (8)*
Thapsia latifolia villosa c. (2)
Plumbago quosundam clus. hisp.
 (1)
*Tithymalus characias rubens peregr-
inus c. (11)*
 2. *T. califolius hypericus c. (17)*
 3. *T. marit. fol. obtuso rubro perinde
ac coele*
Chamaezye clus. hisp. 441. f
*atou folio in oblongum aculeum
aberrante c. (4)*

(20) *Polymus chrysanthemos* c. (1)
Cnicus polycephalus, canescens, aculis
 flavescentibus munitus j. (14)
Carlina sylv. minor Hispanica clus.
 hisp. (10)
Cnicus albus clus hisp. 459. p.
Eryngium mont. pumilum clus hisp
 455. p.
Asparagus foliis acutis c. (4)
 2. *aculeatus* 3 aut 4 aculis ad im-
 dem sortum c. (5)
 3. *aculeatus spinis horridus* c. (6)
Rubia maritima c. 334. a. g
Astragaloides Lusitanica j. (1)
Cicris sylvestris minoris affinis, si non
 idem c. 347. b. 3.
Medica marina Lob. j. (5)
Trifolium prat. folliculatum c.
 (7)
Oxy luteo B. (4)
Polygonum minus cardiacum c.
 281. s. paronychia Hispanica clus.
 hisp. 477. p.

alsine marit. supina foliis cyanis
 -sues. j. (46)
Chamaepitys moschata foliis serratis
 j. (1)
C. vulgaris foliis trifido, fl. roseo
 Lusit. j. (5) *ajuga adullerina*
 clus hisp. 481.
coris caerulea maritima c. (12)
Solostemon salmantinum prius
 clus hisp. 486. m.
alchimilla alp. quinquefolia folio
 subtus argenteo j. (8)
Tongva cervina multifida fol.
 c. (33)
hemionitis peregrina clus. hisp.
 493. p.
Muscus denticulatus minor c. (95)
gramen Dactylon
 1. *num.* clus. hisp. 497. p.
 2. *g. amourettes* clus. hisp. 499. p.
Rubia linifolia aspera c. 333.
 b. 8. *juncea salmanticensis*
 clus. hisp. 502. p.



Digitized by Hunt Institute for Botanical Documentation

(73) Spartum plinii clus. hisp. 504. p.
2. S. aliud clus. hisp. 506. p.
S. 3^{um} clus. hisp. 506. f.
