



Hunt Institute for Botanical Documentation  
5th Floor, Hunt Library  
Carnegie Mellon University  
4909 Frew Street  
Pittsburgh, PA 15213-3890  
Telephone: 412-268-2434  
Email: [huntinst@andrew.cmu.edu](mailto:huntinst@andrew.cmu.edu)  
Web site: [www.huntbotanical.org](http://www.huntbotanical.org)

The Hunt Institute is committed to making its collections accessible for research. We are pleased to offer this digitized item.

*Usage guidelines*

We have provided this low-resolution, digitized version for research purposes. To inquire about publishing any images from this item, please contact the Institute.

*About the Institute*

The Hunt Institute for Botanical Documentation, a research division of Carnegie Mellon University, specializes in the history of botany and all aspects of plant science and serves the international scientific community through research and documentation. To this end, the Institute acquires and maintains authoritative collections of books, plant images, manuscripts, portraits and data files, and provides publications and other modes of information service. The Institute meets the reference needs of botanists, biologists, historians, conservationists, librarians, bibliographers and the public at large, especially those concerned with any aspect of the North American flora.

Hunt Institute was dedicated in 1961 as the Rachel McMasters Miller Hunt Botanical Library, an international center for bibliographical research and service in the interests of botany and horticulture, as well as a center for the study of all aspects of the history of the plant sciences. By 1971 the Library's activities had so diversified that the name was changed to Hunt Institute for Botanical Documentation. Growth in collections and research projects led to the establishment of four programmatic departments: Archives, Art, Bibliography and the Library.

9. Salcahuayo  
sid. melzad.

Digitized by Hunt Institute for Botanical Documentation

Digitized by Hunt Institute for Botanical Documentation

accessio ad proco.  
discordis recentiorum  
medicam, auctoribus Petrus  
pero et Mathias de Lobel med  
icis.  
quibus accedit appendix, cum  
indica variorum linguarum  
Completo, pro. math. de  
Lobel auctore pag. 47.  
additis guillelmi Bonaldi  
a liquor. remedium folio  
in unam autem in  
editis. pages 47. pag. 15.  
sunt in fine 10 genes-  
plantarum cum nominibus  
et citationibus convenientibus

et loca insulari plant  
 seu Hippium observatio  
 nes, antuerpie, in offic. christ  
 ophori plantini archi. synographi  
 1576. pages. 871. in fol.  
 in adnexum est advenarium  
 lumen.  
 Diversariorum illustrationes, castig.  
 ationes auctaria, conjecturae.  
 Minimum ~~causarum~~ <sup>causarum</sup> ~~et~~ <sup>et</sup> ~~animi~~  
 in consensibus et harmonia.  
 cetera quaedam remedia et  
 succedanea  
 cum guillielmi Rondeletii  
 antiballomenon Emendationibus  
 Tabulis nunquam antea excussis.  
 accessit nova Hippium adv.  
 eraria digesta modo sequenti.  
 prozacia vestigatio, Lucentiaq.  
 accessio

Ligdunensis Historiae Synonyma  
 ordine methodico

- I
- Mandragora fr. rotundo c. (1) 1725. 1726. fig. 2.
  - fr. femina L. 1725. 1726. fig. 2.
  - Belladonna majoribus fol. et flor. j. (1)
  - Silium comallina c. (1)
  - Polygonatum latifolium vulgare c. (1)
  - fr. angustifolium non ramosum c. (10)
  - fr. latifolium ramosum. C. 303. 2.
  - rusus angustifolius aculeatus. j. (1)
  - v. latifolius fructu folio junceatoj.
  - v. angustifolius fr. (2) folio junceatoj.
  - manisa theriaci yuca stressam B. (1)
  - cerutge minor. C. an. c. quorum. maj. versio. Pl. B. (1)
  - gentiana major lutea. c. (1)
  - g. alba magno flore B. (6)
  - g. alba. pumila nerva major. j. (7)
  - g. alba. pumila centaurij minoris folioj.
  - g. robustis angustifolia. j. c. (12)
  - g. cruciata c. (12)
  - comolibus major albus c. (1)
  - c. maritimus major italicus sinuato folio-  
 mor. fr. or. (18)
  - c. marit. nostras rotundifolius Nov. fr. or. (19)
  - c. minor avu. Pl. quinquies vadis albis pato (21)
  - 1d. Pl. candido c. (22)
  - 2d. fl. albo cum progreco umbilico. c. (23)

*J. fl. albo punicantibus lincis asperso* C. (29)  
*C. lignosus* de Cameracensis lignosa M. 5. 02  
*C. argenteus umbellatus erectus* J. (38)  
*C. argenteus umbellatus supinus* J. (39)  
*C. caeruleus foederacae angulosa fol.* C. (42)  
*C. ames. mechoacan* dictus J. Gil. (47)  
*Mechoacan* Dod. l. 1902. fig. 2  
*Lupulus mechoacanus* C. 298. 2  
*Bryonia mechoacana* C. ybustis C. 298. 2  
*C. peregrinus pulcherr. fol. betonica*  
 B. (50)  
*C. linariae folio* C. 298. 2  
*Batatas camotes hypnorum* clus. C. 910  
*Stichymolus arborescens* prop. alp. lat. (1)  
*L. dendroides excochleae caerulea* C. 290. 2  
*L. choracis rubens peregrinus* C. (11)  
*L. chorac. rubens germanicus* C. 290. a  
*L. chor. amygdaloides* C. 290. a  
*L. rotundus foliis non crenatis* f. l. B. (1)  
*L. latifolius catapuae* dictus f. C. 602  
*Lathyrus minor* conglomerato flore C.  
 293. 2  
*L. latifolius hypnicus* C. (17)  
*L. arvensis latifolius germanicus* C. (18)  
*L. myosinites latifolius* C. (21)  
*L. sine sulcalisigna* C. (25)  
*Pegolis minor* Dal. l. 1659. fig. 3.  
*L. montanus non aeris* C. (29)  
*L. myosinites erectus var. viciae* Smith C. (30)

*L. cygnosias* C. (39)  
*L. folia pini folio dracov. plurima* C. (37)  
*L. maritimus* C. (38)  
*L. choracis angustifolius* C. (41)  
*L. tuberosa pygmaeformi radice* C. (45)  
*L. palustris glutinosus* C. (47)  
*L. heloscopus* C. (53)  
*L. maritimus folio obtuso crinito v. b. b.*  
*perinde ac caule* J. (50)  
*L. foliis venibus aculeatis* C. 292. 2  
*L. serotus* Dal. l. 1699. fig. 2  
*Luzherbium* C. 496. 1  
*cauti - Luzherbium* C. 387. 1  
*glauca maritima* C. (1)  
*oxy fl. albo* J. (1)  
*v. lutes* B. (4)  
*cuscuta major* C. (1)  
*C. minor* J. ay. (2)  
*Rhubarbarum forte dicitur. N. antiquorum*  
*just* (1)  
*R. officinarum* C. 116. a  
*Malvarosa folio subrotundo* C. (1, 2, 3, 4, 5)  
*M. v. fol. subrot. fl. candido* C. (2)  
*M. v. fol. subrot. fl. pleno rubro* C. (8)  
*M. maritima arborea veneta* J. (11)  
*M. melgaris fl. majore folio sinuato*  
 B. (26)  
*M. melgaris flore minore folio rotundo*  
 B. (28)

*M. hederacea* folio c. (32)  
*althaea diosa* L. *lythium* c. (1)  
*a. frutescens* fol. rotundioribus juncis c.  
 (5)  
*althaea vulgaris* major flore rubra  
 1020 c. (1)  
*a. frutescens* c. (7)  
*a. veneta* Dod. L. 594. fin. et fig. 1.  
*a. vulgaris* lob. L. 593. fig. 2  
*abutilon* do d. (1)  
*Ketmia palustris* flore purpurea j. (17)  
*K. judica* vitis fol. angustioribus j. (17)  
*K. oegyptiaca* vitis folio parvo flore  
 (19)  
*K. vesicaria* vulgaris j. (26)  
*Gossypium frutescens* semine albo c.  
 430.1.  
*Cotyledon major* c. (1)  
*c. media* foliis subrotundis c. 284.1.  
*eryngium* fol. subrotundis c. (11)  
*a. marit.* nectum salicis fol. flore  
 purpureo j. (12)  
*a. foliis oblongo* c. 303.1.  
*Periploca maurandica* foliis rot-  
 undioribus j. (3)  
*asclepias albo flore* c. (1)  
*a. nigro flore* c. (3)  
*ignida* flor. d. c. 48.2.  
*Boyonia eschra* j. c. (1) *alba* *basis* *indica*

*Lamium vacuosum* fl. minoribus luteo pal-  
 -lescentibus j. (1)  
*monardica vulgaris* j. (1)  
*eucomis* sat. vulgaris natura fr. albo c. (2)  
*c. chlorocoma* c. (3)  
*c. sylvestris* asquimus dictus c. (4)  
*C. sativus* major c. 310.1.  
*Melo vulgaris* c. (1)  
*pepo vulgaris* vari. fol. (2)  
*Melocarpus* fr. maximo albo j. (2)  
*M. clypeiformis* c. (9)  
*anguia* citrullus dicta c. (1)  
*cucurbita* longa fol. molli flore  
 albo b. (1)  
*c. latior* folio molli fl. albo. b. (3)  
*c. lagaria* b. (6)  
*c. verrucosa* c. 313.2.  
*colochyntis fructu rotundo major* c. (1)  
*c. fructu rotundo striato* j. (2)  
*c. oblonga* c. (8)  
*c. oblonga candida grandis* L. 1677. lin. 45  
*c. fungosa* L. 1677. lin. 50.  
*c. grandis oblonga* L. 1676. lin. 46  
*c. pyriformis* seu pepo amarus c. 313.2  
*Melocactus americanus monoclonus* flore  
 albo, fructu atro purpureo j. (9)  
*M. judica* occidentalis c. 334. a.

*Caryophyllus vulgaris* fol. intricat.  
vel major & asperior. C. (6)  
*C. pyramidalis* altissima. j. (13)  
*C. fol. fol. & flore oblongo subalbido*  
C. (22)  
*C. prol. flore conglomerato*. C. (31)  
*C. folis mefisa floribus oblongis* C.  
*C. perisoc folia cibus* ~~fol.~~ (50)  
*C. vadie hirsuta flore caerulea* f. l. b.  
*C. minor rotundifolia vulgaris* C. (68)  
*C. amaris erecta* f. l. b. (83)  
*ragunculus* *gracilis*. C. (1)  
*v. hirsuta* *capitata* *caerulea* C. (9)  
*umbra* *humilis* *sal.* C. (1)  
*v. lineifolia* *aspera* C. 333.2.  
*v. maritima* C. 334.1.  
*v. sylvestris* *levis* C. 333.1.  
*cyranis* *vulgaris* C. (1)  
*a. latifolia* *humilis* *montana* j. (6)  
*a. humilis* *lygia* *flore caerulea* j. (5)  
*esperula* *hexagyllos* *purpurea* C. 334.  
*gallium* *montanum* *latifolium* *pauc-*  
*orum* j. (1)  
*g. album* *melissae* j. (2)  
*g. luteum* C. (3)  
*conciata* *hirsuta* C. (1)  
*c. olivina* *latifolia* *levis* C. (3)

II. *Mentha* *palustris* *latifolia* *triph.*  
- *hullum* j. (1)  
*m. pal. longistif. lat. triph.* j. (2)  
*mentana* *major* *latifolia* C. (2)  
*m. major* *angustifolia* C. (2)  
*m. minor* C. (4)  
*m. minima* C. 170.2.  
*Thysanotus* *albus* *major* *vel* *3us* *disc-*  
*infoliis* C. (2)  
f. l. 176. fig.  
*Thymum* *sp. pinosa* *rotunda* *flore*  
*albo* *myrtici* j. *in* *max* *metel* *offic.* *caerulea*  
*sp. pinosa* *oblonga* *fl. albo* j. (8)  
*sp. pinosa* *alt.* *fl. purpurea* j. (7)  
*sp. fl. ad* *Thysanotum* *accedente* *L. 1913*  
*lin. penalis*  
*Thymum* *vulgaris* *latifolia* *flore*  
*caerulea* j. (1)  
*sp. vulgaris* *angustifolia* *fl. caerulea* j.  
*sp. vulg. angustif. flore pleno* *caerulea* j.  
*anacardium* *ursi* *minima* *flore* *caerulea* *et*  
*minia* *l.* (10)  
*a. u. laciniata* *semicostata* *Mott.* *fl. flore*  
*vulgo* j. (19)  
*centaureum* *minus* C. (1)  
*c. luteum* *perfoliatum* C. (18)  
*agrostis* *teneti* *franc.* *antoxyl* (1)  
*ananas* *aculeatus* *sp. ovata* *caerulea* *albida* *plum*





melitoid fl. caeruleis j. (15)  
 Anemisa j. Matth. L. 1100. fig. 1.  
 a. lutea dal. L. 1102. fig. 2.  
 a. lutea major C. 255. a.  
 Buglossum frutescens v. officinarum  
 folio j. (18)  
 B. an. aurum albosperum folio j. (20)  
 B. sylv. minus altissimum G. apperius 256. 2.  
~~ovoid~~ C. an buglossum sylv. inclusis. (13)  
 ovoida C. 255. fig. 1.  
 asperugo vulgaris j. (1)  
 Echium vulgare L. (4)  
 E. conicari L. 1106. fig. 1.  
 E. alpinum luteum C. 254. 2.  
 Helianthus foliosum ad buglossum  
 accedens B. (1)  
 Heliospermum majus erectum C. (1)  
 L. minus repens latifolium L. (2)  
 L. palustre minus fl. caeruleo j. (5)  
 L. majus C. 258. 1.  
 L. minus erectum C. 258. 2.  
 Cynoglossum consolidida majus fl.  
 purpureo-caeruleo C. (2)  
 C. majus tuberosa v. diersb. (6)  
 C. magnum L. 1074. fig. 2.  
 C. petiolaris folio hyuni C. 280. 1.  
 Heliotropium majus chrose. C. (1)  
 H. minus cupinum C. (5)  
 Helosium altissimum C. 253. 1.  
 H. altissimum Matth. quin. C. 253. b.

cynoglossum majus vulgare C. (1)  
 C. medium C. 253. b.  
 Lycopsis asyphraea C. 255. 2.  
 Anglica Lob. L. 1263. lin. 14. fig. 2.  
 L. altera anglica Lob. L. 1263. lin. 20.  
 asyphraea pumila v. noma cynoglossi 66. j.  
 Phlombago quadrifida C. (1)  
 Lythraea lutea major quadrifida C.  
 L. humifusa 66. l. rotundioris flore luteo. j.  
 L. folis subrotundo acuminato flore luteo. j.  
 L. trieta caerulea C. 246. 1.  
 Anagallis germanica flore C. (1)  
 a. caerulea flore C. (3)  
 veronica v. asyphra ad melitoidissimum  
 v. was erecta C. (1) (3)  
 v. trieta angustifolia C. (6)  
 v. trieta minor C. (8)  
 v. proteusis bergii folio C. (10)  
 v. maxima Lugd. j. (20)  
 v. sylvia facie teneri v. asyphra lob. j. (23)  
 v. minor folis junis rotundioribus M. G. ox.  
 v. flosculis caeruleis adhaerentibus M. G. ox.  
 v. aquatica minor folis subrotundis j. (32)  
 v. cybalavica folio verna j. (33)  
 v. flosculis oblongis pediculis junidentibus  
 v. chamadryas folio M. G. ox. (39)  
 v. unguiculata vel quinquefida folio j.  
 Camulus valerandi B. (1)

Digitized by Plant Institute for Botanical Documentation

*Gnysopleura* foliis angulioribus auriculatis  
J. (1)

*Solanum* vulgare coarctatum J. (1)

*S. album* (2)  
*verbosum* var. latifolium luteum C. (1)

*u. feminis* flore luteo magno C. (3)

*u. nigrum* flore luteo purpurascente

*u. nigrum* foliis papilionis corniculati C. (8)

*u. pubescentum* flore luteo parvo L. (9)

*u. lycitidis* flore albo parvo C. (10)

*u. humile* alpinum villosum Borrag-  
inis flore et folio J. (14)

*u. acuta* salviae folio C. 240.2.

*Blattaria* pygmaea C. 241.2.

*Solanum* officinarum C. (1.2.3.4)

*S. offic.* acinis nigricantibus C. (1)

*S. scandens* scandula vera C. (8)

*S. fonticosum* bacciferum C. (13)

*S. tuberosum* lutescentum C. (14)

*S. somniferum* bacciferum C. 166.2.

*S. peregrinum* fructu rotundo C. 167.2.

*S. pomiferum* folio rotundo tenui C. 168.1.

*Aspergeria galeni* anguill (1)

*L. fr. striato* duro J. (8)

*alkokeugi* offic. J. (1)

*C. fr. parvo* nathellato J. (3)

*melongena* fr. oblongo molaceo J. (1)

*M. fructu* juvenis J. (5)

*M. fructu* rotundo magno J. (11)

*C. ruscus* siliquis longis suspendentibus J. (1)

*C. ruscus* siliquis Jod. (2)

*C. siliquis* latiore. *Verstruchoro* S. (11)

*C. siliquis* lincetis cerari forma J. (23)

*Myrsinoides* aquis puratans J. (1)

*Cyclamen* orbiculato folio infere  
purpurascente C. (1)

*C. Hedera* folio C. (25)

*C. radice* triqua C. (28)

*C. nervum* luteum C. 308.2

*Moschatellina* foliis juvenis bulbosa C. (1)

*Pinguicula* sanguisorba major (1)

*P. sanguisorba* minor J. (8)

*P. spinosa* sanguis vivans Mar. Herb. (12)

~~*P. sanguisorba*~~

III. *avum* maculatum maculis nigris  
candidis C. (1.2)

*a. nigris* albis C. (7)

*a. maxim* *egyptiacum* quod vulgo  
*colocasia* C. 195.6.

*a. Hederaeum* angulis foliis perforatis  
plum. (23)

*a. scorsoneae* folio J. (34)

*colocasia* sine faba *egyptia* veterum diff. C. 106.2.

*Faba aegyptia* L'gard 497. fig.  
*avena alba* minus Matth. L. 1597. fig.  
*a. minus* Matth. L. 195. 2.  
*Isaacucubus polygobillus*. C. (1)  
*D. historta* folio C. 194. 1.  
*D. palustris sine radice arundinacea*. C.  
*aristologica rotunda* <sup>195. 2.</sup> floribus purpureis  
*a. nigra*. C. (1)  
*a. longica nuda*. C. (3)  
*a. clematidis recta*. C. (5)  
*a. clematidis longica*. C. (6)  
*a. pistologica dicta*. C. (7)  
*a. orientalis foliis lanceolatis*, (12)  
*Digitalis purpurea* B. (1)  
*D. flore magno candida* B. (13)  
*D. orientalis* Isacum dicta, (5)  
*D. minima quadrata dicta* M. f. or (8)  
*D. lutea magno flore*. C. (10)  
*Trochilaria nodosa boeidea*. C. (1)  
*C. aquatica major*. C. (4)  
*C. vitæ canina dicta vulgaris*. C. (10)  
*Pinguicula gemeri* B. (1)  
*anthiminum vulgare* B. (1)  
*a. aversæ major*. C. (15)  
*a. major rotundioris folio* C. 211. a  
*Livaria valentia* clus. f. 399 (4)  
*L. bellidis folio*. C. (6)

*L. Boederaea folio globoso seu cymbalaria*  
*leg. vulgaris*. (9)  
*L. cinnamulana folio villosa* J. (11)  
*L. legatum mammularia folio curvato et*  
*villosa* J. (12)  
*L. pumila vulgarior* J. (15)  
*L. vulgaris lutea fl. majore*. C. (1)  
*L. purpurea major odorata* C. (35)  
*L. corvula vepens* C. (50)  
*L. capillare folio altero*. C.  
*arvensis foliis asari* C. 192. 2.  
*a. lob.* (1)  
*Pedicularis prat. lutea vel crista galli*  
C. (1)  
*P. serotina purpurascens flore* J. (16)  
*P. serotina lutea* J. (17)  
*P. alpina lutea* C. (21)  
*P. oby. filicis folio major*. C. (22)  
*P. oby. orthoceli radice purpurasc. fl.*  
(25)  
*P. prat. purpurea* C. (27)  
*melanopyrum purpurascens comia* C.  
M. luteum latifolium C. (2)  
*Erythrasia officinarum*. C. (1)  
*an Polygala vulgaris* C. (1)  
*P. acutioribus foliis Manfeliaca* C. (9)  
*P. vepens nuda* C. 215. 2.  
*P. altera* C. 349. 2.  
*P. major mansliotheca* C. 349. 1.  
*Polygalæ affinis* C. 215. b.

*orobanche major* garrig. folium alar C. (87)

*o. radice dentata major* C. 88.1

*ageratum latatum* alyinum globum  
flore purpurascens j. (1)

*coris caerulea maritima* C. 280. b.

*aegetus sativus* vel *nellis* variegatus C.  
a. aculeatus C. (2)

IV. *Stomias fruticosa* salsia folia-  
latiore et rotundiore j. (1)

*S. fruticosa* flore purpurea folia  
rotundioribus juss. (3)

*S. verbanensis* homini folia flore  
purpurascens j. (5)

*S. hegetus* chlor. juss. (8)

*hominum* com. a. purpureo-violeae  
j. (1)

*S. folio quercus* vel *camari* (1)

*clarea* tab. j. (1)

*S. vulgaris* sanguinea angustifolia  
folia j. (2)

*S. proteum* folia salsia flore caerulea j.  
*S. folio salsia* major vel maculata  
juss. (17)

*calvia montana* maxima homini  
folia flore purpurea j. (1)

*S. major* an. *hyacethus* Theophr. C. (2)

*S. baccifera* C. (11)

*S. minor* arvensis et non arvensis C.  
(15)

*cardia zealyptus* vulgarior flore caerulea

*Brunella major* folio dicto fl. albo C.  
*B. folio laciniato* C. (12)

*Laminum purpureum* fetidum folio salsio  
linea galeopsis dicto C. (1)

*L. folio oblongo* flore rubro parte 15. (3)

*L. folio caulium* arvensis minus C. (9)

*L. folio caulium* arvensis major C. 231. 1

*Moldavica* betonica folia flore caerulea  
juss. (1)

*Galeopsis procerior* fetida picta j. (1)

*G. procerior* calyculis aculeatis flore purpurea  
*G. procerior* folia (2)

*G. procerior* folia (2)

*G. procerior* folia (2)

*G. procerior* folia (2)

*G. procerior* folia (2)

*G. procerior* folia (2)

*G. procerior* folia (2)

*G. procerior* folia (2)

*M. rotundifolia crispifolia* C. (6)  
*M. rotundifolia* *fricata* altera C. (7)  
*M. rotundifolia palustris* seu *aquatica* <sup>major</sup>  
*major* C. (5)  
*M. ovencensis* *verticillata* *fricata* B. (10)  
*M. fricata* folio *variegata* C. (12)  
*M. angustifolia* *fricata* C. (13)  
*M. sylvestris* *longioribus* *nigris* *vibus*  
et *minus* *juvencis* *foliis* C. (15)  
*M. sylv.* *longiore* *foliis* C. (17)  
*M. sylvestris* *foliis* *oblongis* C. (18)  
*M. aquatica* seu *pulegium* J. (19)  
*M. aquatica* *latiuscula* *folio* J. (23)  
*M. catana* *latifolia* C. 228. b  
*M. crispata* *verticillata* C. 227. f.  
*Lycopus* *palustris* *globosus* J. (1)  
*Sideritis* *fricata* *procumbens* C. (1)  
*S. alpina* *hyssopifolia* C. (4)  
*S. foliis* *hirsutis* *profundis* *crenatis* C.  
233. 1. e  
*S. q. Mall.* L. 118. fig. 8.  
*S. vulgaris* *fricata* *fricata* C. 233. 1.  
*Marrubium* *album* *vulgare* C. (1)  
*M. album* *angustifolium* *peregrinum*  
C. (5)  
*Melissa* *hortensis* C. (1)  
*M. humilis* *latifolia* *maxima* *flora*  
*maxima* *semita* J. (3)

*Colanthis* *vulgaris* *vel* *officinaria*  
*germanica* C. (1)  
*C. pulegi* *odore* *sive* *negata* C. (3)  
*C. magno* *flora* C. (3) *vel* *vulgaris* *vel*  
*officin.* *germanica* B. (1)  
*C. humilis* *fol.* *rotundior* *off.* (5)  
*C. juvena* *ocimi* *folio* C. (11)  
*C. frutescens* *latiuscula* *fol.* *facie* *modica*  
J. (12)  
*Clingodrum* *origano* *simile* *fl.* *albo* C.  
*C. anense* *ocimi* *facie* C. (4)  
*Rosmarinus* *hortensis* *angustifolia* *folio* C.  
*Thymus* *vulgaris* *folio* *latiore* C. (2)  
*Thymus* *arvensis* *off.* *germ.* *off.*  
*Thymum* *sal.* *fl.* *alba* *an* *fl.* *purpurea*  
*20* C. (3) *id.* *fl.* *purpurea* C. (3)  
*S. vulgare* *minus* C. (4)  
*S. folio* *thymi* C. (220)  
*Saturcia* *sal.* B. (1)  
*S. thymi* *folio* C. 219. 2.  
*S. Divia* L. 897. fig. 3.  
*Thymbra* *hyssopica* *majovanae* *folio* J.  
2. *sancti* *juliani* *fructu* *saturcia* *vera*  
Col. J. (5)  
*Thymus* *argutifolia* C. (5)  
*T. latifolia* *fl.* *albo* C. (6)  
*T. folio* *dissecto* C. (7)

*C. foliis crenatis j.* (9)  
*origanum sylv. annua cubula plinii* (1)  
*o. heracleoticum annua galinacea-*  
*plinii* (5)  
*o. ovites* (7)  
*o. creticum latif. tomentosum sine-*  
*dictamnus creticus j.* (13)  
*Thoriganum angustifolium* (223.1)  
*T. latifolium* (6)  
*T. montanum* Dal. L. 559. fig. 1.  
*T. serpyllifolium* (223.1)  
*Majorana vulgaris* (1)  
*m. sylvatica vel cretica* (224.1)  
*q. tenuifolia* (5)  
*verbena communis caerulea flore* (6)  
*v. communis floribus albidis* (2)  
*v. tenuifolia* (4)  
*v. periana que hypanica rivulis* (209.6)  
*Hyssopus offic. caerulea sene fricata* (1)  
*h. vulgaris alba* (5)  
*h. rubra flore* (9)  
*h. anglica* (218.1)  
*h. angustifolia montana aspera* (218.2)  
*h. rotundifolia fricata forte diose.*  
(218.1)  
*h. genuina graecorum pars l. ob. l.*  
*h. latifolia com. rotunda conferta* (218.2)

*Stachys purpurea* (1)  
*s. cauliculis non foliatis* (2)  
*s. viridis capitulo oblongo* (265.2)  
*Stachadi levati affinis* (210.1)  
*Catonia major vulgaris j.* (1)  
*C. angustifolia major j.* (4)  
*Betonica purpurea* (1)  
*B. arvensis annua flore albo flaves-*  
*cente j.* (7)  
*Betonica folia capitulo alopecuri* (285.2)  
*scimm caryophyllatum major* (7)  
*o. vulgatus* (11)  
*o. viciatum* (18)  
*vinum sine scimm aquaticum* (225.1)  
*vinus dal. L. quidam quid 225.6.*  
*Chamaedrys major repens* (1)  
*Taraxacum beticum abs. gyp.* (1)  
*Chamaedrys minor repens* (3)  
*c. fruticosa sylv. melissa folio j.* (5)  
*c. frutescens taraxacum vulgo* (11)  
*c. laciniatis folis l. b. j.* (18)  
*Solum lacinandula folia* (1)  
*S. montanum lutum* (3)  
*S. mont. repens* (6)  
*S. maritimum creticum nouspeliacum* (6)





*Alysson incanum* luteum *Serpilli folio majus* (2)  
*A. minus incanum* *luteo* *folio minus* (3)  
*A. maritimum* (5)  
*A. fruticosum incanum* (10)  
*A. alpinum hirsutum luteum* (11)  
*A. vulgare polygoni folio caule nudo* (13)  
*A. segetum foliis auriculatis acutis* (15)  
*Alyssoides incanum foliis sinuatis* (2)  
*Linaria major siliqua rotundioribus* (1)  
*L. lancea folio siliqua oblonga majori* (5)  
*L. lancea folio siliqua oblonga majori* (5)  
*L. alba minor caerulea* *Dal.* *L. 1314 fig. 1.*  
*Brassica capitata alba* (1)  
*B. alba vel viridis* (3)  
*B. alba crispa* (5)  
*B. exaristibus pluribus conglobata* (6)  
*B. capitata rubra* (7)  
*B. gongyloides* (8)  
*B. cauliflora* (9)  
*B. rubra* (10)  
*B. asparagodes crispa* (12)  
*B. fimbriata* (14)  
*B. lato* *apri folio* *anguste apri fol.* (19)  
*B. lato* *apri folio* (20)  
*Brassicula caerulea* (21)  
*B. caucopis perfoliata flore albo* (24)  
*B. caucopis perfoliata flore purpureo* (24)  
*B. cuius folia fimbriata* *laci-*  
*niata minus* *L. 112. b.* *L. 523. h. 43.*

*Brassica folia peregrina* *L. 111. 2*  
*B. gonus laqua oleum Naporum* *L. 523. h.*  
*B. 3 un. gonus fuchs* *L. 524 fig. 4. 525. h. 3*  
*B. sylvestris* *L. 112. L.*  
*Leucium incanum majus* (1)  
*L. purpureum vel rubrum* (3)  
*L. marit. sinuato folio* (25)  
*L. luteum vulgare* (30)  
*L. luteum colore flore majus* (31)  
*L. Martianum minus* *L. 1360. fig. 2.*  
*L. purpureum fuchs* *L. 503. fig. 2.*  
*Serpis hortensis flore purpureo* (1) *an leuco*  
*-um purpureum vel rubrum* (3)  
*S. hort. flore candido* (2)  
*S. album reddens Nov. bot. ox.* (10)  
*Trivitis vulgaris ramosa* (3)  
*1. lancea folio* (4)  
*L. foliis inferioribus eichoraceis ceteris*  
*perfoliata* (6)  
*1. annua verna flore purpurascente* (9)  
*Cardamine prot. magno flore purpureo*  
*juste* (1)  
*C. prot. parvo flore* (4)  
*C. W. dal.* (3)  
*C. alba trifolia clus. g.* (13)  
*Dentaria pentaphyllos* (1)  
*D. pentaphyllos foliis asperis* (3)  
*Dentellaria* *L. 1139. fig. 2.*

*Cimicifuga racemosa* Matth. (1)  
*S. Bonae folio* <sup>luteo</sup> <sup>caulis</sup> <sup>profundis</sup> <sup>laciniis</sup> (3)  
*C. aquat. folio* <sup>in</sup> <sup>profundis</sup> (9)  
*Dianthis* <sup>aliqua</sup> <sup>brevis</sup> (9)  
*Asclepias tuberosa* <sup>folio</sup> (10)  
*A. tuberosa* <sup>absinthii</sup> <sup>minoris</sup> <sup>fol.</sup> (13)  
*Linum catharticum* <sup>albo</sup> <sup>latifolia</sup> <sup>albo</sup> <sup>latifolia</sup> <sup>albo</sup> <sup>latifolia</sup> <sup>albo</sup> <sup>latifolia</sup> (1)  
*E. hylu. major* <sup>lutea</sup> <sup>caule</sup> <sup>aspero</sup> (6)  
*E. hylu. minor* <sup>lutea</sup> <sup>caule</sup> <sup>aspero</sup> (98)  
*E. cinerea* <sup>Dal.</sup> <sup>L. 651. fig. 1.</sup>  
*E. hylu. minor* <sup>lutea</sup> <sup>caule</sup> <sup>aspero</sup> (98. b.)  
*E. hylu. angustifolia* <sup>L. 1. 550.</sup> <sup>L. 651. fig. 3</sup>  
*Trigonotis* <sup>vagi</sup> <sup>folio</sup> (1)  
*C. album* <sup>siliqua</sup> <sup>hirsuta</sup> <sup>semine</sup> <sup>albo</sup> (2)  
*C. arvense* <sup>semine</sup> <sup>nigro</sup> <sup>Nov. G. Noe</sup> (3)  
*C. arvense* <sup>semine</sup> <sup>nigro</sup> <sup>folio</sup> <sup>gulegato</sup> (4)  
*C. hircoc* <sup>folio</sup> (5)  
*C. amaranthi* <sup>Dal.</sup> <sup>L. 677. Lin. 12.</sup>  
*E. polyceratium* <sup>vel</sup> <sup>corniculatum</sup> (3)  
*V. sat.* <sup>rotunda</sup> <sup>radice</sup> <sup>candida</sup> (1)  
*V. sat.* <sup>oblonga</sup> <sup>seu</sup> <sup>femina</sup> (6)  
*V. sylvestris* (90. b.)  
*V. purpurea* <sup>americanum</sup> <sup>folio</sup> <sup>Bryoniae</sup> (90. a.)  
*V. brasilianum* <sup>seu</sup> <sup>americanum</sup> <sup>alterum</sup> (90. a.)  
*V. sativa* <sup>radice</sup> <sup>alba</sup> (1)  
*V. sylvestris* (90. b.)  
*V. purpurea* <sup>major</sup> <sup>orbicularis</sup> <sup>vel</sup> <sup>rotundus</sup> (1)

*V. minor* <sup>oblongus</sup> (4)  
*F. pycnanthos* <sup>folio</sup> (1)  
*F. tenuis* <sup>folio</sup> (2)  
*C. hirsutum* <sup>major</sup> <sup>vulgare</sup> (1)  
*E. hircoc* <sup>D. P.</sup> (1)  
*E. hircoc* <sup>legitimum</sup> (1)  
*S. longum* <sup>rotundifolium</sup> (1)  
*S. longum* <sup>semito</sup> <sup>folio</sup> (2)  
*M. folium* <sup>aquaticum</sup> <sup>seu</sup> <sup>in</sup> <sup>isla</sup> <sup>aquat.</sup> <sup>caule</sup> <sup>undo</sup> (141. 1.)  
*M. aquat.* <sup>umbellatum</sup> <sup>capillaceo</sup> <sup>brevis</sup> <sup>folio</sup> (141. a.)  
*M. aquat.* <sup>equiseti</sup> <sup>folio</sup> <sup>caule</sup> <sup>undo</sup> (141. 1.)  
*M. umbellatum* <sup>coriandri</sup> <sup>folio</sup> (141. 1.)  
*Herba* <sup>panis</sup> <sup>D. P.</sup>

VI. *Amaranthus maximus* (1)  
*A. panicula* <sup>incurva</sup> (10)  
*A. panicula* <sup>simplex</sup> <sup>panicula</sup> (19)  
*A. panicula* <sup>conglomerata</sup> (30)  
*A. panicula* <sup>variegata</sup> <sup>colore</sup> <sup>glauco</sup> <sup>qui</sup> <sup>femina</sup> (32)  
*S. latifolia* <sup>seu</sup> <sup>latina</sup> (1)  
*S. angustifolia* <sup>seu</sup> <sup>sylvestris</sup> (2)  
*S. sativa* <sup>semine</sup> <sup>albo</sup> <sup>lat.</sup> <sup>Diosc.</sup> <sup>album</sup> <sup>plum</sup> (1)  
*S. sativa* <sup>semine</sup> <sup>nigro</sup> <sup>plum</sup> <sup>Diosc.</sup> <sup>nigrum</sup> <sup>plum</sup> (5)



similitudine 287.2.  
 Felicitum in flore albo B. (1)  
 F. foliis majoribus flore albo B. (4)  
 F. tenuifolium glabrum erectum flore luteo B. (12)  
 F. thymi folio glabro J. (16)  
 F. Galini folio latiore mucronato J. (22)  
 F. Galini folio brevioris ~~folio~~ obtuso J. (21)  
 F. ledi folio J. (23)  
 F. Sabini folio J. (24)  
 F. Leonardula folio J. (25)  
 F. flore maculoso ed. (26)  
 Heberaria minor microni L. 1099. fig. 3.  
 F. folio thymi flavo umbellatis J. (27)  
 Androsace mucronata frutescens C. (1)  
 Tribuloides vulgaris laevis mutata J. (1)  
 Snylos aspera fructu subterre C. (1)  
 Anemone unifolia Gemellina J. (1)  
 Aspera parviflora sive Alsapavilla C.  
 Alsapavilla americana L. 1599. fig. 2.  
 Tamarindus v. ~~indica~~ J. ap. (1)  
 Tamarindus v. ~~indica~~ (1)  
 Tamarindus germanica Lob. Jc. (1)  
 L. varbonensis Lob. Jc. (2)  
 Guajava chus. ~~indica~~ ap. in malis adamii C.  
 molle chus. ~~indica~~ <sup>437.2</sup> J. ap. (1)  
 Caryophyllus aromaticus fructu oblongo C. (1)  
 Contropetalon folio <sup>410.2</sup> ~~coisae~~ ramoso ~~immutato~~  
~~ibus~~ J. (1)  
 Contropetalon affinis folio quercuis C. 324/1.  
 Reliquigora maritima spissa J. (1)

gemm rotundifolium majus J. (1)  
 Baufraga vesicaria humilior J. (3)  
 Salba L. 1113.  
 Salba L. 1114.  
 Salba Matt. L. 1112. fig. 2.  
 Salba vovarovum Lob. L. 1114. fig. 2.  
 Sambellifera anglosini L. 1113. fig. 3.  
 1. Salicaria purpurea folio oblongo J. (1)  
 glaucum flore luteo J. (1)  
 2. S. bifidum flore purpureo J. (2)  
 2. flore violaceo J. (4)  
 2. hypericum vulgare C. (1)  
 F. folio brevior C. (4)  
 F. hypericum tomentosum majus vel hypericum  
 2. sp. tomentosum ~~var. minus~~ <sup>var. minus</sup> ~~var. minus~~ <sup>var. minus</sup>  
 3. villosum erectum caule rotundo J. (11)  
 3. assabile tenuissimum anglicum folio J. (16)  
 Hypericum ~~clausum~~ hypericum bifidum glabrum  
 non perforatum C. 280.2.  
 Pyrola rotundifolia major C. (1)  
 L. fol. mucronata serrata C. (3)  
 Damasonium stellatum L. (1)  
 Vitis hortensis latifolia C. (1)  
 V. silvestris major C. (4)  
 V. sylv. minor C. (5)  
 Passiflora J. P. (1)  
 nigella arvensis comuta C. (1)  
 N. angustifolia flore maj. simpliciter coru-  
 leo C. (5)  
 N. flore minore simpliciter coruleo C.  
 N. flore minore simpliciter candido C. (3)  
 N. fl. minore pleno et albo C. (9)  
~~var. <sup>437.2</sup> ~~indica~~ <sup>437.2</sup> ~~indica~~ <sup>437.2</sup> ~~indica~~~~

*Fabago belgavum* *in* *perfoliatus* *parisienfium* *Lapp*  
*careborus* *sive* *Melochia* *B* (1)

*cistius* *mas* *major* *fol. rotundioribus* *B* (1)

*C. mas* *2* *fol. longiore* *B* (2)

*C. mas* *fol. brevioribus* *C* (3)

*C. mas* *fol. oblongo juvenis* *C* (5)

*C. mas* *folis undulatis et crispis* *J* (6)

*C. femina* *folio salviae hlatior erectis usque* *C* (7)

*C. cadamifera* *Mouppelienfium* *C* *1709* *C. cadam*  
*ifera* *Gyp. abeis* *folia Rose candida* *J* (11)

*Gypso-cistis* *sub cisto* *C* 405-1

~~*C. cadamifera* *Gyp. abeis* *fol. candida* *J* (11)~~

*C. cadamifera* *Gyp. abeis* *fol. candida* *J* (11)

*C. cedon* *folis leucis* *C* (13)

*C. cedon* *folis pomoli nigrae major* *C* (14)

*C. cedon* *folis pomoli nigrae minor* *C* (15)

*C. cedon* *gusulim* *C* (17)

*C. cedon* *angustis folis* *C* (19)

*C. cedon* *folis rosifloris sed non juvenis* *C*

*C. cadamifera* *citrea* *fl. purpurea* *C* *J* (24)

*C. cedon* *folis rosismarinum splendensibus*  
*juvenis* *J* (28)

*C. folio* *lumpueli* *J* (29)

*C. femina* *fol. salviae* *C* 405-1

*C. folio* *majoranae* *C* 405-1

*C. folio* *plantaginis* *C* 405-1

*C. cedon* *folis myrti* *C* 405-1

*C. cedon* *folis rosifloris ferrugineis* *C*

*C. cedon* *folis rosifloris* *prospidis* *C* 405-2

*Cedon* *gum* *chus* *L.* 234 *lin.* 33. 235 *fig.* 1

*cista* *folio* *arbor* *rothea* *C* 405-2

*nyuzgea* *alba* *major* *C* (1)

~~Planta sponte nascentes circa  
dantifera bonifera ab olivari  
ann. 1657. ordine alphabetico.~~

~~*admiratum* *lycoctonum* *Aut.* *C* 3.~~

~~*Sebala* *D.* *P.* 47.~~

~~*Sibista* *major* *rad.* *minus* *intota* *C*.~~

~~*Bugladium* *angustif.* *major* *C*.~~

~~*S. latif.* *C*.~~

~~*Bursa* *pastoris* *minor* *loculo* *oblongo* *et* *foliis*~~

~~*integris* *C*.~~

~~*condumulus* *major* *albus* *C*.~~

~~*C. minor* *av.* *C*.~~

~~*Dens* *leonis* *latiore* *f.* *C.* 84.~~

~~*n. lutea* *major* *C* (4)~~

~~*n. alba* *minima* *C* 193-2~~

~~*n. lutea* *minor* *magna* *flore* *C* 193-2~~

~~*n. lutea* *minor* *parvo* *rose* *fl.* *n. alba*  
*minor* *C* 193-1.~~

~~*viomadex* *ex* *qua* *paratur* *tonus* *sol* *gallicum*  
*sup.* *ap.* (1)~~

~~*v. arbor* *americana* *fol.* *multifido* *J* (2)~~

~~*v. americana* *gossypii* *folio* *J* (3)~~

~~*caca* *chus* *giz* (1)~~

~~*topparis* *frutosa* *fructu* *minore* *fol.* *rotund*  
*C* (1).~~

*C. folio acuto* C. (2)  
*Cedum majus arborescens* C. (1)  
*C. majus vulgare* C. (2)  
*C. minus tomentosum album* C. (15)  
*C. minus tomentosum alterum* C. (17)  
*C. minus folio cirsicatis* C. (19)  
*C. minus hibernicum folio acuto* C. (20)  
*C. parvum aere floreluteo* B. (25)  
*Calycinum flore rubra magna plora* C.  
*C. alba saxifraga alba flore vel grandiflora* C. 2841  
*C. caerulea dictum* C. l. fol. (33)  
*C. minus fruticosum alterum* C. 2841  
*C. minus fruticosum* C. 2841  
*C. minus tomentosum album* C. (15)  
*Campanula arborescens alterum* C. 2831  
*Campanula vulgaris folio crasso* B. (1)  
*C. purpurea* B. (2)  
*C. maxima* B. (4)  
*C. minus rotundior folio semper vivens* B. (3)  
*C. radice rosam epivante major* j. (7)  
*Utricularia chrys. h. n.* (1)  
*Barbarea flavibus oblongis* C. (1)  
*Tribulus terrestris icaris folio lanuginoso integumento punctato* Moench. f. ox.  
*Juncea robusta* h. vulgaris j. (1)  
*Geranium botrychoides odoratum* C. (3)  
*G. botrych. gratia dei germanicum* C. (6)

*G. phoeniceum sine fuscum petalis reflexis* Moench.  
 h. n. ox. (13)  
*G. angustifolium maximum flore* C. (21)  
*G. tuberosum majus* C. (22)  
*G. fol. volva rotundo* C. (29)  
*G. folio althaeae* C. (42)  
*G. roborianum* h. n. rubens C. (50)  
*G. cicutae fol. moschatum* C. (54)  
*G. roborianum alterum* C. 319.2  
*G. roborianum collum griseo germanicum* C. (10)  
*Thalictrum majus filigine angulosa*  
*aut tripart. C. (1)*  
*T. minus* C. (16)  
*Butomus flore roseo* C. (1)  
*Felleborus niger fetidus* C. (1)  
*F. niger fortensis flore viridi* C. (2)  
*F. niger angustifolius* C. (5)  
*F. niger tuberosus ramicali folio flore luteo* j. (11)  
*F. niger ramicali folio flore glabro-majore* j. (12)  
*Felleboraster maximum flore h. n. luteo*  
*pregnans* L. 163. p. 2.  
*F. niger flore roseo* C. 163a  
*Utricularia flore subviridi* j. (1)  
*Populago flore majore* j. (1)  
*Leonia fol. nigricante blandido*  
*qua mes* C. (1)  
*P. communis vel femina* C. (7)  
*P. gemina altera* C. (5)  
*P. fl. plano rubro majore* C. 324.1

- cyellamius* *sa* *malva* folio  
*lutea* C. (1)  
*latifolia* *mexicana* *versicolor* C. (15)  
*geranii* *rotundo* folio *purpurascens* C. (19)  
*lyba* *alba* *majov* C. (36)  
*geranii* *vulgaris* folio *caerulea* an  
*diskoidis* C. (39)  
*oemantes* folio *flor.* *malva* *hexaphylla*  
*C.* (41)  
*ternifolia* *multiflora* *vibra* C. (127)  
*1<sup>a</sup>* *Matth.* C. 175. 2 *vannuculus* *arvensis*  
*folio* *chamaemeli* *fl.* *pallida* C. 178  
*2<sup>a</sup>* *Matth.* C. 175. 2  
*4<sup>a</sup>* *Matth.* C. 175. 2  
*5<sup>a</sup>* *Matth.* C. 175. 2  
*am* *guera* *ap.* 26. *fl.* 1  
*pubatilla* *folio* *crassig* *fl.* *maj.* *fl.* C.  
*flor.* *minore* *marginata* C. (5)  
*flor.* *vubro* *obtus* C. (10)  
*flor.* *albo* C. (11)  
*lutea* *agri* *hortensis* *folio* C. (13)  
*lutea* *pastinaca* *lybustis* *fol.* C. (14)  
*lutea* *alpina* *gripidiv.* C. (15)  
*vannuculus* *nanovosus* *luteus* C. (11)  
*pyroquites* *albus* *versans* B. (3) an *auc*  
*ulone* *nanovosa* *flor.* *major* C. 176. 2  
*nanovosus* *flor.* *majore* C. 176. 2  
*nanovosus* *trifolius* G. C. bot. (9)  
*nanovosus* *vel* *lybaticus* *folio* *rotund.*  
*do* C. (14)  
*cyellamius* *folio* *aspydoli* *radice* -  
*majov* J. (17)  
*cyellamius* *fraxinod.* *rad.* *minor* J. (18)  
*versans* *rotundifolius* *minor* J. (20)

- agratius* *laederacens* *fl.* *albo* *pavov*  
*latifolius* *bellatus* (26) *aspydoli* *radice* C.  
*tridentatus* *versans* (33) *flor.* *purpurea*  
*caerulea* J. (36)  
*tridentatus* *versans* *flor.* *pl.* *caerulea*  
*aspydoli* *radice* *flor.* *sanguinea*  
*C.* (67)  
*ceratophyllos* *lunibis* *foliatis* *in*  
*vicam* *adactis* *Mar.* *502* *ex.* (85)  
*arvensis* *refinatus* C. (86)  
~~*prat.* *radice* *reticell.* *modo* *rotunda*~~  
*pratensis* *erectus* *acris* C. (92)  
*prat.* *erectus* *dulcis* C. (96)  
*prat.* *repens* *gimtus* C. (98)  
*prat.* *radice* *reticell.* *modo* *rotunda*  
*hortensis* *erectus* *flor.* *plano* C. (104)  
*dulcis* *fl.* *plano* C. (107)  
*montanus* *gripatus* *purpurascens*  
*flor.* C. (110)  
*montanus* *acris* *folio* *albus* *flor.*  
*majore* C. (117)  
*mont.* *acris* *folio* *albo* *flor.* *minore*  
*C.* (118)  
*folio* *acris* *flor.* *albo* *multiflor.*  
*C.* (119)  
*polystis* *agri* *folio* *lanuginosus* C.  
*pol.* *agri* *folio* *luteus* C. (130)  
*agratius* *fol.* *rotundo* *trispinatus*  
*C.* (132)  
*feniculae* *folio* *hellebori* *non*  
*radice* *fr.* *Moupp* (135)  
*agratius* *albus* *flutans* *pericardii* *folio*  
*G. C. bot.* (134)  
*arvensis* *folio* *chamaemeli* *flor.* *plano*  
*icco* *matth.* (135)  
~~*polystis* *agri* *folio* *luteus* C. (134)~~

- V. montanus folio gramineo* C. (142)  
*V. montanus folio plantaginis* C. (148)  
*V. palustris plantaginis folio angustiori* j. (149)  
*V. pal. folio sagittato* j. (155)  
*V. pal. folio sagittato minori* j. (156)  
*V. pal. folio sagittato angustiori* j. (157)  
*V. longifolius palustris major* C. (158)  
*V. longifolius palustris minor* C. (160)  
*V. palustris serratus* C. (161)  
*V. graminea folio falcato Lemnoides*  
*in capitulum effratum congestis* j. (164)  
*V. lanuginosus angustifolius graminea*  
*radice minor* C. (168)  
*V. venosus Tholisti folio* C. 178.2.  
*V. purpureus* Engd. 1036. fig. 2.  
*V. 3us. Matt. L. 1028. fig. 2.*  
*Adonis flore major* C. 178.1.  
*A. fontensis* C. 178.1.

- Falysandula vulgaris an molon*  
*Blini* C. (1)  
*Elephantis sylvestris latifolia* C. (1)  
*C. pinguis folio pyri juvenis* C. (3)  
*C. sine flammula vepans* C. (4)  
*C. sine flammula horreata alba*  
*B.* C. (6)  
*C. caerulea vepans* C. (11)  
*C. purpurea vepans* C. (12)  
*C. altera minor longifolia lob.*  
*1434. fig. 2.*  
*Corymbellata vulgaris* C. (1)  
*C. agratica mutante flore* C. (5)  
*C. alvina lutea* C. (13)  
*C. alb. chamædrua folio* Mont. 662. or (18)

- C. alvina quinquefolia* C. 322.  
*Fragaria vulgaris* C. (1)  
*Quinquefolium album major*  
*altissimum* C. (3)  
*Q. vepans* C. (5)  
*Q. folio argenteo* C. (11)  
*Q. rectum luteum* f. an album  
*C.* (12)  
*Tortumella sylvestris* C. (1)  
*Pentagylloides Ligninum* B. (2)  
*P. argenteum alatum* in potanilla  
*C.* (3)  
*P. palustre rubrum* j. (5)  
*Egistrophoriana vulgaris nostras*  
*racemosa et ramosa* M. G. or.  
*Asparagus lat.* C. (11)  
*A. sylvestris ramiflorus folio* C.  
*A. folio acutis* C. (4)  
*A. aculeatus alter* 3 bus aut 4 ov.  
*Spinis ad Europam exortum* C.  
*A. aculeatus Spinis sordidus* C.  
*Communoides vulgare* j. (1)  
*Civica luteoliana lob. je.* (1)  
*Agriomonis affe.* j. (1)  
*Chamaecleon latifolium*  
*vulgare* j. (1)  
*C. angustif. dy. flore purpureo*  
*just.* (4)  
*C. villosum magno flore purp.*  
*ureo just.* (4)
- 
- VII.** *Arum majus* C. (1)  
*A. pavane* Mor. unib. (3)



agrimoniae. San. petroselinum  
mulgo C. (1)  
a. vel petroselinum Crispum C.  
a. macedonicum C. (4)  
a. anisum dicitur semine suau-  
etolente majori j. (1)  
a. anis. dicit. San. suau. olente  
minori. j. (5)  
a. polustre et agrimum spec. C. (6)  
a. mont. folio anguloso. C. 153.2.  
a. mont. folio tenuiore C. 153.2  
ciuta major C. (1)  
carni caesalpinii (1)  
C. foliis tenuissimis aphideli-  
vales jup. (2)  
Cagosalinum majus umbellata  
candida jup. (1)  
C. minus j. (4)  
Cuzlavium Frigido folio C. (1)  
C. fol. subrotundo sine mulgati-  
mum C. (2)  
C. amum minimum angustif. j. (1)  
C. porfoliatum (4) multifolium j. (5)  
C. alp. angustifolium medium j. (14)  
C. arborescens salicis folio j. (17)  
Phellandrium D. P. (1)  
Bulbo castanum majus apii-  
folio C. (11)  
Dianus lat. vad. lutea D. (1)  
D. lat. vad. atra vubenta D. (5)  
D. vulgaris chus. jup. (6)

D. congestis apii folio C. 150.2  
D. petroselinum vel coriandri folio  
C. 150.2  
D. sine apii in palustre folio  
oblongis C. (1)  
D. aromatatum non officin. j. (8)  
D. runcia folio C. 154.2  
D. sarum gar maronum C. (1)  
D. syriacum C. 155.6.  
Baniculum vulgare minus  
aerion et nigroni semine  
f. dulces majori et albo semine  
f. tortuosum j. (4)  
f. tortuosum j. (5)  
Biseli massiliense ferula fol. C.  
C. creticum in vobis C. 161.1  
f. sylvestre perenne ferula folio  
aerion j. (8)  
f. sylv. humilis folio ~~oblongo~~ j. (10)  
f. annuum umbellata contracta  
oblonga j. (12)  
f. orientale cuminum dicitur j.  
f. annuum origani odore j. (10)  
carni folia C. 158.1  
gingidinum folio ~~desofoli~~ C. 157.  
~~maum folio an. 161.1~~ C. (1)  
Bervantze apii folio C. 153.2  
o. Gargophili folio C. (4)  
o. aquatica C. (7)  
o. hedera folio C. 163.1

*o. pastinacea* folio semine atriplicis  
*C. 162. a*  
*angelica* mat. apri folio. j. (1)  
*a. mont. pervenis paludapri* folio j. (2)  
*a. agratica.* C. 156. 2.  
*a. major* corona floris purpurasc.  
 -ente j. (1)  
*chrysanthemum* St. C. (1)  
*C. sylv. pervenis* cicutae folio j (2)  
*Myrrhis* major vel cicutaria odorata  
*C. (1)*  
*M. annua* semine striato lani nov.  
*umb. (2)*  
*M. annua* semine striato villos -  
*juvencana* nov. umb. (3)  
*m. glaberrima* latifolia alba j (3)  
*m. minor.* C. 100. 1.  
*m. palustris* latifolia rubra C. 101. 2  
*Myrrinum* Mattha (1)  
*S. peregrinum* rotundo folio C. (2)  
*coriandrum* majus C. (1)  
*C. minus* testiculatum C. (2)  
*C. sylv. foetidissimum* C. 158. 2.  
*imperatoria* major C. (1)  
*J. latva* j. (3)  
*j. mat. major* j. (5)  
*Crithmum* C. hie. feniculum waid.  
*minus* C. (2)  
*anethum* botense C. (1)

*Prucedanum* majus italicum C.  
*P. germanicum* C. (2)  
*P. minus* C. 149. 2.  
*oreoselinum* agris folio majus j.  
 an b. lantus foliiculi folio sem.  
 foliaceo C. 158. 6.  
*P. agris* folio minus (3)  
~~*Thapsellinum*~~ *oleosil* fol. je. (1)  
*Pastinaca* St. latif. C. (1)  
*P. sylvestris* latif. C. (2)  
*P. sylv. altissima* j. (3)  
*Elaphoglossum* Dod. in bancia L. 726.  
*Opodyllum* umb. *Gara* *Gisputum* C.  
*C. majus* sine *Panas* *geracelum*  
*quibusdam* St. (3)  
*Panas* *asclepinum* umb. *bellu* *lutea*  
*C. 158. 2*  
*Libanotidi* 2 & *similis* *serpax*  
*asclepinum* 1 *umb.* C. 158. 2.  
*Panas* *pastinacea* folio an *syniacu*  
*theogr.* C. 156. 1.  
*opopanax.* C. 494. 2.  
~~*Thapsellinum*~~ *plurii* *lob. je*  
*Tordylium* *limbo* *granulato* *Syriacum*  
*nov. umb.* C. (4)  
~~*Thapsia*~~ *latifolia* *villosa* C.  
~~*Tordyl*~~ *varbonense* *minus* j. (2)  
*ferula* *galbanifera* *lob. je.* (2)  
*f. tenuiore* folio j. (3)  
*f. foemina* *ghani* C. 115. 1  
*Thapsia* *latifolia* *villosa* C. (2)

*Z. ov. anethi folio semine elegan*  
*ter creata. C. J. (9)*  
*Z. feminali folio. C. 148. 2.*  
*Z. carota folio. C. 149. 1.*  
*cicutaria latifolia fetida. C. (1)*  
*C. alia fetidissima sine flore. C. (1)*  
*C. maxima fetida lob. L. 190. 1.*  
*canealis amaris equinata magno*  
*flore. C. (3)*  
*C. nonpeltata equinata magno*  
*fructu. C. (5)*  
*C. lata Cyri folio. C. 152. 1.*  
*Ligusticum quod israeli offic. C. (1)*  
*L. cicutaria folio globum. C. (1)*  
*L. bantus latifolia major. C. 152. 1.*  
*L. minor umbella candida. C. 158. 2.*  
*L. ascyritum gallicum. C. (1)*  
*L. folio latioribus lobatis M. umb*  
*asa fetida. C. 499. 2.*  
*caelis semine fungoso sulcata*  
*plano majori folio percedam*  
*angustus Nov. umb. C. (3)*  
*Pandix sinensis rotata vulgaris. C.*  
*Aretica minor. C. (3)*  
*C. umbella trapiibus coagmentata*  
*C. 152. 1.*  
*Tarienta officinorum. C. (1)*  
*Eryngium maritimum. C. (1)*

*E. vulgare. C. (3)*  
*E. alpinum convallium capitulis dupaci. C.*  
*L. latifolium planum. C. (5)*  
*E. montanum pumilum. C. (14)*  
*E. planum minus. C. 386. 2*  
*Hydrocotyle palustris & vulgaris. C. (1)*

---

VIII. *Caryophyllus altissimus*  
*C. flore tenuissime dissecto. C. (11)*  
*C. barbatus hortensis latifolius ruber. C. (63)*  
*C. barbatus sylvestris. C. (75)*  
*C. Nyl. vulgaris latif. C. (79)*  
*C. minimus muralis. C. (88)*  
*C. agniflorus flore coccineis major. C.*  
*C. frutosa flore coccineis minor. C. (8)*  
*C. coronaria diosa. s. l. alba. C. (12)*  
*C. Nyl. alba simplex. C. (19)*  
*C. Nyl. alba multigles. C. (19)*  
*C. Nyl. sine aquatica purpurea simplex*  
*C. legatum major. C. (24)*  
*C. legatum infra folio perfoliato. C.*  
*C. Nyl. quae beben alba. C. (36)*  
*C. wartuna repens. C. (39)*  
*C. viscosa purpurea latifolia Lewis. C.*  
*C. viscosa flore viscosa majusculo*  
*quae sterilis. C. (49) an lachryis*  
*viscosa fl. viscosa minor. C. (55)*  
*C. sylvestris densum fero. C. (55)*  
*C. Nyl. quae saporaria vulgo. C. (59)*  
*C. Nyl. quae saporaria vulgo. C. (60)*

*L. prostrata* flore laciniato *Sunglicii* M. G. Ox. (62)  
*L. fylva latifolia* calyculis turpidis striatis C. (68)  
*L. fylva angustif. calyculis turpidis striatis* C. (69)  
*L. fylva glauca* foliis simul junctis C. (71)  
*L. fylva viscosa rubra altera* C. (74) *an L. fylva*  
*laevigata* major C. (38)  
*L. velocina* oides *separis montanum* C. (76)  
*L. minor saxifraga* *pluku. alu. bot.* (95)  
*L. montana viscosa alba latifolia* ~~C.~~ C.  
205.1.  
*Cucubalus plinii* L. (1)  
*Linum sat.* C. (1)  
*L. fylva latifolium* *griseum candidum* C.  
*L. frutescens* *Naveum* C. (3)  
*L. fylva luteum* foliis subrotundis C. (10)  
*L. montanum luteum* C. (16)  
*L. fylva angustif. flore magno intense*  
*caeruleo* C. (19)  
*L. fylva angustif. densioribus foliis florum*  
*minore* C. (25)  
*L. foliis asperis umbellatum luteum* Bot. Montp.  
*L. fylva minus* C. 244.2 (29)  
*Statice* L. G. (1)  
*L. montana minus* J. (2)  
*Linum minus* *waitanum* *major* C. (1)  
*L. maritimum minus olea folio* C. (3)  
*L. peregrinum foliis asperis* C. (9)  
*L. alterum* *Matth.* L. 1024. fig. 2

IX. *Asphodelus albus* non *ramosus* C. (3)  
a. *luteus* *in flore et radice* C. (6)  
a. *foliis fistularis* C. (10)  
*Alia - asphodelus luteus* *park. th.* (1)  
*L. a. pyramicus pyramicus* *park. par.* (3)  
*Giacintus oblonga* *flore caerulea* *major* C.  
*G. ov. caule* *undulato* C. (20)  
*G. ov. albus alter* C. (29)  
*G. ov. maximus* C. (30)  
*G. comosus albus* *belgicus* C. 42. a  
*G. liliaceus* *lob.* L. 1515. fig. 1.  
*G. major* *bulbus lychnis* L. 1512. fig. 1.  
*G. stellaris trifolius* C. 45. 1.  
*Muscari arvensis latifolium* *flore albo* J.  
*M. flore albo* J. (2)  
*M. caeruleum minus latifolium* J. (10)  
*M. am. junceifolium caeruleum minus* J.  
*M. obdetrise flore* *albo* *fr.* (15)  
*Colegium commune* C. (1)  
*C. anglicum candidum angustif. fol.* C.  
*C. montanum angustifolium* C. (29)  
*C. alexandrinum* C. 69. 1.  
*C. glycyrricum* C. 68. 1.  
*C. montanum minus* *chris.* *Lugd.* 1572  
fig. 2.  
*Asphyllantes* 2. *Lugd.* 804. fig. 2.  
*Chamaelea triceps* C. (1)  
*Crocus sat.* C. (1)  
*C. alpinus autumnalis* C. (3)  
*C. vernus minus purpurascens* C. (29)

*Crocus verni minoris* 3 var. genus L. 1534. lin. 3  
*C. vernus angustifolius* magno flore (46)  
*C. vernus angustifolius* gemino bulbo C. (42)  
*C. vernus major* Lus. L. 1534. fig. 3. 1535. lin. 8.  
*C. vernus latifolius* purpureo-violaceus. C. 661.  
*C. non florens* Matty. L. 1532. fig. 2.  
*C. sylv. 2. dol.* L. 1533. fig. 2  
*C. sylv. 3. dol.* L. 1534. fig. 1.  
*Narcissus albus* circulo purpureo. C. (8)  
*N. albus* circulo croceo vel luteo. C. Pan  
*N. pallidus* circulo luteo. C. 50. 2.  
*N. totus albus* major. C. (12)  
*N. medio-luteus* copioso flore odore grani  
 C. (29)  
*N. juncifolius* oblongo calyce luteo major. C. (43)  
*N. juncifolius* luteus minor. C. (44)  
*N. juncifolius* flore rotundo roseo. C. (47)  
*N. albus* autumnalis minimus. C. (51)  
*N. sylvestris* pallidus calyce luteo. C. (63)  
*N. montanus* juncifolius calyce flavo. C.  
*N. montanus* alter flore fimbriato. C. (72)  
*N. montanus* minimus. C. (73)  
*N. sylv. multicaulis* calyce croceo. C. (74)  
*Juncus vulgaris* germanica sine sty. C. (1)  
*J. hortensis* latifolia. C. (2)  
*J. hort.* albo-germanica. C. (5)  
*J. usiana* flore variosa albo nigro  
 -cente. C. (8)  
*J. asiatica* caerulea polyanthos. C. Pan  
*J. dolmatice* major. C. (16)  
*J. alba* odore lilii convallium. C. (30)

*J. dolmatice* minoribus. C. Gyp. (38)  
*J. palustris* lutea tab. je. (42)  
*J. fetidissima* sine sty. J. (45)  
*J. prat.* angustifolia humilior. C. (48)  
*J. angustifolia* bicolor. C. (53)  
*J. angustifolia* primum sedolens minor. C.  
*J. angustif.* primum <sup>(34)</sup> sedolens major. C. (52)  
 or *J. angustif.* maxima major. C. (49)  
*J. humilis* variegata. J. (58)  
*J. humilis* saxatilis gallica. J. (75)  
*J. lutea* variegata. Lob. C. 32. 2.  
*Pyrgium latifolium* acaule odoratum fl.  
 purpureo. J. (2)  
*P. phis* angustioribus maculatis flore  
 purpureo. J. (15)  
*P. angustifolium* flore flavo. J. (19)  
*P. majus* flore luteo quodam J. (21)  
*Pyrgium* majus flore luteo var  
 -ula notata. C. (1)  
*C. medium*. C. (3)  
*gladiolus* utriusq. <sup>(16)</sup> floribus flore rubro C.  
*G. fetidus* variegatus. C. 30. 1.  
*aloe* vulgaris. C. (1)  
*a. folio* pro oblongum caulium abante C.  
*a. palustris*. C. 286. 2.  
*camacorus* latifolius vulgaris J. (1)  
 & radice crocea sine curvatura offic. J. (6)  
*Zomodactylus* folio quadrangulo. C. J.  
 acorus uerus sine <sup>(1)</sup> caulibus aromaticis offic.

1532. C. 53. 2.  
 1533. C. 53. 2.  
 1534. C. 53. 2.  
 1535. C. 53. 2.  
 1536. C. 53. 2.  
 1537. C. 53. 2.  
 1538. C. 53. 2.  
 1539. C. 53. 2.  
 1540. C. 53. 2.  
 1541. C. 53. 2.  
 1542. C. 53. 2.  
 1543. C. 53. 2.  
 1544. C. 53. 2.  
 1545. C. 53. 2.  
 1546. C. 53. 2.  
 1547. C. 53. 2.  
 1548. C. 53. 2.  
 1549. C. 53. 2.  
 1550. C. 53. 2.

*Narcissus varietarius* C. (92)  
*N. sylv. multiflex calyce carus* C. (84)  
*N. jilignicus liliaceus* C. (97)  
*N. latifolius albus medio luteus* C. 53.2  
*Hyacinthus* quod aliqui *Sylvestrum* junia  
appellatur C. 2441.

*Muscus affinis in regno ceteris* C. 5081.  
*Phalangium parvum Rose ramosum* C. (3)  
*P. anglicum robusto griseo folio j.* (5)  
*Lilium album minus j.* (2)  
*L. album fl. descendente sine paucis*  
*L. purpureo croceum majus* C. (4)  
*L. candido flore majus* C. (9)  
*L. purpureo croceum minus* C. (11)  
*L. fl. rubris reflexis montanum flore albi-*  
*cante* C. (21) an je. longiore pila  
*L. bulbiferum minus* C. (24)  
*L. bysantinum minutum* C. (33)  
*L. purpureo sanguineum flore reflexo* C.  
*L. canentium bulbiferum latifolium majus* C.  
*L. persicum* C. 79.6.  
*Lilium hyacinthus vulgaris flore caeruleo j.* (1)  
*corona imperialij D. P.* (1)  
*Tulipa graeca lutea* C. (1)  
*T. procoze rubra* C. (2)  
*T. serotina lutea* C. (3) *var. dubia major*  
*T. minor lutea altera* C. (31)  
*T. minor lutea italica* C. (33)  
*T. minor lutea gallica* C. (37)

Dalechampia

Digitized by Hunt Institute for Botanical Documentation

Digitized by Hunt Institute for Botanical Documentation



Digitized by Hunt Institute for Botanical Documentation

*Salechamps L. Meris*

*Quercus latif. mas quæ brevi pedic-  
ulo sit. c. (1) - - - - - 2*

*Q. latif. femina c. (2) - - - - - 2*

*Q. latif. perpetua vivens c. (3) - - - - - 4*

*Q. parva sive phagus grecorum et alia  
- lus plani c. (5) - - - - - 5*

*Q. burgundica calyce impido  
c. (8) - - - - - 8*

*Larvavindus vari sive - - - - - 10*

*Suber angustif. non serratum c. - - - - - 10*

*Alca fol. angusto non serrato c. (2) - - - - - 22*

*castanea fol. c. (1) - - - - - 25*

*2. c. humilis, taesuro c. (3) - - - - - 31*

*Uho femina fol. majori c. (1) - - - - - 33*

*Fraxinus humilis sive alba c. (2) - - - - - 35*

*tinus 3 us. clas. s. (3) - - - - - 204*  
*tinus alter cl. sive (2) - - - - - 204*  
*tinus cesalpini (1) - - - - - 217*  
*Salix ulg. pubens c. (3) - - - - - 274*  
*S. ulg. nigricans fol. non serrato c. (2) - - - - - 277*  
*S. humilis capitulo squamoso c. (11) - - - - - 277*  
*S. fol. longissimo angustissimo utrinque - - - - - 277*  
*c. (6) - - - - - 278*  
*Corylus lat. fol. oblonga pubente c. (3) - - - - - 319*  
*Nux juglans fol. max. c. (2) - - - - - 320*  
*gramen lobocerni var. repente sine gramen  
offic. (1) - - - - - 421*  
*fabage belgerum sine populus parisiensis  
(1) - - - - - 450*  
*Salicaria fl. jungeri aff. j. (3) 509*  
*Jacobaea gyps. minus laciniata petalis  
breuissimis j. (22) - - - - - 577*  
*Lapathum aquat. fol. cubitali c. (12) - - - - - 664*  
*Psneogo legitimum j. (1) - - - - - 677*  
*femulium sylu. perenne ferulæ fol.  
breuiori j. (8) - - - - - 759*  
*Myrica palustris latif. ovata (12) 789*

Digitized by [Hortus Botanicus](http://www.hortusbotanicus.com) Institute for Botanical Documentation

*Valeriana maxima pyrenaica*  
caerulea fol. D. fagoy j. (1) 805.  
*Comolubus argenteus umbellatus lupinus*  
j. (39) - - - - - 817.  
*Chamaenerion latif. mly. j. (1) - 865.*  
*abundans arboreum Col. j. (1) - 945.*  
*ramunculus prat. erectus acis. C. (92) 1032.*  
*S. longif. palustris major C. (158) - 1037.*  
*Linaria chus. s. (1) - - - - - 1081*  
*trivitis fl. inferior. aethoraceis caetens*  
*perfoliata j. (6) - - - - - 1108.*  
*Statice L. 504 (1) - - - - - 1190.*  
*Campanula fol. aeneis fl. oblongis*  
C. (40) - - - - - 1202  
*Levinthe alp. perennis fl. striato. j.*  
(7) - - - - - 1204  
*Sis-ohis fol. oblongo C. (2) - 1212*  
*Frigo aurea latif. serrata C. (1)*  
1273.  
*Scrophularia oquat. major C.*  
(4) - - - - - 1356.  
*Comolubus Linaria fol. asurgens*  
j. (35) - - - - - 1425.  
*Anticla herbasalvis fol. L. (1) - 1542.*

*Dryophylon latif. acanloy odoratum*  
flore caerulea j. (1) - - - - - 1613.  
*Melancholicon fr. piensu j. (7) L. ap.*  
*fabago belgarum sine pappus paissiens.*  
(1) ap: - - - - - 450.  
*Nidus avis L. 511. (1)*  
*Gier acinum lanatum Dalech. L. 511*  
*Catanan ~~ca~~ quovindam L. (1)*  
*gramey juncum Dalech. L. 5*  
*g. mirum Dalech. L. 511*  
*g. murale Dalech. L. 5.*  
*Frangula Matth. J. L.*

Digitized by Hunt Institute for Botanical Documentation

7  
2

From ... (2)

92

Digitized by Hunt Institute for Botanical Documentation

Digitized by Hunt Institute for Botanical Documentation

Digitized by Hunt Institute for Botanical Documentation

Digitized by Hunt Institute for Botanical Documentation

*Gymnocarpus* m?

(1)  
(2)  
(3)  
(4)



Digitized by Hunt Institute for Botanical Documentation