

Hunt Institute for Botanical Documentation 5th Floor, Hunt Library Carnegie Mellon University 4909 Frew Street Pittsburgh, PA 15213-3890 Telephone: 412-268-2434 Email: huntinst@andrew.cmu.edu Web site: www.huntbotanical.org

The Hunt Institute is committed to making its collections accessible for research. We are pleased to offer this digitized item.


Usage guidelines

We have provided this low-resolution, digitized version for research purposes. To inquire about publishing any images from this item, please contact the Institute.

About the Institute

The Hunt Institute for Botanical Documentation, a research division of Carnegie Mellon University, specializes in the history of botany and all aspects of plant science and serves the international scientific community through research and documentation. To this end, the Institute acquires and maintains authoritative collections of books, plant images, manuscripts, portraits and data files, and provides publications and other modes of information service. The Institute meets the reference needs of botanists, biologists, historians, conservationists, librarians, bibliographers and the public at large, especially those concerned with any aspect of the North American flora.

Hunt Institute was dedicated in 1961 as the Rachel McMasters Miller Hunt Botanical Library, an international center for bibliographical research and service in the interests of botany and horticulture, as well as a center for the study of all aspects of the history of the plant sciences. By 1971 the Library's activities had so diversified that the name was changed to Hunt Institute for Botanical Documentation. Growth in collections and research projects led to the establishment of four programmatic departments: Archives, Art, Bibliography and the Library.



Digitized by Hunt Institute


Justema Gleditschianum. Omnin Alorerisatia Plantarum perfecta, Dermaphraditira, Monoica, Divicalhe est. Patona occutta. 71 classe Patena est: 1º Thalamo stamonin, - in qua Mamina Receptuculo inhacout Corollar vel fatter open Redoris inharrest. Exponentia Calyci inhacrent. 3. Calquestemenia, Pistillo inhacront. 4º. Atylo stemonia, 2) 20 Occulta yel 1: Penitin latet. Efflorementin. val 2° Proplar tenuitatem eximinan fourn offugit acamala geneer imbustithin delle ocumentation 1ª Sectio Maquía Alorer apetale 1º Epicarpii ... Pistaria alexia murica charmo podium morus abrigitar Spisacia Beta. Ulle cebrum Cliffortia Ponthoruse . . Pharmacount Calligonum authorment Popula. herniaria Blitum asayun Tetragonia amoranthan . Dodonma (2) chays osplenium Conocarpus Trippleria achyranther Rivinia (4) Juglana -Corntania Tragia. Phyllasthur Im baro dendion 2: Bypocarpii Chaligonum Corylun . acalypha hippophas Rajania . Rhouse (5) /mt. naturaly Jagua Dalechampia Lapathum Carpinur Imilax Arricaria Anorina Diercorea holaine Ulmur Eupalur Polygon um Borea Cannabia mollugo. Coltia . .

2 Sectio. In qua Alour Corollatt. Merionhallum 2 Ceratephyllum Palicornia. 1: Epicarpii. aralia. Сунотогит Ruppia. Ludwigia Duviena Eryngium . arum (6 Juint . ReuzaDa Lagoria . . Caryophyllon hydrangea hydracharin Ry Discotyle astrantia () . acorna Sanicula Sparganian Lypha. Antista Panax. . . Eniglachin Schouchgoria Jumena. Brametia Sugarium Pattinara . Chapria. адана. Джіа Leucoium anathum Iniopherum amazyllia Cyperne Pringues Carnin apium . Schoenur aminim Carra . Simpinella . Cornucopian Ethura anthe xoathum . Ciruta Contan Denne Contan Denne Program the Brighterreren Darati Rating Print Hunt Institute for Botanic alopucaren Paricuna Charrankyllum Scatter Imperatoria Beckas meres Sychandylina . malica . holen Tordylium Milium artedia Lekinophora aira Lon Cymoserry ameni agrostin Lolium Dagilogun Laurpition angelica Cachzya Brown Liquitium avena Sium. Briga Uniola Zea Bubon crithemuson Coix hordenen Triticum Bunines Secale athamantha . Serve Danum .

	A DESCRIPTION OF	and the second second	1		
2º Bypocnipii			1.	aind to	Aconition
2. Jupocnipu		- alyoum	Star	Takophium.	Delphiniam
	allinga ormithe galum	Linaria Lypeda. Dograin Thlaspi.	Dellenia.	anaramp/aroa	Bictammun
	Squilla	Begria		анаготрагой. Сетроничнит Villana	Sophora (19) hit mate
		Theappi.	Calephyllum. Mammen	Tillma	Contract.
	Lilium () Fritillania Tulipa.	Cochleania Lepidium	Intammen -	Rhodisla.	Baukinio
	Aritillaria	anastalica.	kasmatoxylon.	Chelling	Parkintonia.
	compa.	Myagener.	adenanthera	Dianthur (6)	Catia
	Esythzonice me (10)	Subularia	avershoan	Samonasia.	20 Poinciana .
	glorian		Pagania	Cucabalar	
	umularia	hypecoon	Rygo phyllum.	agrostemma.	
	alor	Lyrimedium	1 21	Coronaria	2° 0120.
	Macon	Lassyonia.	Blaisia	Lychnin.	
	ayria	account .	Totralize.	Drypin 1	In gua Stamiaa aliqua parte inter fo connera and coalita.
	Commelina (1)	Cornena .	Leduser.		1ª Section main More apitali 1º hupacarrii.
	Tra Descantin	Manedionia.	Tamario malia	Frankenia Brosera	Jaqua Storen constali
		Colastran	aralia	Linum	1º Sypocazpii.
1.0	Linisdendran (12)	Castine	Syrala	alsine	1 abien (20)
	Magnolia. azona.	Rhua. Colfan			Piana
	anona.	Everyman	Contron	Garastinm (17)	Cupretur
	Phonenie (1-3)		Trinmphatta clusia	"prezoula	Chuya-
	Corypha	Ruta	Reliscorpar	animaria.	Juniperun.
	anticoma.	Monstaga.	Bina	holosteum. Sagina	Cartan.
	Chamanapa	hamametin	Kiggebrin.	mochingia	lphedra
	Caryota.	Bycain 4	grassia. 0		Riding D
10111700	atraphopin I	Paris DT	Tilling CT1	Etite C's) I	or Botanical Documentation
DISILLU	atraphopin	Fill	eter SU	climate 1	Diffament Documentation
0	Polycommune 1	actasa. (14)	Tatropha (15)	Palsatilla.	2. Section Jugua Aloren Corollati.
	Polamegaton .	Bocionia	Taliopha (15) Crotox	amemone .	
	Elatim.	Sanguinacia	CHAMINA	Reputies.	1. ђурослари.
1		Portoge hylland .	Euphorbia.	Ranumenter	1º asqualer
	Burna Corigiorumume	Chellionium.	-		1. Cytima addaynomena.
	Allaria	glancium.	Sapindar	Suriana	hyperican (3) anyrin Riparaphin Deeynan Boblain Dogman
		argemene.	Cardieronnum.		
	Water	Papaver.	Staphylaca.	Paronia	· Solichaa Commente
				holleborn	2. Innovale graning Satis Dalea.
	Chama. 4	Mena.	gleditria	Caltha.	Perata Pina
	Signatium	marinna_		Diama	Polygala Vicin artigalar (22)
	Crambe .	Crateva	Ozolia	ganidella.	2 Duraganta geranium
	Twritten.	Braynia	Coriaria	"Rigella.	Building Daryenium, 22 glucine.
	chainauther	Cappanin	Jan Vagaa	aquilegia_	1. , Trefolium
and the second	Ruperin Dentaria.	granadilla	Vatoria,	Parmania	trumaria anthellin also
	Destruin,	nymphasa	madgetia helictoren		1 hor mencioner
	Carhamine J	Запанена.	helictoren	Pavia_ Gentus	amazaha (ma lavam laytkian Cian
	arabin		Peganam	Troposolum	genita Phaca
	Raphenen	michelia	Conigida Banesia	/	Operation gradinger Uler Printen
	Bravica.	Berberie. hedena	Baneria	malpighia Bannisteria	Ulex Portalean Crotalexia Colutia
		Ville	0:1	Bannisteria	Insiden arachia
	Bunian "	Cinampeloa. Meniperatum Medeola	Portulara	acas	Oxonin Giarnella
42	Draba	Me Deala	Jazifraga Crapula	Rheinda.	Borbonia Medicago
	22- 54	Empetrica. 5%	/*	·	
	239.9-4	and the second se	339	588	454
				and the second se	

Diorpyron Alyina. Royana arbutur 1º Ordo Toldanella -. 2ª Classia Many anther Rydraphyllum Patagonula. Diagrenia. Petalo Stamonia An que Maminen à fe invicem Distincta Yaccinium 1 Section que More Maplican Vantalom 1º aigualan [1º Corollin Junipin Theophrasta andromeda gatium (23) - - Kemezocallin ale Phlox Myrsine. ayohodelar Crinum. Inigelia Catyledon Mitsiala 2 marine Cyclamen hyacinthur Theras dia . Polyanthen . Lournefortia Plumbago Polamonium . Polygonatum. Myasath (33) Symphytum, Cariatha Sour mariou Matthida Ramialmia (27) Eillandria Cinchona Cynaglassum Mirabilia Jamoly Putmonazia Datura auchusa Riccliana a Doza. Litherpermum. Majar atropa Poterium Mandrayora Lycopsia Borrago. Physalin houstonia (23) Roella - (24) Campanula Solanum Plantage Capricum Phyleuma. . . . Trackelium 612 Rauvalfia (20) Corbera Morinda chamelia 3100 Statice **Digitized** by Hunt Road ofstick Theystia Plumenia Werena ette otanical melothia Mimora Vinia . Tabaznagmontan Merembry anthem Camerazia Patrina Sambucur (23) Caropegia. apocynum Brunsfelsia Bellonia Phyllina Pariplaca 2 anonia chionarthu. stapelia genigen Syringa Ligustrum Tarminum . Lorasther (36) chironia Richardia Caffra. haimauthur Castrum Anychaus . chaysophyllum. gethyllin Tria Siphan author Rhammur Randia Lycium Pancratium There (31) Remitter Lysi machia anagallin hottonia Painois agents . 2. Constin Bygaraspin Colchicum. 104 Bulborodium andresau (20) hura arolla . Budlaca Primula Trora. 494. gong avicemnia Penara - 591

2? Section Ja quin Moungling time - - - Plan On Constin Marina - -9 Craniolaria Screphularia. Salamum Brunella Digitalie Photoia Biguania Dierwilla. Sentellazia acanthur . . Columnaa Diodia frainm Auellia garmeria Bellezia . martynia Obularia Collinsonia ovieda ahmelina. Crescantia Linnava monarda Petran . Talvia Buchmera Musa Rormariau Lippia Ziziphora Jelaga L. Browalia alpinia (34) Dianthera Canna. Lycopen .. Erinur amanum Zozzia Lantana Maray W . gratista . . asgination PacDerota (35) gladiolu Lorgalia Varanica anonia antholyza habenstratin Justicia Limasella atricularia Pinquinta Weliauthur Digitized by Hunt tite Echium. for Botanical anto The love and 145 Boerhaavia Fricho Humana. . hyoseyamu (35) Thymur. Pateria Colsia 3 Sectio cline podium yez harcum In qua Aloren aggregati Origonum Lavoudula l'Corollin Epicarpia. antbachimum Knautia horminum Scabiosa Compalanthur Mulissa glachoma Farthenium Rhinanthen Jederitin Bartsia nuebronia. Magrata xanthium Bolonica Eughasia mentha . molittin Inclaimporpresson 2º Corollin Bypocarpia probanche globularia 37 Drace cophalon Lathraca. Protec Cumita Squamazia 14 & Brunia. Lamium . galeopin chelove Dodastin Nachyn Ballote quadia marrubiuse Molaccella Bontin Schwalbara orvala.



12. S' Corollin Labolasia 13 2" Ordo. Potasila. Boukaria Mominibur alique porte coalitie and commin gnophalium Biden 1 Sectio Superior fou anthoris micropus 1º Corollin Exicorgian Scivillan (43) Jukaszanthen . Trickotauther 183 artemisia Mamordila * 87- gu Curumin Sicyoa Bryonia 5 Classia 1. Ordo. Calgentlemania Maminibur a fa invition. Distinction 1- Sectio Nor apitali " Egienopi Minus 1º Ordo. 4º Classin Rosa (10) Rubar Potentilla Maminibur a fe invien Distinction Stylostemania rizoon Jaltola Thenium For sectio Alow apitali Sycamore Reporter Comazum Vibaldia goum Dryan 2. Sectio How Constanti. 1. Epicorpi - Orchin (30) 2°Brownin Schernorthun alchemilla Aphanen Spiraa (2) Filipondula anuman Lythrum Ammannia Macrilia Lizapia-Consinedius herminister 1° Evingpil agrimonia Peplia . neotia Limodorum heichera gronevia Goidendaron metella spilobium Canothera azistolockia muntingia Birimonnia . Tamazinder (42) 2" Bypercarpie melastom Pitta quitandina Tisyrinchium andrachme (45) clutia Philadelphur Pridium Provinse Ingenia Myrtun Provinse Provinse Merpilan Cratarga Eriocaulon. Sortin 5° Classia 1ª Ordo. Storescentia 2. Bygorazin - Jusicanne Jarcinia amygdala Prinar 170 Sieur 910. gun

15. 14 s" Ordo 6. Classin Lithophyta Lithorytum 1.º Ordo. Stourentin . Silicea, millenora Ophinglowum madromora Spongia 204 Sertularia Steria (4D) had not 162. guns Theliptoria Volypodium Shyttitin Genera anomala el vaga praviora que in ouni Metholo à Fructificatione Dosumpta homiomitin Trichommer ob partium quarumdan Moralium inconstantion quade, Homorum, Liqurum, a Vanthum 2 crastima Situm el Proportionem &, caceptioner indicant, el quarum precier diversar fragion simul classer, ordiner, Sectioner vel genera ingredinatur. 2ºm Ordo. Musci- Polytrichum (47)? Brycon Rypram Sumaria Caprazia -Polygonatum hygaciathur Lupinon Vifolium Colutea hypericence hypenphasea Suphorbia hoursecallin Ormithomer Sitter manipermun Sphagnum (44) Corentilla Clegene Dista unt Institute for B arater Campanyla minuto Rherena Maleine Bruge Lycop Rhammen chiconia Raphann Thalictries 5. Ordo Continua Draba Rannacular Preumonauthor alyseela helleboren hormaloun alga. jasthoward (3) Myrine Enyngium Scandine Landium Spiraza agrimonia Myagnum mirabilin . Ramaria Jungermannia Portinia. Marchautia Blasia malva Lichan ammanna Tamerina Lygophyllum Pyreta Lemna-marilea Amicio Thymur. Scabiora Origanum Petaviter Traco appar. Indrome Da Tremella Japonaria Yaleriana Stachyn Conforma Cucubalur Plataceur Sommelina manubium aline Contronum montin Prasinen Coly le Done 4. Ordo. Lobelia autimbinum Lychmin Sungi Rhinauthur Lamp/ana Clathour Bystur -Clavaria Impationer Jalia Pedinelaria Pagina acas Homoriter Ruta Ozobaneke Elvela myrica Erica Bignonia marchantia Buxbaumia 205. Mucor .. agaricus 200 1066 goong. ----- 954 gm

Digitized by Hunt Institute for Botanical Documentation

