



Hunt Institute for Botanical Documentation  
5th Floor, Hunt Library  
Carnegie Mellon University  
4909 Frew Street  
Pittsburgh, PA 15213-3890  
Telephone: 412-268-2434  
Email: [huntinst@andrew.cmu.edu](mailto:huntinst@andrew.cmu.edu)  
Web site: [www.huntbotanical.org](http://www.huntbotanical.org)

The Hunt Institute is committed to making its collections accessible for research. We are pleased to offer this digitized item.

*Usage guidelines*

We have provided this low-resolution, digitized version for research purposes. To inquire about publishing any images from this item, please contact the Institute.

*About the Institute*

The Hunt Institute for Botanical Documentation, a research division of Carnegie Mellon University, specializes in the history of botany and all aspects of plant science and serves the international scientific community through research and documentation. To this end, the Institute acquires and maintains authoritative collections of books, plant images, manuscripts, portraits and data files, and provides publications and other modes of information service. The Institute meets the reference needs of botanists, biologists, historians, conservationists, librarians, bibliographers and the public at large, especially those concerned with any aspect of the North American flora.

Hunt Institute was dedicated in 1961 as the Rachel McMasters Miller Hunt Botanical Library, an international center for bibliographical research and service in the interests of botany and horticulture, as well as a center for the study of all aspects of the history of the plant sciences. By 1971 the Library's activities had so diversified that the name was changed to Hunt Institute for Botanical Documentation. Growth in collections and research projects led to the establishment of four programmatic departments: Archives, Art, Bibliography and the Library.

garcias ab horto

Digitized by Hunt Institute for Botanical Documentation

no. 110

2047

Garcias ab horto. LIB. I.

cap.

1. Del Lambra 1.

2. aloë vulgaris. c. Valoë 6. 149. 150. 151.  
c. clausi magis. 9. 10. 11. 12. 13. 14.

3. althibi. 14.

4. opium 21.

5. Del Benjuno 23. Balsivum offe.  
c. 303. b. n. gar. 21. 22. 23. 24. 25. 26. 27. 28.  
c. 304. b. n. Benjuno fera arbor

vasta folis citri aliquantuna  
minoribus, parte averis candidanti  
bus ex eius ramis vulnerebus gummis  
effluit. gar. 3. unguoq. nigrum  
novellis arboribus profuens quod  
puro odoratum et ab odore grato

Benjuno de bonis quasi de floribus  
vocant gar. 3. 21. 22. 23. 24. 25. 26. 27. 28.  
vocant gar. 3. Benjuno quod neq.  
gravis neq. aralibus cognitum est  
hujus gar. 26. Benjuno id  
est filium de joo ubi plurimas  
nasitur, nominare debuit gar. 21.

6. Dell'incenso 28.

7. Della Myrra 30. Bola judis gar.  
30. Myrra. c. 501. b. gar.

8. Della lacca 31. Buno similis  
Laccam ferens c. lacca serapi-  
onis res diversa gar. 3. 22. d. 1.  
med. 133. cancamum c. 493 f.

LIB. I. 940

1. ...  
2. ...  
3. ...  
4. ...  
5. ...  
6. ...  
7. ...  
8. ...  
9. ...  
10. ...  
11. ...  
12. ...

bellinum. c. 500. a. clus. ad notes  
gark. bellii fructum contini pingu  
clus. ad notes pgar. 38

- 9. Caput et casus arabum gark. 3990  
11. camphora ofte. c. 500. a. gark.  
et gummi sebina pellucida candida  
et raris arboris peregrine gark. 6. 41.  
causura qua se hnt in europam  
defertur gark. 6. 41. U seq. gummi  
feridetroz gark. 41. efundetroz -  
gummi quoddam succina conde  
posimile, quod causura qua se  
ferreo adfertur sepe permiscetur L.  
500. b. gark
- 10. Coto ovato del. seu 40. clus. magis  
44. U seq; huius folis linea, c.  
479. o gark L.
- 11. della Masma 49.
- 12. arundo arbor in qua humor  
lacteus gignitur qui tabaris  
arvicencia et arabibus de. 18.

delta baxiv. 62.

13. Della tubgia garl. 59. chus. magus  
51. gan arbor 91 fructus 82 cibus  
cinesibus tubgia alexandrina  
paratur conficitur garl. c. 441. a
14. Casorio sive elephas 55.

15. Della canella 62. Cinnamomum  
sive canella Zeylanica. c. 408.  
a garl. cinnamomum id  
nigrum odoratum, quoniam  
mum ex India, canella 91  
cassia idem sunt. garl. 62. 51. 59.  
Cinnamomum sive canella  
malabarica 81 javanensis. c.  
409. a garl. canella ignobil  
ior garl. 61. 63. 66. Cinnamo  
-mum sive canella javiana  
c. 409. a garl. canella ju  
americana garl. 58. 61. 66. 66.  
cinnamomum sive canella  
tubis minoribus abal. 409.

*[Faint, mostly illegible handwritten text in a cursive script, likely a list of botanical specimens or recipes.]*

*[Faint handwritten text, possibly a header or title for the right page.]*

- 15. Bell'agallochio overo legno abri  
73. agallochum offic. c. 394.  
392. garls. agallochum sive zylu  
-alois, cordi in discov. garls. 172  
173. 247. chs. m. 68. 70. agalloch  
-um sylv. c. 394. a garls
- 17. *[Faint header]* album c. 392. a  
garls. 7d garls 71. 72. 73. del  
Laudato. 77. Santslun galt dny  
c. 392. a garls. S. vobrom c  
393. a garls. S. vobrom sandalms  
album c. 393. b.
- 18. Petre garls, Petr' Neg. lumbul  
pro lumbul aricenis. c. 390  
a garls, Petre lumbul chs
- 19. Lumbulata ex graft voce  
corrupta *[illegible]* garls

cadegi junci id est flamma juncum  
arabibus. c. 410. a garis. tumbul  
malabatus nomine convolvuli  
aut malabatusi. nostri fructus,  
clav. in notis ad garis. 75.

20. Nuc. moschata fructus. rotundus c.  
407. a garis. nuc. aromatatae quae  
juechis valla et lagatini garis.  
nuc. aromatatae fructiferae in  
maluceis et Zilan, Macis offic.  
Bumagalla et laifol. juechis  
garis. 85. nuc. cinnamoni aut gubani  
mem. acad. macis et macis c. 408.  
a garis

21. Caryophyllus aromatae fructus  
oblongo. c. (1) jap. 68. caryophyll  
sive garyophyllon arabibus et yenic.  
junci, calafus in Maluceis et bangue  
garis. 87. et seq. gummi caryophylli  
c. 500. a garis. caryophylli odore  
fructus rotundus c. 411. b. garis. fructus  
caryophyllum oleus avellanae  
in longitudine garis. caryophyllus  
albus major c. (11) gubani-

corryphillosum simili facultatis  
cum resinâ terobanthina e. 500. -  
clus. in garth. gummi ex atro rufes-  
cens inter corryphillo interdum  
reperitur clus. in garth.

22. *Alcyon. 96.* Piper rotundum  
nigrum e. Piper rotundum  
hyoceras e. Piper longum  
ov. e. 412. a. clus. ad garth  
Piper rotundum album e. 412. o. o.  
clus. ad garth. Piper jruano  
e. 412. b. Piper quod aliqñ  
construo malabarica a causari  
nomen accepit garth. 95. Piper -  
roemorum candidum et quineo  
e. 412. b. clus. ad garth. Piper candi-  
dum quod pimanta del Nabo  
Lustanis clus. ad garth. 95.

23. *Cubeba vulgaris e. 412. a.* -  
cubeba vulgaris, nec avabuna  
cubeba, nec galeni corrysum  
watt. e. 412. a. cubebis affinis  
pogara major e. 412. b. clus.  
in garth.

24. *Malaguetta garth. grana para*

*[Faint handwritten text, likely bleed-through from the reverse side of the page]*



*Diellum filinis* involi de *garr.*  
 - .002. e. *compendiosus* *compendiosus*  
*compendiosus* *compendiosus* *compendiosus*  
*compendiosus* *compendiosus* *compendiosus*  
*compendiosus* *compendiosus* *compendiosus*  
 .002. e. *compendiosus* *compendiosus*  
*compendiosus* *compendiosus* *compendiosus*  
*compendiosus* *compendiosus* *compendiosus*  
*compendiosus* *compendiosus* *compendiosus*  
 .002. e. *compendiosus* *compendiosus*  
*compendiosus* *compendiosus* *compendiosus*  
*compendiosus* *compendiosus* *compendiosus*  
*compendiosus* *compendiosus* *compendiosus*  
*compendiosus* *compendiosus* *compendiosus*  
 .002. e. *compendiosus* *compendiosus*  
*compendiosus* *compendiosus* *compendiosus*  
*compendiosus* *compendiosus* *compendiosus*

- *Vi* offe. c. 413. e. *garr.* *cardamomum*  
*viens* offe. c. 413. b. 115. *malaguetta*  
*garr.* *en* *la* *Combat* *Bange*.  
 25. *Palma* *crujia* *fructus* *oblongus* -  
*farfel* *similis* c. 510. a. *avellane*  
*judica* *genus* *oblongum* *clus.* *in*  
*garr.* 102. *aveio* *two* *farfel* *clus.*  
*in* *garr.* 104. *marla* *judica* c.  
 510. a. *Palma* *minis* c. 510. b.  
*palmitis* *garr.*  


---

 20. *palma* *judica* *cocifera* *angulosa*  
 c. 508. b. *la* 3. *de* *phum*. *Palma* a  
*judica* *cocifera* *locus* *dicto* *cal*  
*garr.* 2. 2. 1. *della* *usa* *judica* *garr.*  
 112. *Palma* *cocifera* *figurâ* *ovalis*  
 c. 509. a. *clus.* *ad* *garr.* 106. *locus* -  
*de* *Maldisa*, *Palma* *cocifera* *la*  
*quinea*, *fructus* 1. *ann* *coeo* -  
*affinitatem* *gobens* *clus.* *ad* *garr.*  
*avellana* *judica* *ovulo* *trifido*  
 c. 418. b. *clus.* *ad* *garr.*, *uncis*  
*inguentaria*, *genus* *clus.* *ad* *garr.*  
*avellana*, *judica*, 3 *un* *genus* c. 418.  
 b. *clus.* *in* *garr.* *fructus* 5. *ad* 2. *clus*  
*in* *garr.*, *Mesembryem* *clus.* *ad* *garr.*  
*palma* *foliorum* *pedunculis* *lirionis*

fructu panni formi luteo classo cari-  
jam. 2. p. 2. Salvaquinesse panni  
elus. v. d. j. g. g. 194. quo ad J. J. J.

27 Myrobolanus testos citringi oleum  
purgantes. c. 445. a. g. g. M. rotunda  
Bellaria. M. nigra octangulares  
445. b. M. maximi oblongi primitiva  
purgantes. c. 445. a. M. multicaes.  
c. (Myrobolanus Paris similis  
fructus. c. 444. a. / h. o. v. o. s. fructus ju-  
nova Hispania gomara h. elus.  
g. g. g. g.

28 ~~Myrobolanus~~ (1)

29. Cassia fistula alexandrina c.  
(1)

30. anacardium. c. 511. b.  
Cecyon theveti franc. antaret.

31. ammonites cognominatum quod candida  
-um h. dum mollitudo masticeles  
more digitos cedat. Diosc. L. 2. in  
india non rasi gartios affirmat.  
amomonum spiritum foliosum. c. 419.  
b. elus. ad g. g. h. amomonis elus. ad  
g. g. h. c. 419. b.

*[Faint handwritten text, likely bleed-through from the reverse side of the page.]*

32. *acorus verus* sive *calamus aromaticus*  
*offic.* .c. 34. 1. Mon. *acorus perperum*  
*calamus aromaticus offic.* 200. 132. *clus.*  
*med.* *calamus aromaticus indicus* c.  
 17. a. *clus. ad garz* *calamus odoratus*  
 c. 17. a.

33. *fraxillus veterum* *clus. in garz* 137.  
*cardo ediciss* *similis* *fraxillus* c. 16.  
 b. *clus. in garz*.

34. *junceus odoratus* sive *aromaticus* .c. 11.  
 a. *clus. in garz*. *gramen mal. parien*  
*latium* *trajus latius folia* *gallia*  
 c. (III) *chilum* *clus. v. d. c. garz* 141.

35. *costus jordan* *redolens* .c. 36. b.  
*costus arabicus* *diore.* *costi quoddam*  
*genus* *singibari radiabz* *similis*  
*clus. in garz*. *costus indicus* *clus. in*  
*garz*.

36. *convolvulus jordan* *olatus*, *maximus*  
*foliis* *jordeo non-nihil* *similibz* *angul*  
*oriz* *turbith* *offic.* 5. l. b. *stundo* *luz*  
*abum* *garganicum* .c. 149. b. *thapsia*  
*apthymos* *radice* *in gargaris* *apthymos*  
*monte garz* 149. *thapsia acosta* 149.

Digitized by Hunt Institute for Botanical Documentation

37. d'el Reubarbaro garz. 152.
38. China Radix. C. 296. a. garz.
39. Crocum judicium C. 37. a.
40. galbanga major C. 35. a.
41. Del gergero 104.
42. Zedoaria grisea dicta C. 36. b.  
Zedoaria vera garz. ~~Zedoaria~~
43. Zedoaria tuberosa nigricans. C.  
36. b. *Ternumbetis Serapijionis* clus.  
in garz.
44. Ligni colubini <sup>in garz.</sup> <sup>genuis garz.</sup>
161. *climatis judicea folis paries*  
*funder perpliniari*  
*ligni colubini alterum genuis*  
garz. 161. *climatis judicea spinosa*  
*folis luteis*. C. 301. a. garz.
- Ligni colubini <sup>in garz.</sup> <sup>genuis garz.</sup>
167. *climatis judicea folis lentis*  
*cinis candidis maculis aspersis*  
C. 301.  
*asporis rotundis carulentis*  
*luteifolius* C. 119. b. clus. 1101. in garz.
45. Del pietra Betav garz. 174.

Digitized by Hunt Institute for Botanical Documentation

46. Del pietra di Malaco garz. 178.

47. Del gemme garz. 178.

48. Del diamante garz. 179.

49. Del smetaldo 184.

50. Del rubino 186.

51. Del Zaffiro 187.

52. Del giarinto e granata 187.

53. Del jaspido 188.

54. Del alequaca 188.

55. Del occhio di gatto 188.

56. Della pietra di luna 189.

57. Della calamita 189.

58. Delle perle 190.

1. arbor vitae myrta similis. - C. 469. b. garz.  
Champe dicuntur alii flores, quorum  
viram rognus apud illos usus est odore  
graviori quam Libum album garz. frag.  
C. 470.

2. arbor judica foaxino similis oleo  
fuetus L. 410. b. d. m. b. garz. 190.

3. Syrii similis fuetus, tetractis e. 412. b.  
negundo garz. fuetus cap. 190.

171. ...  
 172. ...  
 173. ...  
 174. ...  
 175. ...  
 176. ...  
 177. ...  
 178. ...  
 179. ...  
 180. ...  
 181. ...  
 182. ...  
 183. ...  
 184. ...  
 185. ...  
 186. ...  
 187. ...  
 188. ...  
 189. ...  
 190. ...  
 191. ...  
 192. ...  
 193. ...  
 194. ...  
 195. ...  
 196. ...  
 197. ...  
 198. ...  
 199. ...  
 200. ...

Digitized by Hindi Institute for Botanical Documentation

mungo additus forte regundo clus.  
 ad garth.

4. *Polla jaca*. Salmo fructu-  
 aculeato & arboris trunco prodeunte  
 c. 91. a.
5. *Jar gonias* garth. 193. Ligno simili  
 spinoso c. 444. b.
6. *casandras* c. 160. b.
7. *Corn. fol. mali* garth. 193. Corn. fol.  
 mali aurea, flora luteo. ae.
8. *avacani* garth. *Myrtus india* c.  
 469. b.
9. *Margas*. Bq. *perica* simili putan  
 ine villos c. 444. b. nanasther  
 clus. ad garth. 194. avanas acule-  
 atus, fructu ovato, carne alba &  
 plum. (1)
10. *Musa Scorpionis* c. 5. v. p. clus. magni  
 garth. p. 230. 23. clus. nob. jr garth. 230.
11. *arbor pomifera*, fructu aculeato &  
 nobis magnitudine. c. 459. a  
~~Doniones~~ garth. 201.  
 grandis clusii jr garth. 202  
 si seq; abavo arbori velle

*[Faint, mostly illegible handwritten text in a cursive script, likely a botanical manuscript.]*

tuberoso c. 990 a. chs. 221. 2. c. 1.  
*Guanacama* *Scelgu* dus. in gar.  
 200 *Uleg.* arora maxima fol.  
 longis angustis, fr. maximo luteo  
 conoide, cortice albo in anolis  
 distincto cat. jam. 2. 7. 30. arora de  
 oviado dus. notis in gar. Exot. 229.  
 arora maxima, folis latis gland-  
 entibus, fructu maximo viridi,  
 conoide ~~...~~ tuberculis longissimis  
 innocentibus aspero. *guanacama*  
 oviadi.  
 arora in dia fructus pariter  
 forma in japonia *figuero* oviado  
 aboar forme. aut. 88. (1) *Uleg*  
 88. chs. in gar. 204.

- 12. *Manacoras*
- 13. *gambos*. *Serici* ornato fructus  
*valacensis* c. 991. a. 5.
- 14. *cydonia* *busala* gar. 108.  
*cydonia* *totica* c. 435. a.
- 15. *casambolas*. mala *scensia*  
 fr. octangulati, pomi vulgari  
 magnitudine c. 435. b.

16 *Per* garl. 210. *Mathis matheensis*,  
*noumifil spinos.* c. 493. b.

17. *ambere.* arbor indiae foliis  
juglandis, fructu uicis magnitudi-  
nis. c. 417. b.

18. *pambolones.* arbutum simile  
myrto garl.

19. *Binidones.* fructus indiens *fructu*  
*-ibus Sapientis.* c. 494. b.

20. *Mel de melone indiano.* melo-  
indicus fructu oblongo. c. 311. b.

*Melonia genus in byppania quod*  
*Indicos vocant garl. 213. melo-*  
*rotundus parvus) (an camboja-*  
*chus. jugl. 213. melo indicus*  
*fr. oblongo. c. 311. b.*

21. *Mango garl. 213. 91. seg. fructus*  
*ruger coriandro simile. c. 493. b.*

22. *Cureas.* garl. *Cureas malavaden*  
*c. 492. b. cambojendum garl.*

23. *Coeras.* *Cyperus rotundus buclantay*  
*latifolius. c. 14. b.*



1. *... ..*  
 2. *... ..*  
 3. *... ..*  
 4. *... ..*  
 5. *... ..*  
 6. *... ..*  
 7. *... ..*  
 8. *... ..*  
 9. *... ..*  
 10. *... ..*  
 11. *... ..*  
 12. *... ..*  
 13. *... ..*  
 14. *... ..*  
 15. *... ..*  
 16. *... ..*  
 17. *... ..*  
 18. *... ..*  
 19. *... ..*  
 20. *... ..*  
 21. *... ..*  
 22. *... ..*  
 23. *... ..*  
 24. *... ..*  
 25. *... ..*  
 26. *... ..*  
 27. *... ..*  
 28. *... ..*  
 29. *... ..*  
 30. *... ..*  
 31. *... ..*  
 32. *... ..*  
 33. *... ..*  
 34. *... ..*  
 35. *... ..*  
 36. *... ..*  
 37. *... ..*  
 38. *... ..*  
 39. *... ..*  
 40. *... ..*  
 41. *... ..*  
 42. *... ..*  
 43. *... ..*  
 44. *... ..*  
 45. *... ..*  
 46. *... ..*  
 47. *... ..*  
 48. *... ..*  
 49. *... ..*  
 50. *... ..*  
 51. *... ..*  
 52. *... ..*  
 53. *... ..*  
 54. *... ..*  
 55. *... ..*  
 56. *... ..*  
 57. *... ..*  
 58. *... ..*  
 59. *... ..*  
 60. *... ..*  
 61. *... ..*  
 62. *... ..*  
 63. *... ..*  
 64. *... ..*  
 65. *... ..*  
 66. *... ..*  
 67. *... ..*  
 68. *... ..*  
 69. *... ..*  
 70. *... ..*  
 71. *... ..*  
 72. *... ..*  
 73. *... ..*  
 74. *... ..*  
 75. *... ..*  
 76. *... ..*  
 77. *... ..*  
 78. *... ..*  
 79. *... ..*  
 80. *... ..*  
 81. *... ..*  
 82. *... ..*  
 83. *... ..*  
 84. *... ..*  
 85. *... ..*  
 86. *... ..*  
 87. *... ..*  
 88. *... ..*  
 89. *... ..*  
 90. *... ..*  
 91. *... ..*  
 92. *... ..*  
 93. *... ..*  
 94. *... ..*  
 95. *... ..*  
 96. *... ..*  
 97. *... ..*  
 98. *... ..*  
 99. *... ..*  
 100. *... ..*

24. *Datura gart. 218. Stramonium*  
*fructu nigro oblongo, floru albo*  
*gust. (C)*  
 25. *Banqua 299. carnabi Exotico*  
*similis. c. 320. a*  
 26. *avil herba, foliis Mungingra*  
*similibus gart. 35. 30. Smar-*  
*americanus stigma juvenos*  
*avil vero car. f. v. p. an. 1777.*  
 27. *anonymus j. Malabar. c. 359.*  
*det. gart. 220.*  
 28. *de alant de del judice gart*  
*231.*

*Morardes. LIB. I.*

1. *del anime leoyal. Mon. 240*  
*Callium. c. 503. a (Cacaurum*  
*C. 498. b. anime or. mon.)*  
*Myrta. c. anime occidentalis*  
*more Florina pallide lutea*  
*odorata gummi oleum dicto*  
*similis. car. jam. 2. 8. 11*  
*anime gart. prius flu*

montana 39.

3. *Citracanofera* prima generis hancora  
bypania. arboris gravi galbani  
mon. c. 503. arbor populo simili  
resinoso altera e.

4. *Caramo* Mon. c. 503. b.

4. *Dall'aglio del fco infernale* mon

5. *Bume* garl 247.

6. *Del liquidambar* & dell'olio med  
-crino

7. *Balamum* indianum ex arbore  
punicos male magiore nullo  
detat folis utrice. c. 401. a

8. *ferba* ad ruytusas utilis mon.  
c. 24. b. an f. joann. infantis

9. *guaiacum* flore caeruleo fimbri-  
ato, fructu tetragono plum  
n. g. 39. 2. *guaiacum* fl. caeruleo  
fructu subrotundo plum. n. g. 39. 1

10. *arbor* anglicis folis cordiformi-  
bus radice nodosa tubra. j. (17)  
China Mon.

Digitized by Hunt Institute for Botanical Documentation

11. *Smilax aspera* parviflora sive  
*Salsapilla* c. 278. a
- 
12. *Del* *pietra del sangue* & della  
*pietra di feves*
- 
13. *Del* *liquore* per mol *del* di  
 rene & di urina
- 
14. *Cappicum* *retiguis longis* prope  
*antibus* j. (1) c. *retiguis* *truncatis*  
*crasi forma* j. (23) c. *micans*  
*fructu* *rotundo* *recto* *parvo* *caeni*  
*mo* *cal.* *janu.* j. 15. 30 an *cappi*  
*trunc* (19) *fructu* *prostrato* *flavore*  
*gust* (4)
- 
15. *Cassia fistula alexandrina* c. (1)
- 
16. *Piceoides arbor* an. *multifida*  
*folia* j. (2) *arbor* *ca* *purgati*  
*ca* *man.* *Bengalensis*  
*ben* *magnum* *fl.* *caeni*  
*vulgo* *Mor.*
- 
17. *Pines judica* *meles* *purgatis*  
 c. 192. b. *Pines* *meles* *mahr*  
*caeni* *Mor.*
- 
18. *Faba judica purgatis* c. 338. b.

Digitized by Hunt Institute for Botanical Documentation

*Phascolus peruanus* Mon. fada  
*purpurina* Mon. *Phascolus major*  
Chus. ad Mon.

19 orbicula mali similitudine  
Lactem lacuum fundens. c.  
294. b. *Lac pinguetia*

20. com orbibus am. mechoacay  
ditus R. f. (47) Mechoacan  
Mon. 68. 70. *Synopia mecha*  
can foli. c. 298. b. Mon.  
mechoacan ex pomatoris d.  
glucei Mon. 68. 70.  
*Aspulus mechoacan* c.  
298. b.

21 Del sulfore vivo Mon. 58.

22 Del legno aromatico Mon. 60.

LIB II.

1 Procemium

2 Del pietra Betsoard

1. De veneneni quetthalo cura

2. Della pietra Betsoard Mon. 74

3. Del lyba. Personna Mon.

Nicotiana major Latif. c. (1)  
rad. angustif. c. (2) Nic. rad. minima  
c. 170. b.

2. arbor in florida siculus foli. c. 99. a  
3. corle saxeto radice portata della nuova  
Spagna Mon. 158.

4. Cyperus rotundus procerus in florida  
c. 14. 1. radix in selene mon.

5. Solis affinis quatuor c. 221. b.  
quatuor Mon.

Portula in Hispania Nova Mon. 163  
Jordanus castane c. 23. b  
Sesadilla in Jordanum Mon. 74.

7. Salum ferboe di grand vitin  
Mon. 169.

± [13. II

1. Draco arbor lettera del pan
2. Draco arbor chus. foli.
3. delle pietre di Carmani Mon. 189
4. delle pietre di Tiburoni
5. della Tementina in la rova di

LIB. II

6. Del *Opore del mechoacan* Mon. 191.

7. Del *frutto del Balsamo*. arbor  
brasilaria juglandi similis nuceibus  
costens. C. 117. b. 4. Balsamum  
ex sancto dominicae chus. ad ju  
mon. de balsamo.

8. Del *Wenentiva Tabaco* Mon. 196.

9. *Lipos longum occidentale* dimidia  
pedis longitudine C. 412. a Mon.  
del pepe longo Mon. 196.

10. Del *rimedio al foco della faccia*  
Mon. 197.

11. Del *radice contra il venere* 198.

12. *castanea purgativa* 199

13. *Della Castapanghia di guaraguil*  
mon. 199.

14. *dell'arboro contra il flusso* Mon. 204

15. *dell'ambra grissa* Mon. 205.

16. *della Neve* Mon. 214. capitula  
prociannylilogs.


Digitized by Hunt Institute for Botanical Documentation

Digitized by Hunt Institute for Botanical Documentation



Digitized by Hunt Institute for Botanical Documentation

Digitized by Hunt Institute for Botanical Documentation



Digitized by Hunt Institute for Botanical Documentation

Digitized by Hunt Institute for Botanical Documentation

Digitized by Hunt Institute for Botanical Documentation

Digitized by Hunt Institute for Botanical Documentation

Digitized by Hunt Institute for Botanical Documentation

Digitized by Hunt Institute for Botanical Documentation



Digitized by Hunt Institute for Botanical Documentation