



Hunt Institute for Botanical Documentation
5th Floor, Hunt Library
Carnegie Mellon University
4909 Frew Street
Pittsburgh, PA 15213-3890
Telephone: 412-268-2434
Email: huntinst@andrew.cmu.edu
Web site: www.huntbotanical.org

The Hunt Institute is committed to making its collections accessible for research. We are pleased to offer this digitized item.

Usage guidelines

We have provided this low-resolution, digitized version for research purposes. To inquire about publishing any images from this item, please contact the Institute.

About the Institute

The Hunt Institute for Botanical Documentation, a research division of Carnegie Mellon University, specializes in the history of botany and all aspects of plant science and serves the international scientific community through research and documentation. To this end, the Institute acquires and maintains authoritative collections of books, plant images, manuscripts, portraits and data files, and provides publications and other modes of information service. The Institute meets the reference needs of botanists, biologists, historians, conservationists, librarians, bibliographers and the public at large, especially those concerned with any aspect of the North American flora.

Hunt Institute was dedicated in 1961 as the Rachel McMasters Miller Hunt Botanical Library, an international center for bibliographical research and service in the interests of botany and horticulture, as well as a center for the study of all aspects of the history of the plant sciences. By 1971 the Library's activities had so diversified that the name was changed to Hunt Institute for Botanical Documentation. Growth in collections and research projects led to the establishment of four programmatic departments: Archives, Art, Bibliography and the Library.

Catalogue
de Plantes du Portugal

Plante Lusitanica (59)
~~ia vtrid. basil: ordine suo~~
 abrotanum mas angustifolium
 juncum c. (4)
 Scutellaria foliis obscure viventibus
 flore sulphurei coloris j. (7)
 an carduus tomentosus acutang
 folio altissimus lusit. j. (28)
 Delphinium lusit. glabrum, acutis
 foliis j. (2)
 filicula lusit. polyperi radice
 j. (7)
 abrotanum mas angustifolium
 majus c. (2)
 aloë vulgaris c. (1)
 Erinus cap. et col. c. 225. 6. media
 pagina
 cytharambe Diosc. c. 122. 6. 5.
 Althæa frutescens, folio rotund
 iore pinnato c. (5)
 annisi majus c. (1)
 anagris fetida c. (1)
 apium aridum dictum, semine
 suave - olente maj. aut min
 j. (7. 8)
 foeniculum minus armen
 anethi odore j. (17) v. call. p. 1732
 p. 124. 1.

(60) anagallis altera, forte fastida
altera, rotundo folio c. 391. a. 2
vulneraria pentastylis j. (4)
myosinum peregrinum rotundo-
folio c. (2)
solanum tuberosum venustum c. (19)
aristocchia longa vero c. (3)
climatid peregrina fol. pinn
invisibil c. (3)
an eleborina nigra species c. 186.
a. 8.
myosinum lusit. minus, anni fol.
j. (37)
cytisis cretensis aspalathus & n.
agrimus dictus cat. exot. p. 34.
aster montanus, caeruleus, et
magno flore, fol. oblongis
c. (4)
carduus cortice verticoso c. 385. b.
Bulbacaster nam tenuiter in
folio, lusit. viv. lusit. (4)
adum cypria dictum, flore
ppureo j. (34)
an dens leonis tuberosa radice
j. (10)
aster marit. fol. tereti crasso trian-
tato j. (39)
erum semine obtuso triangulo-

- j. (9) (61)
Delphinium vulgare, flore multiplex
 j. (12)
Centaurium majus, fol. non dissecta
 c. (2)
Cerinthium quonundam majus, varicolor
 flore. B. (1)
Chamaedrys multifida spinosa, odorata
 viv. Lusit. (20)
Comolobus peregrinus pulcher, fol.
 betonicae. B. (50)
Zirga aurea minor, foliis glutinosi
 et grave-olentibus j. (16)
Auricula ursi laciniata seu costosa
 Matth. fl. rubro j. (19)
Cynocrambe vera Diosc. c. 122. b. f.
Delphinium segotum j. () et esuso
 - olida regalis avic. c. 142. b. f.
Merum foliis anethi c. (1)
Digitalis varia vid. j.
Echinum Lusitanicum minimum c. 254.
 b. g.
 an *Erigeron* Lusit. fr. albo
 j. (2)
Reseda minor vulgaris j. (5)
Sium arvense c. 342. b. f. 0?
Sium alterum silvaticum

(62) Erucic c. (2)

Althymalus arvensis Latif. germanicus

c. (18)

occlus fol. integro capreolos emittente

c. (1.2.3)

pedicularis Lusit. prat. graminea fol.

j. (19)

genista-partium Lusit. argentum

validissimis oculis minutum, cop-

ioso flore j. (17)

granzhalodes Lusit. j. (1)

Barba jovi minor Lusit. fl. minimo-

variegato j. (6)

Jacea helontis palustris Lusit. vir. Lusit.

(37)

Limonium Hyp. multifida fol. j. (23)

L. marit. villosis folus, Lusit. plur.

abu. Col. (12)

(79)

Digitized by Hunt Institute for Botanical Documentation

... germanicus
 c. (18)
... fol. integra capreolus ...
 c. (18.5)
... prolat. gracivires ...
 2. (19)
... argenteum
... aculeis ...
... flore ...
 c. (20)
... (21)
Baccharis ...
 c. (22)
... (23)
... (24)
... (25)
... (26)
... (27)
... (28)
... (29)
... (30)
... (31)
... (32)

Digitized by Hunt Institute for Botanical Documentation

91 82 1/2

Antennaria dioica folio c. 37. a. 2
Antennaria pulchella j. (8)
Antennaria perennans folio c. (2)
Antennaria tuberosa venientum
Antennaria longae vers. c.
Antennaria pinguina fol. p. p.
 j. (3)
Antennaria nigra spec. c.
 a. 8.
Antennaria lucida minus, ann. fol.
 j. (37)

Digitized by Hunt Institute for Botanical Documentation

Antennaria dictus cat. col. p. 11
Antennaria montana, casuleus, in
 magno flore, fol. oblongis
 cordatis c. (4)
Antennaria verticillata c. 38. b.
Antennaria tenuifolia man.
 folio, lucida. viv. lucid. (4)
Antennaria corymbosa dictum, flore
 p. p. j. (34)
Antennaria lewisii tuberosa radice
 j. (10)
Antennaria mont. fol. cord. ovato trilob.
 tato j. (39)
Antennaria dictus dictus thymifolia