



Hunt Institute for Botanical Documentation
5th Floor, Hunt Library
Carnegie Mellon University
4909 Frew Street
Pittsburgh, PA 15213-3890
Telephone: 412-268-2434
Email: huntinst@andrew.cmu.edu
Web site: www.huntbotanical.org

The Hunt Institute is committed to making its collections accessible for research. We are pleased to offer this digitized item.

Usage guidelines

We have provided this low-resolution, digitized version for research purposes. To inquire about publishing any images from this item, please contact the Institute.

About the Institute

The Hunt Institute for Botanical Documentation, a research division of Carnegie Mellon University, specializes in the history of botany and all aspects of plant science and serves the international scientific community through research and documentation. To this end, the Institute acquires and maintains authoritative collections of books, plant images, manuscripts, portraits and data files, and provides publications and other modes of information service. The Institute meets the reference needs of botanists, biologists, historians, conservationists, librarians, bibliographers and the public at large, especially those concerned with any aspect of the North American flora.

Hunt Institute was dedicated in 1961 as the Rachel McMasters Miller Hunt Botanical Library, an international center for bibliographical research and service in the interests of botany and horticulture, as well as a center for the study of all aspects of the history of the plant sciences. By 1971 the Library's activities had so diversified that the name was changed to Hunt Institute for Botanical Documentation. Growth in collections and research projects led to the establishment of four programmatic departments: Archives, Art, Bibliography and the Library.

I. ~~herbonisation~~ - au gel
II. herbonisation s. de la porte de la
Conférence et du Bois de Boulogne
par m. ~~l'oume~~ fort

I Pl. Des environs de Paris
au delà de la porte de la confession de
cote du cours La Reigne vers les bons
hommes & le long de la Riviere

Aetosa prol. C.

aloina media C.

aloina min. *multicaulis*. C.

althoea diosc. *oxylinis*. C.

andgalia *phoenicea* fl. C.

An. cemeo fl. C.

~~*astropalustris* luteus f. longior longiora j.~~

astropalustris luteus fol. longiora longiora j.

atriplex fol. hastato sine deltoide ut. h. v. 336.

a. angusto oblongo f. C.

Centropogon f. longiora j.

Chenopodium f. longiora j.

Chenopodium maj. fol. sinuato. C.

Chenopodium min. rotundif. vulg. C.

Cerurus stellatus sine calcitrapa B.

C. nutans B.

C. tomentosus ac. f. fol. vulg. j.

Caryophyllata vulg. j.

Chenopodium f. longiora j.

Chenopodium f. longiora j.

Chenopodium f. sinuato candicante j.

Ch. patidum j.

C. pes asperum, var. tab. j.

C. pes asperum II. tab. j.

Dianthus vulg. chio. f.

D. annuus min. floualis rubentibus j.

D. annuus min. flou. albis

D. an. ad nodos flouidus

Linca tenuis f. parvum B.

- Euphorbia vulg.* C.
- E. latif. maj. glabrum.* C.
- gramm. prat. paniculatum min. albu.* C.
- G. boidacum min. vulg.* C.
- G. Coliacum angustior & specia.* C.
- J. caea nigrapat. latif.* C.
- Coposum f. acuta crisp.* C.
- Sonchus palestinus Bononiense Linnatium.* C.
- S. f. acuta fl. aureo*
- Sylva syl. alba Sylva.* C.
- Sylva. que fragay albu vulgo.* C.
- Melilotus capulis seni similibus in capitulum congestis.*
- Myosotis avu. fruticosa fl. maj. j.*
- M. avu. fr. parvo fl. j.*
- Masturbium syl. caustica castas.*
- Ononis f. veida p. Rhomat. maj. C.*
- Oryzolastrum vulgatum.* C.
- Oryz. bifolia.* C.
- Sambucus aff. R. Diop.* C.
- Synca. gallitica alatum argentatum rugatiss. potantilla.*
- Turicaria mitis maculosa.* C.
- Polygonum latif.* C.
- Quinquifolium maj. repens.* C.
- Samarubus prat. erectus acis.* C.
- S. prat. rep. frutuos.* C.
- S. prat. radice ventriculi modo rotunda.* C.
- S. praeosa rotundif. granulata radice M. G.*
- S. palustris in paludis.* C.
- S. arifolium in paludis.*
- S. articulata in paludis.*

- 2
- Scrophularia. ann. fl. albo*
 - Strag. fl. luteo.*
 - Sambucus fl. in umbella nigra.* C.
 - Sandax semine rotato vulg.* C.
 - Silene prat. f. involvis fl. caerulea.*
 - Silene min. vulg.* C.
 - Snap. avu. proce. sem. nigro fl. h.*
 - S. avu. min. canina nigra f. ptegis.*
 - S. alb. alba fruticosa. sem. albo in umb. fl. h.*
 - S. alb. annu. abintp. fol.*
 - S. alb. annu. pallid. repens nuptialis f.*
 - Solanum aff. ac. nigricanibus in foliis.* C.
 - S. aff. Lemis junceis.* C.
 - S. aff. Lemis hirtis.* C.
 - S. candid. in dulcamara.* C.
 - S. fl. prat. fl. monop.*
 - S. prat. fl. albo min. in forma glabrum.*
 - S. fragifolium nuptialis pparum f. collige M. G.*
 - S. fruticosa helioscopium.* C.
 - S. incola in riva.* C.
 - S. verbena edis caerulea fl.*
 - S. venia minus maxima.* C.
 - S. v. min.* C.

II. De Boulogne

- Abrotanum camp. the. cant. in l. alb. cant. in l.*
- a. camp. cant. in latitudine.* C.
- acetos. prat. C.*
- a. aversif. lanceolata.* C.
- a. lanceolata angustif. rep.* C.
- agnemona aff. j.*
- alchemilla cantantana minusima col.*

Digitized by the Institute for Botanical Documentation

a. sup. gramineo f. min. *St. j.*
a. livaria f. calyce fl. albo
a. livaria f. cal. fl. rubra
affine media
a. plantaginis f. B.
a. minor multicaulis C.
a. novae glabra fl. umbellatis j.
a. prat. frumicea f. anglicana j.
a. lypsojuncum luteum squilli frugij
a. junc. scirpillum f. min. j.
a. vulg. polygoni f. caulescens j.
anoris pinnosa fl. purpurea C.
a. bifida junis ceras lutea maj. C.
a. fl. luteo pami f. v. p.
antolochia clematis recta C.
aplopas albo fl. C.
a. angustif. fl. flavescente C.
apragus sylv. tenuifloro f. B.
apragus vulg. j.
applanus sine ceterach. B.
aptes avi. caulescens acris j.
apragus luteus parvius procumbens
vulg. sine sylv. fl. B.
Beltis sylv. min. C.
Betonica purpurea C.
Bietula B. p.
Bidand f. thyparito dimps. ca. sylv.
Blattaria lutea f. longis lacinate C.
Bromel. maj. f. moy. diffusa C.
B. maj. fruy. diffusa fl. albo C.

2
B. f. lacini. fl. albo f. v. p.
Bygonia cypre sine albo bacis rubris C.
B. glaberrima sylv. min. C.
B. cin. annuum latiss. parvis f. j.
B. angustif. sinime regnato j.
Bugula sylv. villosa fl. caulesc. j.
B. sylv. villosa fl. man. rubente j.
B. sylv. villosa fl. albo j.
Bursa pastoris maj. f. chinata C.
calamita f. familiaris f. rotundioris j.
Campanula min. rotundif. vulg. C.
C. min. rotundif. vulg. fl. albo C.
C. radice caulescens fl. caulesc. f. l. B.
C. angustif. caulesc. B.
C. angustif. gossamienis J. p.
Carduus bellidiflorus sine caulescens B.
C. lanceolatus latif. C.
C. caules crispus B.
C. scaberrimus B.
C. nutans fl. albo B.
C. sylv. vulg. eluf. j.
Caryopus B. p.
Caryophyllata vulg. C.
Caryophyllus sylv. vulg. latif. C.
C. ~~bellidiflorus~~ sylv. B. p. bellidiflorus
C. sylv. prolifera C.
Cotaria maj. vulg. j.
Coturnicium minus C.
~~Coturnicium minus~~
C. laciniatus f. B. p.
C. laciniatus f. B. p.

Chamaedrys fruticosa sylv. melissa f. j.
Chamaemelum fatidum C.
Chamaepitys lutea undulata trifida C.
Chondrilla tozoni f. fl. luteo palepente j.
Chorizanthe sylv. sine offic. C.
Cirsium aculeosum fl. purpurea j.
C. am. brevis f. rad. long. fl. purpurea j.
Clematis sylv. latif. C.
C. sylv. latif. f. nov. incisus j.
Chenopodium virginicum simile blattus maj. fl. G.
Cnicus altissimus luteo dictus f. C.
Convolvulus maj. albid. C.
C. min. am. fl. roseo C.
C. min. am. fl. candido C.
C. vicia am. fl. albo cum purpureo unicolor
Conyza maj. vulg. C.
Cobanilla herbacea fl. vario j.
C. minima
Composita f. p. C.
Cuscuta minima j.
Cynoglossum maj. vulg. C.
Cytisus scoparius vulg. fl. luteo j.
Dianthus vulg. clus. j.
Dendranthema coccineum f. C.
Diphysa vulg. C.
Equisetum palustre maj. tab. j.
Erica vulg. glabra C.
E. vulg. glabra fl. albo C.
E. humilis cortice cinereo arbuti fl. C.
E. hum. cor. ciner. arbuti fl. albo f. 4 p.
Erysimum vulg. C.

Erigeron vulg. C.
Erigeron vulg. gr. vultibus C. 2
Erysimum offic. C.
Erysimum vulg. C. candidum j.
E. 2. p.
Erysimum germanicum sibiricum sum.
ital. C.
Flix remota maj. pin. obaf. non dentatus C.
Fragaria virginiana 2. p.
F. vulg. fl. per eandem partem j.
F. vulg. tenuiflora f. heta
Fragaria vulg. an. moly thuris C.
Feniculum sylv. fenulae f. brevis j.
Fragaria vesicaria C.
Fragaria offic. 2. p.
Fungus iniquus fructus q. laurus 5. p. C.
F. flosus magis capis C.
F. pileolo late rotundo hindo C.
F. multo 5. p. uno pede perissodi 5.
Gallium luteum C.
G. album vulg. j.
Gentiana herbacea sic Chamaepitys
Geranium angustifolium max. fl. C.
G. f. malva rotundo C.
G. columbinum tenuius laciniatum C.
G. columb. min. maj. fl. G. f. fl. h. h. h.
G. columb. maj. f. varietal. f. flor.
subids. Sic. Marip.

- * granium cicutae f. min. et sup. C.
- g. cil. f. min. et sup. fl. alb. C.
- glancium fl. lutesc. j.
- gramen ann. panicula erigida C.
- g. xerampelimum villosa prostratis ramif.
-og. parva panicula sine xerampelima
congeneres ann. octiduum gram. minus
-offinis sul. lob. ellipt.
- g. minimum paniculis elegantissimis. C.
- g. vulg. Dalech.
- g. nemorosum paniculis albis capillaceis. C.
- g. hordeaceum min. et vulg. C.
- g. prat. paniculatum min. album. C.
- g. coliacum angustifloro f. et spica C.
- g. typhoides maximum spica longissima C.
- g. typhoides minus C.
- g. galatoides maj. sine spiculis C.
- g. anacardium prat. laticus paniculae flavae
-culae luctis rubris B. j.
- g. prat. panicula minore laxa minus plantis
-speculatis B. j.
- g. spicatum f. spere C.
- g. prat. paniculatum maj. laticus fol. po-
-rheoglo
- g. prat. paniculatum medium C.
- g. prat. cristatum. sine gv. spicae pata lancea
- g. nemorosum Dalech.
- g. spica fissura ad gramen duos ocellum
- g. minus spicae patae angustioribus j.
- g. festuca ~~spica~~ laticus j.
- g. festuca sterile humilis j.

- 2
- g. festuca effusa jubaj.
 - g. aviculare acutum spica multiglobis phalomatoides
-Dof. C. j.
 - g. Avensalum maj. C.
 - g. coliacum convolutum j.
 - g. liliaceum vulg. fl. lutesc. B.
 - g. vulg. fl. liliaceo j.
 - g. fl. maculoso Ed.
 - g. heliotropium maj. Diol. C.
 - g. maj. austrorale japoni odore j.
 - g. formosa globata B.
 - g. fissura B.
 - g. spicis allium reddens H. j.
 - g. gracium minus f. pilosissimo C.
 - g. minus laciniatum minus pilosum C.
 - g. dentis leonis f. oblongo maj. C.
 - g. dentis leonis f. bulbosum C.
 - g. min. dentis leonis f. sabaffera C.
 - g. amygdalis amara dulcis in odore aqua
-hanc amantibus f. v. p.
 - g. laticus fissuratum B.
 - g. humile folium fissuratum B.
 - g. affinem maj. fl. in limitibus agrorum B.
 - g. frutescens latif. f. dentatis glabrum C.
 - g. frutescens latif. fissuratum C.
 - g. frutescens angustif. maj. C.
 - g. spicatus oblongo fl. caeruleo maj. C.
 - g. spicatus angustif. amarus hyst.
 - g. hypericum vulg. C.
 - g. minus erectum C.
 - g. min. sup. vel sup. glabrum C.
 - g. elegantissimum maj. ramifloro f. lutesc.

Digitized by Huat Institute for Botanical Documentation

M. capilla ram. min. capit. angustiss. j.
M. cap. min. calyptra tomentosa j.
M. capillaceus oitum minimus j.
M. cap. plurimosus elegant. j.
M. cap. densissimus. lanuginosus j.
M. brevis cordis facie j.
M. arborans usque offe. C.
M. longiflorus aequalis capillaceo f.
M. squamiflorus moy ramiflorus Major
capitulis grandis
M. Squamiflorus moy Rochofus min. capit.
pneumis j.
M. squam. maj. f. angustioribus auctissimis
M. squam. maj. f. angustioribus auct.
iffimis j.
M. squam. f. angustioribus capit. pneu.
vis j.
M. squ. ram. tenuis capit. erectus j.
M. squ. ramosis tenuis capit. pneumis j.
M. squ. ramosis erectus alopemoides j.
M. squ. erect. minimus
M. squ. immularia f. maj. j.
M. squ. f. latis subtundis j.
M. squ. immularia. f. f. pediculis
in coarctis j.
M. squ. immularia f. minor j.
M. squ. Eriac folius minimus capitulis
multitudine j.
M. polygoni f.
M. linearis f. maj. et crispis j.
M. linearis f. min. et crispis capit. pneumis
j.

2
M. vulg. pinnatus maj. C.
M. vulg. pinnatus min. C.
M. filicinus maj. C.
M. filicinus min. C.
M. ramosus erectus maj. C.
M. terrestris latioribus f. maj. sa. vulg.
M. terrestris clavatus C.
M. squ. palustris candida molliflorus j.
M. palustris absinthii f. insipidus j.
M. rosotis amensis fistula fl. maj. j.
M. ann. fistula parva fl. j.
M. fistula altera viscosa j.
M. fistula min. j.
M. fistulatum pinnatum f. curpa pap. C.
o. frum. referendi colore rubiginoso C.
o. alba bifolia min. col. rubiginoso C.
o. alba bif. min. calcareo thungo. C.
o. barbata setida f.
o. orthogalum autumnale min. fl. corolla
orobancheis maj. Caryophyllum olende C.
o. waj. bathyspina j.
Sarscum vulg. spica multiglei apperipula
S. vulg. spica filii a. mollis j.
S. vulg. spica filii strappara j.
Sapaneum hircianum maj. roras desc. Ysopis
S. hirc. capite longissimo globo j.

Lactuca - syla. latif. C.
Sidaul scabra pinnatifida fl.
Aloula maj. repand. frutic. C.
Impirella sanguifera maj. frutic.
Plantago latif. murata C.
P. latif. juncal. C.
P. angustif. maj. C.
Polygala milg. C.
P. pinnatob. j. C.
P. alba tab. j. C.
Polygala latif. milg. C.
*Polygala vel tenuifolia per terram -
 p. fl. scorpioides B.*
Polygala minusculum minimum boer.
Sanguis oliv. fol. C.
Populus tremula C.
Soranzoray rotundif. C.
Spinula veis odorata fl. luteo. pluri
Sorus glm. B.
Spylling maj. erectum C.
Sulmonaria rubra fl. f. calisi B.
S. f. maj. maculosa clus. C.
Sulcatilla f. crassif. maj. fl. lacini
Quercus latif. maj. que brui peduncul. C.
Q. cum longo pedunculo C.
Quercus folium maj. repand. C.
Q. fol. argenteo C.
Q. min. repand. luteum C.
Stemonculus prat. erectus C.

2

St. prat. repens. frutic. C.
St. prat. radice martialis modo rotunda C.
St. phragmites tyrsus vesuvius B.
St. phragm. albus vesuvius B.
St. longif. palm. his. min. C.
St. esculentum C.
St. persicifolius magnus fl. C.
Stapunculus scabrolo capitulo comleo C.
Stefeda milg. C.
Subeda milg. quadrifolia laevis fl. tyrsus
opartebud. j.
Sumbus syla. pice rubid. fr. nigra C.
Sumbus fr. j. umbella nigra C.
Saxifraga rotundif. alba C.
Scabrolo frutic. repand. C.
S. capitulo globoso minor. C.
S. f. integrum frutic. j.
Scarea prat. f. serotina fl. comleo j.
S. prat. f. serot. fl. albo j.
S. prat. f. serot. fl. haer. rubente j.
Scottonera angustif. 1. C.
Scrophularia medosa f. sarda C.
Scrum minus luteum f. acuto C.
S. min. teretif. album C.
S. min. teretif. albidum C.
S. parvum acre fl. luteo B.
S. minimum luteum v. acer B.
Scyllum latif. frutic. C.
S. milg. maj. fl. tyrsus C.

Digitized by eGangotri Institute for Botanical Documentation

S. vulg. maj. fl. albo C.
S. vulg. min. C.
S. vulg. min. capitulis lanuginosis C.
S. arvensis fruticosa procumbens C.
Sphondylium vulg. fistulosum C.
Racchys maj. germanica C.
Thalictrum minus C.
Thlaspi vulgatum B.
Wittgensthalia cyperifolia C.
V. amygdaloides angustif. tabijes
V. sylvaticus limato fl. C.
V. sine embalarisigna C.
Wagopogon prat. luteum majus C.
W. prat. fl. minor f.
V. prat. fl. albo minus in fascina
globosum B.
V. frigidulum in prat. spumens f. *oblongo* M. *fl.*
~~W.~~ *arv. simile fruticosum sine lagop.*
us C.
V. prat. luteum capitulis byzuli vel
agrarii C.
V. luteum nodosum. seu nodiflorum
capitulis byzuli M. *fl.*
territis lob. si.
V. f. inferioribus eichoraceis ceteris
partellata J.
V. vulg. hancifera
V. min. bot. marit.
Valerianella arvensis proceris fruticosa
seu compressa m. umbell.

Valerianella arvensis. fl. lutea J.
Valerianella arvensis fl. lutea C.
V. arvensis fl. lutea magna C.
V. arvensis fl. albo parva B.
V. nigra fl. lutea purpurea C.
Veronica maculosa C.
V. spicata angustif. C.
V. spicata minus C.
V. sambucinae f. nemaj.
V. fl. lutea peduncul. oblong. infid. chama
nos f. M. G.
V. lutea canaliculata C.
V. min. fl. purp. obtundior C.
V. sup. facie tenui prat. lob. je.
V. obscurum fl. alb.
V. idola variata purpurea fl. byzuli odore C.
V. m. proceris fl. f. maj. obtundior C.
V. m. fl. min. f. uncinata C.
M. lutea fl. alb. oblong. ac
fl. pedes arvensis C.
V. arvensis vulg. latif. B.
V. arvensis virginiana annua C.
Vulveraria simplicis B.

Digitized by the Institute for Botanical Documentation

Digitized by Hunt Institute for Botanical Documentation

Digitized by Hunt Institute for Botanical Documentation