



Hunt Institute for Botanical Documentation
5th Floor, Hunt Library
Carnegie Mellon University
4909 Frew Street
Pittsburgh, PA 15213-3890
Telephone: 412-268-2434
Email: huntinst@andrew.cmu.edu
Web site: www.huntbotanical.org

The Hunt Institute is committed to making its collections accessible for research. We are pleased to offer this digitized item.

Usage guidelines

We have provided this low-resolution, digitized version for research purposes. To inquire about publishing any images from this item, please contact the Institute.

About the Institute

The Hunt Institute for Botanical Documentation, a research division of Carnegie Mellon University, specializes in the history of botany and all aspects of plant science and serves the international scientific community through research and documentation. To this end, the Institute acquires and maintains authoritative collections of books, plant images, manuscripts, portraits and data files, and provides publications and other modes of information service. The Institute meets the reference needs of botanists, biologists, historians, conservationists, librarians, bibliographers and the public at large, especially those concerned with any aspect of the North American flora.

Hunt Institute was dedicated in 1961 as the Rachel McMasters Miller Hunt Botanical Library, an international center for bibliographical research and service in the interests of botany and horticulture, as well as a center for the study of all aspects of the history of the plant sciences. By 1971 the Library's activities had so diversified that the name was changed to Hunt Institute for Botanical Documentation. Growth in collections and research projects led to the establishment of four programmatic departments: Archives, Art, Bibliography and the Library.

IV. herbonisation de la poste s^t antoine
oime, Bercy, Charenton, Bois de Vincennes, Isles
de la Marne & St. Maurice
tournefort.

a la Porte d'automne
a Bercy a Charenton Jauré
le Profitez incennes, Jauré
Les ghes de la marine et
aux environs de St. Maurice

Acet. can. p. p. et in m. d. e.
aerofa p. p. e.

a. amplex. lanceolata e.

alchimilla mont. minima fab. d.

a. Cyp. graminea f. Min. fl. j.

a. Cuvana f. calice. flor. alb. j.

a. Cuv. f. cal. flor. rubr. j.

Digitized by Hunt Institute for Botanical Documentation

alga graminea fluminatilis longif.

alberberg. offi.

alpine aluffura Nervosum e.

A. media e.

A. plantaginif. f. B.

a. min. multicaulis e.

a. tenuif. f. B.

a. prat. graminea f. ampliore j.

a. prat. graminea f. angustiore j.

A. palustris trigua flor. rubr. Galois
f. lanceolata

Campanula minor rotundif. vulg. C.

C. am. erecta f. L.B.

C. am. procumbens j.

C. rot. esculenta fl. caerulea f. L.B.

Caryophyllus germanicus J.B.

Caryophyllata vulg. C.

Caryophyllus prolifer C.

Carduus stellatus sine calitrapa B.

C. stell. f. integris serratis Bor. Monsp. sp.

C. nutans B.

C. lanceatus latif. C.

C. lanceatus latif. fl. albo f. v.p.

C. aegantoides B.

C. tomentosus aeganti f. vulg. j.

C. caulis crispus B.

Digitized by Herbarium for Botanical Documentation

C. capite rotundo tomentos. C.

Carlina sylv. vulg. clus. J.B.

Coffida palustris vulgarior fl. caerulea j.

Cataria waj. vulg. j.

Caucalis am. reginata parva fl. r. fo. C.

Centaureum min. C.

Chamaedrys min. repens C.

Chamaemelum vulg. lanceatum

C. foetidum C.

Chamaenerion villosum magno fl. pyraea

C. vill. majus parva fl. j.

C. glabrum majus j.

C. glabrum minus j.

Chamaezytis lutea vulg. sine fol. trifida C.

Chamaerodius fol. limata candidante j.

- C. fetidum j.
- C. angustif. laciniatum minus j.
- Chondrilla bonif. f. fl. luteo pallente j.
- Cephaenanthus sylv. sine offic. C.
- C. sylv. fl. roseo C.
- C. sylv. fl. albo C.
- Cirsium aculeos fl. purpureo j.
- C. arm. bonif. f. rad. repente fl. purpureo j.
- C. prat. polycephaloy vulg. j.
- Dematitidis sylv. latif. C.
- C. sylv. latif. f. non juvenis j.
- climopodium organo simile elatudo maj. fl. C.
- C. arm. bonif. f. scini faie C.
- C. arm. oc. faie fl. albis C.
- Enicurus atridactylis luteo detus f. C.
- C. prat. elegant. f. fl. flavo j.
- Comolobulus maj. albus C.
- C. niva. arm. C.
- Compsa maj. vulg. C.
- Coronopus hort. C.
- Comus femina C.
- Cruciatu hispita C.
- C. palustr. alba j.
- Cucubalus plinis L.
- Cyperus vulgarior panicula sparsa j.
- C. minimus panicula sparse nigricante
- Cyperoides latif. spica rufa sine caud. triangulo j.
- C. spica pendula breviora j.

C. polysachion lanuginosum j.
C. repens *globosum* *spica pendula*
longiore j.
C. nigro-luteum *veranum* *maj.* j.
C. nigro-luteum *veranum* *min.* j.
C. palustre aculeatum capit. brevior

Daucus *ulg.* *cluf.* g.
D. an. *min.* *fl.* *subterribis* j.
D. albann. *min.* *fl.* *albid.* j.
D. an. *ad* *nodos* *floridus* j.
Dens *leonis* *latiore* f. c.
D. l. *tenerrimo* f. c. *sv.*

Digitized by Hunt Institute for Botanical Documentation

Dipsacus *sylv.* *an.* *nivg.* *post.* *maj.* c.
repens *ulg.* c.
Elychnium *lylvestre* *latif.* *capit.* *congl.*
-obtus c.
E. spicatum j.
E. aquat. *ramosum* *min.* *capit.* *foliatis*
2 *maj.* *aquatium*
E. palustre brevior f. *polysperma*
2 c.
E. sectum *sub* *aqua* *repens* c.
Erigeron *ulg.* *subterribis* c.
Eupatorium *canadense* c.
Fragosorum *ulg.* *scand.* j.
Ferum *equinum* *germanicum* *silquis*
summitate c.
filicula *impia* *D. sv.*

- f. altera* 2. *ps.*
f. vulg. tenuissimum *f. erecta* j. 5
f. humilis pilosa *f. denticularis* B.
fragaria *sterilis* C.
fraxinus *excelsior* C.
fumaria *off. er. dioc.* C.
fungus *glans orbicularis aureus* C.
f. angulosus *velut in laciniis* *sectus*
C.
f. procerus magnus *erectus* B.
f. albi *lucentes* *ex uno* *gyno* *pluribus*
ex radiibus arborum B.
f. lutei *perniciosi* *sub pinu* *habitantibus*
B.
f. chryseiformis *minor* C.
f. albi *piloso* *gineo* *B.*
f. piloso *lato orbiculari* *caudicibus*
C.
f. piloso *lato* *et rotundo* *lucido* C.
f. auranti *coloris* *capitulo* *in conum*
obovato j.
galeopsis *patula* *segetum* B. *pyramidalis*
g. volucri *betonica* *f. fl. lanig.* j.
g. procer. *incata* *f. lanig.* j.
gallium *luteum* C.
g. album *vulg.* j.
geranium *montae* *f. min.* *ex sup.* C.
g. sanguineum *maxim.* *f. C.*
g. f. malva *rotundo* C.
g. f. malva *rotundo* *fl. maj. cor.* C.
g. columb. *tenuius* *laciniatum* C.

- g. col. min. maj. fl. & fol. floomy bipid.
 glaucum fl. luteo j.
 graminum caninum avu. pars uny. In gr. dig.
 g. tremulum maj. C.
 g. trem. min. paniculata parva C.
 g. prat. paniculatum molle C.
 g. prat. panic. maj. latiore f. ^{proa} George C.
 g. prat. panic. medium C.
 g. prat. panicul. minus album C.
 g. avu. paniculata eripia C.
 g. aquat. fluitans spica multisp. C.
 g. aquat. paniculatum spicatum C.
 g. prat. eripianum In gr. spica crispata
 Cavi C.
 g. prat. spica flavescente C.
 g. prat. spica purpurea In utriusque prodeunt
 vel gr. fol. spicam amplexante C.
 g. spicatum f. offeto C.
 g. spica bruce minus. C.
 g. avundinaceum aceroso glumâ ut
 park. theatr.
 g. typhoides maximum spica longiss.
 g. typh. operum. C.
 g. nodosum spica parva sine nodos.
 3 uny. C.
 g. avundinaceum spica multisp. C.
 did. C.

- G. arundinaceum* spicatum C. 5
G. hordeaceum minus & vulg. C.
G. loliaceum spica longiore C.
G. coleraceum angustiflorum & spica C.
G. murorum Dalechamptii L.
G. spica hirsuta ad graminum rugosum accedens S.
G. mur. spicis pendulis angustioribus j.
G. festuca sterile latiore j.
G. festuca sterile humilior j.
G. perarabellinum miliaceo proterris
G. ramiflorum spica parvula sine perarabellinis
 eius congener avu. Est in graminum
 minutissimo serine lobis illatis
G. parva elegantissima C.
G. dactyloides f. latiore C.
G. helictogramma maj. diste. C.
G. helleborine fl. albo vel damaspinum
 montanum latif. C.
G. genuaria globosa B.
G. hirsuta B.
G. zeyheri allium redolens H. G.
G. nevadense murorum f. pilosissimum C.
G. gondiolo f. globosior radice terrena
 major C.
G. f. coronata C.
G. amygdaloides amara oleo tenax
 apuli saepe rubentis G. v. p.
G. dentis leonis f. obtuso major C.

5. *Dentis Leonis* f. *bulbosum* C.
H. *fonticomy* latif. f. *dentatus glabrus*
H. *fonticosum* latif. *girsutum* C.
H. *fonticosum* angustif. maj. C.
H. *officinum* maj. fl. in *limitibus agrorum*
H. *min.* *dentis Leonis* ~~oblongo~~ *oblongo*
glabro C.
Gynerium *oblongo* fl. *caeruleo* maj. C.
Hypericum *ulg.* *vel nigr.* C.
Hypericum *ulg.* C.
H. *min.* *erectum* C.
H. *min.* *ascyrum* *dietum* *caule quadrang.*
Jacobaea *ulg.* *laciniata* C.
H. *ulg.* f. *gustata* *lancea laciniata*
H. *latif. palustris* *sive aquaticae* B. G.
H. *palustris* *altissima* f. *serotina* J.
H. *succisionis* f. *gr. h. v.* B. H.
H. *palustris* *lutea* *sive acoris* *adult.*
Imperatoria *ulg.* *grat.* J.
Jasione *silvestris* *vel angustif.* C.
Juncus *villosus* *capitulis* *pyllis* J.
H. *palustris* *humilior* *erectus* J.
H. *pal.* *humilior* *repens* J.
H. *levis* *panicula* *sparsa* *maj.* C.
H. *ac.* *vine* *reflexo* *maj.* C.
Juniperus *ulg.* *fonticosa* C.
Lactuca *sylv.* *costa* *spinosa* C.

Laminum vulg. album sine arceuthemide
fl. albo par. th.
L. f. caulium ardentis min. C
Capethum aquar. f. cubit. C
L. f. acuto crispo. C
L. pulchrum bononiense Sumatrum B.
L. minimum C
Lappa maj. arctum Diofl. C.
Calydas arvensis repens tuberosa C
L. sylv. lutea f. Pice. C
Cephaelis Calif. C.
Seneanthemum vulg. j
Cyperus f. Herb. II.
Linaria vulg. lutea fl. maj. C
L. punctata lutea C
L. leg. mammulata f. villosa j.
L. leg. unum. f. villosa fl. lutea j.
Calypernum maj. erectum C
Carr. minus j.
L. palustre min. j.
Anulus mad. C.
Luteola Gerba salicis f. C
Cyperus sylv. alba sylv. C
L. pectus rubra f. perfoliata C.
L. sylv. Calif. calyculis trigon. strans.
L. mar. fl. laciniato f. her. III. B
L. sylv. tab. je
L. sylv. que azonaria vulg. j

L. sylv. quae bezy albus vulgo C.
Propedoy minus et multiplex sphaerica
l. minus et multiplex ovatum j.
Synnachia lutea ~~v. maj.~~ quae drop. C.
L. lutea maj. quae drop. C.
L. humifusa f. rotundiora fl. luteo
Melancholium album vulg. C.
Melancholium purpureo comae C.
gr. luteum latif. C.
gr. crispatum fl. albo et purpureo S.
Mentha rotundif. palustris sine aqua
Mercurialis ^{maj.} testiculata sine madidat
Hydrocotyle C.
gr. spicata sine femina drop. vulg. C.
gr. mont. testiculata C.
gr. mont. spicata C.
Mellefolium vulg. album C.
gr. vulg. purpureum min. C.
gr. aquat. comutum C. S.
Myosotis com. hirsuta fl. maj. j.
gr. com. hirs. pamo fl. j.
gr. hirsuta altera viscosa j.
Mastichis sylv. capsulis vis
N. petreum f. burse pastoris C.
Nidus avis
Nigella arm. comuta C.
Nymphaea lutea maj. C.

Calyptrocha alba minima C. 5
Caryophyllides aquis junatand j
orchis fl. unidi Gots Effigiem representans
mas C.
O. frum referendi colore rubiginoso C.
orobanche maj. caryophyllum leudel.
P. ramosa C.
ovithopodium radice tuberculis. ~~Ant. No. 2000~~
C.
panicum vulg. spec. spica et mollior j.
S. vulg. spec. spica aspera j.
S. vulg. spec. multipl. asperiuscula j.
S. vulg. spec. multipl. longis arista circumvall
-ata j.
Passiflora nylu. Calif. C.
Pentaptychoides supinum B.
Porsicaria vitis maculosa C.
S. ur. ^{Spec} pachydrizyes. C.
S. angustif. C.
S. salicif. fol. perennis h. l. B.
Phellandrium D. p.
Pinus maritima altera M.
Plantago latif. juvenal. C.
S. latif. sinuata C.
S. angustif. maj. C.
Polygonatum latif. vulg. C.
S. latif. maximum C.
S. latif. C.
Populus alba maj. f. C.
S. nigra C.
Potamogeton rotundif. C.

- S. Congo serrato fol. C.
- S. f. latus splendidibus C.
- S. f. crispis sine caeterea rariarum C.
- S. f. angustis et undulatis
- S. rorrorum angustif. C.
- S. caule compresso f. gran. canini B. G.
- S. f. punctatis
- S. flore. ad fol. nodos
- Syllium majus erectum C.
- Stavica vulg. longo f. serrato. fl. alb.
- Sulegium latif. C.
- Sulmonia angustif. rubente caule
- Quercus latif. mar. qua brevi pediculis B.
- R. f. molli lanugine pubescentibus
- R. f. repens lanuginosus luteus C.
- R. f. fol. argenteo C.
- Stamenculud phragmites albus nervus B.
- R. Phrag. p. p. nervus B.
- R. pal. insectis aeris C.
- R. pal. repens hirsutus C.
- R. pal. radice verticilli modo rotunda
- R. palustris asii f. laevis C.
- R. aquaticus capillacand. C.
- R. longifolia palustris minor C.
- R. palustris plantag. f. angustior
- R. pal. plantag. f. angustior
- R. pal. f. sagittata min. j.
- R. avu. grumosa radice rotundif. min.
- R. barbastrum alba a maculata mar.

in vicia. M. G. H.

- St. fl. albo striato aliqua articulate striata
- St. septem fl. luteo vel sulphureo j.
- Rapumulus scabrosae capitulo carules C.
- Staphanus catharticus. C.
- Susceda vulg. C.
- Susceda vulg. quadrifolra laevis fl. purpurea
- caulis j.
- Susceda vulg. sine rubrae fr. nigro. C.
- St. repens fr. caesio. C.
- St. muraria C.
- Salicaria vulg. purpurea f. oblongis j.
- Salix vulg. alba arborescens C.
- S. f. amygdalino utriusq; antheris ovato
- C.
- Digitaria lutea f. crenata C.
- S. f. longif. angustif. utriusq; albida C.
- S. Calif. inferna girsuta St.
- S. f. exsertata acuminata C.
- S. platyphyllis leucoglossa C.
- Cambius fr. j. umbella nigro C.
- Carrifraga rotundif. alba C.
- S. navata annua humilior j.
- Scabiosa gral. girsuta offic. C.
- S. minor v. r. j.
- Scirpus altissimus j.
- S. Rapietii capitulo majori j.
- S. Sonera latif. laciniatis f. j.
- S. minus minus luteus f. acuto C.
- S. minus levif. albus C.
- S. parvus acro fl. luteo St.
- S. minimus luteus non acro St.

Digitized by Hunt Institute for Botanical Documentation

- S. ann. fl. rubente C.
- S. willmug. vulg. maj. C.
- S. vulg. min. C.
- S. vulg. min. capitulis lanuginosis C.
- S. majori rari fol. C.
- S. albus, siliqua firsuta sem. albo et
rufa B.
- S. rigabrium, linoe f. glabro fl. luteo j.
- S. aquat. Raphani f. siliqua breviori j.
- S. aquat. f. in profunditate lacinae divisa
siliqua breviori j.
- S. annuum absinthii f. j.
- S. palustre repens vagantibus folio j.
- S. sine agrum palustre f. oblongis.
- S. latif. C.
- S. blannu. offic. ac nigricantibus et rufis
C.
- S. offic. acinis pruinosis C.
- S. candens seu dulcamara C.
- S. onchus repens multis siliquis una
B.
- S. canis min. paucioribus laciniis C.
- S. canis laciniatus latif. C.
- S. asper non laciniatus C.
- S. asper laciniatus C.
- S. parganum ramosum C.
- S. non ramosum C.
- S. rhondylium vulg. fistulosum C.
- S. crispum B.
- S. fistulosum f. angustioribus C. pr.
- S. fistulosum f. angust. peduncul. et costis
B.

- Z. pulcherrimum* fl. luteo parvo B.
Z. alpinum fl. albo parvo C.
Z. officinale caeruleo fl. C.
Z. officinale var. *hyp. et vulgarissima* C.
Z. hyp. facie tenerii par. lob. xi.
Z. min. f. imis rotundioribus M. G.
Z. cymbalariae f. nemaj
Z. flor. caudiculis adhaer. M. G.
Z. flor. pediculis oblongis infidentibus
chamaedryos fol. M. G.
Z. nemaj trifido vel quinquifido f. j.
Z. aquar. maj fol. rotundo M. G.
Z. aq. min. fol. subrotundo j.
Z. aq. min. f. ob. j.
Z. aq. augustior f. j.
Z. caesia latina vulg. sanguine nigro C.
Z. multiflora C.
Z. bisanys caecis albis C.
Z. alvaria clus. G.
Z. officinale urandi max. C.
Z. ur. piluladi frum. I. drise. sem. lin
Z. ur. min. C.

VI.

~~Des Pl. qui naissent en plusieurs
 endroits des environs de Paris
 dont on va pour parler dans
 les herbosiers precedentes
 abstr. min. caudiculis albis. C.~~

allegory

Digitized by Hunt Institute for Botanical Documentation

1 4

1 12

6

1
7 2

3
+ 2 5 13

Digitized by Hunt Institute for Botanical Documentation

1 1 10

9 20

10

14

16 4

Handwritten notes at the bottom of the page, including the word "den" and some illegible scribbles.