



Hunt Institute for Botanical Documentation  
5th Floor, Hunt Library  
Carnegie Mellon University  
4909 Frew Street  
Pittsburgh, PA 15213-3890  
Telephone: 412-268-2434  
Email: [huntinst@andrew.cmu.edu](mailto:huntinst@andrew.cmu.edu)  
Web site: [www.huntbotanical.org](http://www.huntbotanical.org)

The Hunt Institute is committed to making its collections accessible for research. We are pleased to offer this digitized item.

*Usage guidelines*

We have provided this low-resolution, digitized version for research purposes. To inquire about publishing any images from this item, please contact the Institute.

*About the Institute*

The Hunt Institute for Botanical Documentation, a research division of Carnegie Mellon University, specializes in the history of botany and all aspects of plant science and serves the international scientific community through research and documentation. To this end, the Institute acquires and maintains authoritative collections of books, plant images, manuscripts, portraits and data files, and provides publications and other modes of information service. The Institute meets the reference needs of botanists, biologists, historians, conservationists, librarians, bibliographers and the public at large, especially those concerned with any aspect of the North American flora.

Hunt Institute was dedicated in 1961 as the Rachel McMasters Miller Hunt Botanical Library, an international center for bibliographical research and service in the interests of botany and horticulture, as well as a center for the study of all aspects of the history of the plant sciences. By 1971 the Library's activities had so diversified that the name was changed to Hunt Institute for Botanical Documentation. Growth in collections and research projects led to the establishment of four programmatic departments: Archives, Art, Bibliography and the Library.

Louise for ~~the~~ Cas

Environ ~~de~~ ~~la~~ ~~ville~~

~~de~~ ~~la~~ ~~ville~~

prohibe  
pamela

~~de~~ ~~la~~ ~~ville~~

pour ~~la~~ ~~ville~~  
en ~~ce~~ ~~part~~ ~~de~~

amirauté requise  
parier ~~de~~ ~~la~~ ~~ville~~

qu'elles soient  
adées general

et morte ~~de~~ ~~la~~ ~~ville~~

de ~~la~~ ~~ville~~ ~~de~~ ~~la~~ ~~ville~~

Commissaire ~~de~~ ~~la~~ ~~ville~~

de ~~la~~ ~~ville~~ ~~de~~ ~~la~~ ~~ville~~

de ~~la~~ ~~ville~~ ~~de~~ ~~la~~ ~~ville~~

de ~~la~~ ~~ville~~ ~~de~~ ~~la~~ ~~ville~~

de ~~la~~ ~~ville~~ ~~de~~ ~~la~~ ~~ville~~





*Bryonia crepea* sine albo lactis rubris  
Taurus racemosa fl. min. lutes - pallente  
Cansamulo minor rotundif. vulg. C.  
C. radice bulbosa fl. caeruleo  
C. angustif. caerulea B.  
C. angustif. alba  
C. apiculata erecta G. C. B.  
C. avu. procumbens G.  
C. pal. fl. conglomerate. C.  
C. hostensis Ragnaulti radice C.  
C. vulgarior fl. utrica vel major Hoffm. C.  
C. punctulata fl. oblongo sicut orbiculati C.  
C. scabosa capitula alba. C.  
C. scabiosa capite caeruleo C.  
C. bicolor fl. pauciflora  
C. bicolor fl. multiplica major B.  
C. glauca latif. humilis mont. C.  
C. palustris minor parvifloris fl. alba  
C. grandiflora fl. caerulea G.  
C. vulgaris C.  
C. gallina alba vulg. G.  
C. lutea C.  
C. cuneata fissata C.  
C. palustris alba  
C. longicaulis palustris G.  
C. hypericiflora vulg. vel nigra C.  
C. pinica vulg. angustif. G.  
C. contortiva minor C.  
C. pendula minor vulg. M. G. v. B.  
C. lutea perforata C.

*Primula vicia* dorata fl. luteo G. B.  
P. pallida fl. humilis chus. G.  
P. montana angustif. major C.  
P. latif. sicana C.  
P. latif. rimata C.  
P. palustris graminea fr. monochloro parviflora G.  
P. coronaria major hortensis C.  
P. montana major erecta C.  
P. rubra vulg. quadrifolia tenuis fl. purpureo G.  
P. alba aquat. min. fl. min. B. G.  
P. palustris minor C.  
P. sylv. maj. alba fl. luteo G. v. G.  
P. sylv. maj. C.  
P. lateranella avu. proca humilis, lutea expresso  
P. lateranella M. G. B.  
P. lateranella fl. luteo G.  
P. lateranella umbilicata nuda oblonga M. vulg.  
P. longiflora am. am. lithosperma fol. G.  
P. angustif. maj. C.  
P. angustif. lutea regina G.  
P. sylv. minor C.  
P. apriniga vulg. G.  
P. lateranella vulg. C.  
P. lateranella angustif. caerulea fl. B.  
P. angustif. rubra - caerulea fl. C.  
P. fl. alba fl. Regii G.  
P. fl. non maculata chus. G.  
P. rubra fl. fl. Regii B.  
P. lithosperma am. min. fl. luteo vel luteo  
P. avu. minor G.

II. Agrostis juncea var. erecta C.

L. palustre minus.

~~Symphoricarpos consocia~~ maj. fl. pallide luteo quadrifida C.

C. conf. maj. fl. spuro-casules. C.

C. conf. maj. fl. spurco que vadit. C.

~~Helictotrichum majus autumnale~~ spuriu. det. j.

C. maj. det. j. C.

Cytoglossum majus vulg. C.

C. sp. f. gummifusa fl. rotundior fl. luteo.

C. gummif. fl. m. fl. spurco. j.

C. gummif. fl. subrot. seminatio fl. luteo.

C. luteo maj. que dicitur. C.

Canagallis cavuleo fl. C.

C. spaurico fl. C.

C. sp. f. aquatica vulg. C.

C. aquat. maj. f. det. j. M. G.

C. aq. maj. f. subrotundo M. G.

C. aq. min. f. oblonga. j.

C. aq. min. f. subrot.

C. cymbalariae f. minima.

C. florum pedunculis oblongis subrotundis M. G.

C. sp. f. M. G.

C. mas lignum vulg. f. maxima. C.

C. minor f. junis rotundioribus M. G.

C. mare ruzallifolia. C.

C. juncea angustif. C.

C. spicata minor. C.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

C. sp. f. sive repens. var. C. j.

Digitized by Hunt Institute for Historical Documentation





*Melissa junalis latif. fl. purpurea*  
*calamin. calamin. g. similis fl. rotundose.*  
*C. vulg. vel offic. geraniaceae C. J.*  
*Chrysodimum origano simile C.*  
*C. origano simile blattin. maj. fl. j.*  
*C. avu. sciri facies C.*  
*C. avu. sciri facies fl. albis. C.*  
*capill. C. capill. fol. citri odore. C.*  
*huy C. latif. fissurata C.*  
*C. minus fl. albo tab. je.*  
*C. vulg. majus C.*  
*C. vulg. maj. fl. albo*  
*C. vulg. maj. fl. purpureo C.*  
*C. vulg. min. eximialis sanguinis. C.*  
*C. vulg. minus C.*  
*origanum vulg. germanum B.*  
*Verbena cors. caerulea fl. caerulea C.*  
*calam. calama. maj. vulg. j.*  
*calama. calama. albo C.*  
*B. av. annua fl. ex albo flarescente j.*  
*B. spinea C.*  
*Adiantum minus repand. C.*  
*C. laciniatis fol. lob. je.*  
*C. frutescens. gl. vulgata fol. j.*  
*C. pubescens caespitosa scandens off. j.*  
*Polium lanatum fl. C.*  
*hamopyris luteo vulg. sine fol. infid. C.*  
*lingula d. j.*  
*B. gl. villosa fl. albis*

*B. gl. villosa fl. caerulea j.*  
*B. gl. villosa fl. sauc. rubente j.*  
*capill. capill. avu. fol. annulato acris j.*  
*capill. capill. gl. vel angustif. C.*  
*capill. capill. avu. perfoliatum majus C.*  
*capill. capill. avu. Clignis latis C.*  
*capill. capill. vulgata B.*  
*capill. capill. pumilum sup. novum fol. Maff.*  
*capill. capill. fol. capulis cristatis j.*  
*N. gl. f. bursa pastoris. C.*  
*N. posticum f. bursa past. C.*  
*capill. capill. latif. C.*  
*capill. capill. bursa pastoris majus fol. sumat. C.*  
*capill. capill. juncum luteum singill. fol. j.*  
*capill. capill. juncum singill. fol. j.*  
*a. juncum mont. juncum j.*  
*a. junc. fol. annulatis acris j.*  
*a. vulg. polygoni fol. caule mudo j. C.*  
*capill. capill. luteum mont. luteo fol. C.*  
*capill. capill. luteum vulg. C.*  
*capill. capill. allium scordium M. G.*  
*capill. capill. f. juncum eichoraceis ceteris pfoliatis j.*  
*capill. capill. l. leucon f. d.*  
*capill. capill. l. lob. je.*  
*capill. capill. l. min. fol. M.*  
*capill. capill. l. vulg. ramosa j.*  
*capill. capill. l. annua junc. magus fl. albo j.*  
*capill. capill. l. annua junc. magus fl. purpurea j. j.*  
*capill. capill. l. annua junc. magus fl. purpurea j. j.*  
*capill. capill. l. annua junc. magus fl. purpurea j. j.*

Digitized by Hunt Institute for Botanical Documentation



- C. aquat. M. siligina brevis J.
- C. aquat. rugosa f. siligina brevis J.
- C. brevis f. globosa fl. lutea J.
- C. poliflora repens Naglerki fol. J.
- C. brevis f. lutea minus lutea bursep. f. C. J.
- C. tenuif. pennis fl. lutea
- Maui Tragan album siligina crispata sem. alb.
- Par. min. semine nigra f. integris M. J.
- Par. procer. elumina nigra M. J.
- Pravi fol. C.
- Syrinx
- Syrinx un. melg. C.
- 2. latif. majus glabrum
- 3. pappi
- 4. an. fl. alb.
- 5. fl. alb. striato siligina articulata
- 6. at. un. M. J.
- 7. fol. fl. lutea vel sulphurea J.
- 8. siligina articul. globa maj. un. min.
- 9. C.
- 10. siligina articulata maj. un. min. M. J.
- 11. c. maj. melg. C.
- 12. Botam ogetoy canle compress. fl. graminis
- 13. carini f. g. fl. graminis
- 14. f. angustis. et undulatis J.
- 15. f. crispis sine lactuca samarum. C.
- 16. f. latis plerumque hidi. C.
- 17. f. pennatis J.
- 18. longe serrate fol. C.

- 19. ramosum angustif. C.
- 20. rotundif. C.
- 21. scabra parva J. f.
- 22. emarginatus fl. et melg. J.
- 23. f. fl. et melg. et nigra J.
- 24. papaver gracile capite longissimo glabro J.
- 25. fl. luteo capite longiore f. pappi J.
- 26. fl. luteo majus. pappi f. pappi J.
- 27. alba capite aquil. imbric. f. longioribus ab.
- 28. n. mox. plant. folia mellea J.
- 29. a. thymifera nemorum. C. M. J.
- 30. a. media C.
- 31. a. minuscula fl. fugei J.
- 32. a. minuscula - oculis. C.
- 33. a. palustris siligina floccalis alba f. longioribus J.
- 34. a. plantaginifolia J.
- 35. a. graminis fol. angustior J.
- 36. a. graminis fol. angustior J.
- 37. a. pappi dicta majus C.
- 38. a. pappi facie minima lamini hidi mellea J.
- 39. a. pappi facie minima sine pappi minor J.
- 40. a. pappi facie minima sine pappi minor J.
- 41. a. tenuif. B.
- 42. a. sedue glabra fl. umbellatis albis J.
- 43. a. botanica f. graminis fol. J.
- 44. a. botanica f. graminis fol. J.
- 45. a. botanica f. graminis fol. J.
- 46. a. botanica f. graminis fol. J.
- 47. a. botanica f. graminis fol. J.
- 48. a. botanica f. graminis fol. J.
- 49. a. botanica f. graminis fol. J.
- 50. a. botanica f. graminis fol. J.



*posuilla palustris* n. vulg. j.  
*acris humilis acuminata reflexa* maj. c.  
*angustifolia villosa fl. albis paniculatis*  
j. f. *articulata fl. umbellatis cum utridis* j.  
j. f. *articulata fl. umbellatis in paniculatis*  
*articulata* j.  
j. f. *articulata fl. umbellatis* j.  
j. *lewis paniculata non sparsa* c.  
j. *lewis paniculata sparsa* maj. c.  
j. *remotus latif. maj. j.*  
j. *palustris humilior erectus* j.  
j. *palustris humilior repens* j.  
j. *villosa capis. p. villis* j.  
*altissimum fl. u. uoloso* col.  
j. *fol. pinnatif. fl. albo* s.  
j. *fol. pinnatif. fl. umbellatis* j.  
j. *terminif. glabrum humilior luteo fl. s.*  
j. *vulg. fl. luteo* s.  
j. *vulg. fl. nigresc. j.*  
*androsacmum maximum* f. *u. uoloso*  
*humilis min. f. humiliora* j.  
*fragaria rotundif. alba* c.  
j. *vesna an. humilior* j.  
*stercora sylvori f. angustiora* j.  
*hempfi fol. longiora* j.  
*virga pumica f. oblonga* j.  
*glaberrima fl. luteo* j.  
*hypnicum asperum* dictum caule quadrang. s.  
*hypnicum* dictum s. *non remouit* s.

- lato s.  
j. *minus erectus* c.  
j. *minus l. vel. s. s. glabrum* c.  
j. *villosus erectus caule rotundo* j.  
j. *vulgare* c.  
*ambrosium stellatum* l.  
*ambrosium am. comita* c.  
*hyssopus alba major* c.  
j. *alba minima* c.  
j. *lutea major* c.  
*edens an. fl. umbellatis* c.  
*caprea dictum* fol. s.  
j. *major vulg. c.*  
j. *minimum luteum non aere* s.  
j. *minus lato in crasso caule* port. s.  
j. *minus fol. dente* s. p.  
j. *minus luteum ramulis inflexis* c.  
j. *minus terdit. fl. albis* c.  
j. *minus terdit. albedum* c.  
j. *pasumy aere fl. luteo* s.  
*ambrosium purpureo* s.  
*humana clus. f.*  
*puscago palustris n. vulg. j.*  
*gedanium cicutae f. minus et c. s. s.* c.  
*g. cicutae f. min. et s. fl. albis* c.  
*g. s. s. columbinum major fol. tenuiter*  
*differt fol. floribus bifidis* fol. s. s.  
j. *columb. min. majori fl. et f. floribus bifidis* s.  
j. *columb. tenuiter laciniatum* c.  
j. *f. analus rotundo* c.  
j. *f. analus rotundo fl. maj. capsula* c.













1. palmata palmatis C.  
 2. palmata palmatis latif. C.  
 3. palmata palmatis maculata C.  
 4. palmata palm. 3. a. C.  
 5. palmata palm. 3. a. fl. mane habente em.  
 6. palm. prostr. maculata C.  
 7. pinnatis alba odorata B.

Gallab. zellabovine fl. albo vel damascenis mont.  
 latif. C.  
 8. mont. angustif. pinnatis C.  
 9. latif. mont. C.  
 10. palmatis ~~prostr.~~ prostr. B. h.

XII.  
 Carduus bellatudo sine calatraya B.  
 Carduus tollatus luteus f. cyani. C.  
 C. metans B.  
 C. vul. fl. albo B.  
 C. albis maculis notatudo vulg. C.  
 C. lanceolatus latif. fl. albo f. p.  
 C. tollatus sine calatraya B.  
 C. tomentosus aequalis fol. vulg. j.  
 C. lanceolatus latif. C.  
 C. caule crispo B.  
 C. achantides B.  
 C. capite rotundo tomentosus C.

C. spha. vulg. claf. j.  
 C. spha. cum squamis ciliis juxta pilosis B.  
 j. cum squamis pinnatis sine capite villos B.  
 j. nemorosus qua serratulo vulgo fl. albo j.  
 j. nigra. prostr. latif. C.  
 j. pumila huj. pinnatis j.  
 j. vulg. laciniata fl. albo j.  
 j. vulg. laciniata fl. albis pinnatis j.  
 C. spha. cum squamis laciniatis fl. caeruleis j.  
 C. spha. acaulos fl. pinnatis j.  
 C. spha. acaulos fol. radice repente caule tuberoso  
 C. angustif. laciniatis pinnatis j.  
 C. spha. acaulos fol. radice repente fl. pinnatis  
 C. spha. acaulos fol. radice repente fl. pinnatis j.  
 C. vulg. polycephalorum vulg. j.  
 C. prostr. polycephalorum vulg. j.  
 C. majus singulari capite magno vel juncum  
 uarie dissectum. C.  
 C. spha. major aeternum Diosc. C.  
 C. spha. acaulos luteus dictus h. L. B.  
 C. prostr. achantis f. fl. pinnatis j.  
 C. prostr. achantis f. fl. pinnatis j.  
 C. caeruleus humilis et minor j.  
 C. spha. acaulos aquar. Romanorum minute capite  
 foliatis j.  
 C. mont. fl. minori albo j.  
 C. mont. fl. minor pinnatis j.



XLII 2. *Lycn. latif. capitulis conglobatis. C.*

2. *tricatum j.*

2. *mont. fl. maj. pinnatifida j.*

2. *mont. fl. maj. albidis j.*

*filago filago vulg. f. per caulem parvis j.*

2. *in jugia d.*

2. *altena d.*

2. *vulg. tenuiflora f. j.*

*comp. comosa majos vulg. C.*

*C. linearis fol. j.*

*impatiens impatiens carnabium C.*

*Conceio minor vulg. C.*

*abrotanum campestre cauliculis albis C.*

*a. camp. cauliculis rubentibus C.*

*a. camp. cauliculis rubentibus C.*

*a. camp. cauliculis rubentibus C.*

*anacardium vulg. maj. C.*

*anacardium vulg. maj. C.*

*anacardium vulg. maj. C.*

*anacardium vulg. maj. C.*

*anacardium vulg. maj. C.*

*anacardium vulg. maj. C.*

*anacardium vulg. maj. C.*

*anacardium vulg. maj. C.*

*anacardium vulg. maj. C.*

*anacardium vulg. maj. C.*

*anacardium vulg. maj. C.*

*anacardium vulg. maj. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

*Quercus laevis. an. officinae fol. C.*

Lactuca perennis junilior fl. coarctata  
L. sylv. angusto laciniato fl. bor. IX.

L. sylv. loba pinnosa C.  
L. maxima tubulosa B.

~~Onoclea~~ Onoclea asper arboris ferde C.

C. asper laciniatus C.  
C. laevis lacini. latif. C.

C. laevis min. pinnatis laciniis. C.

Pteropoda multis fissuratis laciniis. C.

~~Convolvulus~~ Convolvulus juncea infusa am. que. 18.

C. lonchi fl. fl. luteo-pallidato J.

~~Convolvulus~~ Convolvulus angustif. C.

C. fol. nervosis C.

C. laciniatus J. J.

C. pulcherrimus pulvisifloro B. v. p.

C. sylv. fl. albo. C.

C. sylv. lineosif. C.

~~Convolvulus~~ Convolvulus amplexif. arboris ferde C.

A. juncatus verbosif. fol. villosif. J.

A. omnium maximunde fol. globosif. J.

A. palustris fol. longioribus longioribus J.

~~Convolvulus~~ Convolvulus minor fl. glutinosus B. graveolentif. J.

A. virginiana C. ann. J. J.

A. a. Pulv. latif. J.

~~Convolvulus~~ Convolvulus palustris fol. aquar. B. B.

~~Convolvulus~~ Convolvulus pal. altissima fl. serratis J.

C. sericeus fol. B. B. B.

C. ungu. fl. inf. B. B. laciniatis. C.

C. ungu. laciniata. C.

~~Convolvulus~~ Convolvulus mela. C.

~~Convolvulus~~ Convolvulus plantaginis fol. C.

~~Convolvulus~~ Convolvulus min. C.

~~Convolvulus~~ Convolvulus ungu. C.

~~Convolvulus~~ Convolvulus ungu. C.

~~Convolvulus~~ Convolvulus ungu. C.

~~Convolvulus~~ Convolvulus ungu. C.

~~Convolvulus~~ Convolvulus ungu. C.

~~Convolvulus~~ Convolvulus ungu. C.

~~Convolvulus~~ Convolvulus ungu. C.



XXV. *Lycopodium* f. *acuto plano* C.  
*L. f. acuto fl. aurco* C.  
*L. minus acuto* C.  
*L. minimum* C.  
*L. pulcherrimum bononiense* Smarag. SB.  
*atropis latifolia angustifolia* & *longifolia* f. C.  
a. *angusto oblongo f.* C.  
a. *f. bipartito sine detrahe* H. G. v. SB.  
*Chenopodium f. sinuato candido* J.  
C. *foliis* J.  
C. *per antheris* no. tab. je.  
C. *per antheris* II. tab. je.  
C. *setae fol.* J.  
*Chenopodium* *lyth.* *gracilentum* J.  
*Chenopodium germanica glabra* C.  
*Chenopodium* *lyth.* *gracilentum* J.  
a. *lyth. minimum* ed.  
a. *lyth. granulosum f. min.* fl. J.  
a. *lyth. calyce floribus albo* J.  
a. *lyth. f. cal. floribus rubris* J.  
*Chenopodium parichama minus* *ocini* f. C.  
*L. offe.* & *disse.* C.  
*Chenopodium sicilianum angustif.* C. S.  
*L. latif. floris calyce candido* J.  
*L. maj. capargi f. calyce floribus puris* J.  
*L. nitis maculosa* C.  
*L. sibir. f. perennis* f. C. SB.  
*L. sibir. f. potamogeton angustif. dicta Sib.*  
*L. ussuriensis hydrophytes* C.  
*L. ussuriensis latif.* C.

XV.  
*Lycopodium minimum* Boer.  
*L. vulg.* C.  
*Lycopodium vulg. erectum* J.  
*L. vulg. scandens* J.  
*L. vulg. paniculatum* *spica multiplici asperiuscula* J.  
*L. vulg. spica multiplici longis antheris circumscissis* J.  
*L. vulg. spica sibir. prostrata* J.  
*L. vulg. spica sibir. & molliori* J.  
*L. vulg. aquat. fluitando multiplici spica* *obovata rotundior* C.  
*L. vulg. aquat. fluitando multiplici spica* C.  
*L. vulg. aquat. paniculatum* *paniculatum* C.  
*L. vulg. aquat. paniculatum latif.* C.  
*L. vulg. aquat. paniculatum crispum* C.  
*L. vulg. aquat. paniculatum acerosum glaucum utrasq. part. ly.*  
*L. vulg. aquat. quade maj. mont.* C.  
*L. vulg. aquat. spica multiplici phalaenagloris* *Disse.* C.  
*L. vulg. aquat. paniculatum* C.  
*L. vulg. aquat. paniculatum dimid. paniculatum* *sparsa* *S. G. H.*  
*L. vulg. aquat. panic. flange. sericea, capitis minimis* *lunatis asperatis & quasi villosis* J.  
*L. vulg. aquat. paniculatum flange. sericea capitis* *parvis* *S. G.*  
*L. vulg. aquat. paniculatum flange. sericea capitis* *robustis* *S. G.*  
*L. vulg. aquat. paniculatum non asperatis* *S. G.*  
*L. vulg. aquat. paniculatum* *cap. angl.*  
*L. vulg. aquat. paniculatum* *cap. angl.* *disse. profice* C.  
*L. vulg. aquat. paniculatum* *cap. angl.* *disse. profice* C.  
*L. vulg. aquat. paniculatum* *cap. angl.* *disse. profice* C.  
*L. vulg. aquat. paniculatum* *cap. angl.* *disse. profice* C.

1. capillatum aequal. minus S. f.  
 2. capillatum paniculis subulatis S.  
 3. paniculis indivisibilibus S.  
 4. cymoides paniculae majus spica compacta C.  
 5. distylon fol. latiore. C.  
 6. festuca affusa rubra  
 7. festuca sterile latior S.  
 8. festuca sterile humilior S.  
 9. cordatum minus & vulg. C.  
 10. legitimum chaf. S.  
 11. loliaceum angustior S. & spica. C.  
 12. loliaceum codicillatum S.  
 13. loliaceum spica longior S.  
 14. minimum paniculis elegantissimis C.  
 15. minus paniculae pedunculatae C.  
 16. minus paniculis pendulis - angustioribus S.  
 17. nodosum paniculis albis capill. S. C.  
 18. nodosum arvensea panicula C.  
 19. nodosum spica parva sine nodosum 3. S. C.  
 20. panicula multiglier major. C.  
 21. panicula multiglier minus. C.  
 22. paniculis elegantissimis C.  
 23. paniculis elegantissimis sine balmon. maj.  
 24. phalaroides majus sine italium. C.  
 25. phalaroides spica mollis sine gemmarum. C.  
 26. prat. cristatum sine gr. spica cristata latior  
 27. prat. panicula durior laxa magis partem  
 spectante S. f.

28. prat. paniculatum majus angustif. C. S.  
 29. prat. paniculatum majus latiore S. pro scop. C.  
 30. prat. paniculatum medium. C.  
 31. prat. paniculatum minus albium C.  
 32. prat. paniculatum minus C.  
 33. prat. paniculatum molle C.  
 34. prat. paniculatum panicula longa spissiflora S. f.  
 35. prat. paniculae longae spissiflorae S. f.  
 36. prat. spica flavescente. C.  
 37. prat. spica spissa & utriculo prodeunte vel gr.  
 38. prat. spica spissa & utriculo prodeunte vel gr.  
 39. prat. vulg. spica fere arundinacea magna B.  
 40. qd. linogostis panicula angustior  
 41. qd. linogostis panicula minore  
 42. qd. linogostis panicula arundinacea C.  
 43. legatum paniculae minori C.  
 44. spica brisa minori C.  
 45. spica capitata subulatum. C.  
 46. spica cristata ad gramen ex quo accidit S.  
 47. spica fructu ad gramen ex quo accidit S.  
 48. spica fructu ad gramen ex quo accidit S.  
 49. spica fructu ad gramen ex quo accidit S.  
 50. spica fructu ad gramen ex quo accidit S.  
 51. spica fructu ad gramen ex quo accidit S.  
 52. spica fructu ad gramen ex quo accidit S.  
 53. spica fructu ad gramen ex quo accidit S.  
 54. spica fructu ad gramen ex quo accidit S.  
 55. spica fructu ad gramen ex quo accidit S.  
 56. spica fructu ad gramen ex quo accidit S.  
 57. spica fructu ad gramen ex quo accidit S.  
 58. spica fructu ad gramen ex quo accidit S.  
 59. spica fructu ad gramen ex quo accidit S.  
 60. spica fructu ad gramen ex quo accidit S.  
 61. spica fructu ad gramen ex quo accidit S.  
 62. spica fructu ad gramen ex quo accidit S.  
 63. spica fructu ad gramen ex quo accidit S.  
 64. spica fructu ad gramen ex quo accidit S.  
 65. spica fructu ad gramen ex quo accidit S.  
 66. spica fructu ad gramen ex quo accidit S.  
 67. spica fructu ad gramen ex quo accidit S.  
 68. spica fructu ad gramen ex quo accidit S.  
 69. spica fructu ad gramen ex quo accidit S.  
 70. spica fructu ad gramen ex quo accidit S.  
 71. spica fructu ad gramen ex quo accidit S.  
 72. spica fructu ad gramen ex quo accidit S.  
 73. spica fructu ad gramen ex quo accidit S.  
 74. spica fructu ad gramen ex quo accidit S.  
 75. spica fructu ad gramen ex quo accidit S.  
 76. spica fructu ad gramen ex quo accidit S.  
 77. spica fructu ad gramen ex quo accidit S.  
 78. spica fructu ad gramen ex quo accidit S.  
 79. spica fructu ad gramen ex quo accidit S.  
 80. spica fructu ad gramen ex quo accidit S.  
 81. spica fructu ad gramen ex quo accidit S.  
 82. spica fructu ad gramen ex quo accidit S.  
 83. spica fructu ad gramen ex quo accidit S.  
 84. spica fructu ad gramen ex quo accidit S.  
 85. spica fructu ad gramen ex quo accidit S.  
 86. spica fructu ad gramen ex quo accidit S.  
 87. spica fructu ad gramen ex quo accidit S.  
 88. spica fructu ad gramen ex quo accidit S.  
 89. spica fructu ad gramen ex quo accidit S.  
 90. spica fructu ad gramen ex quo accidit S.  
 91. spica fructu ad gramen ex quo accidit S.  
 92. spica fructu ad gramen ex quo accidit S.  
 93. spica fructu ad gramen ex quo accidit S.  
 94. spica fructu ad gramen ex quo accidit S.  
 95. spica fructu ad gramen ex quo accidit S.  
 96. spica fructu ad gramen ex quo accidit S.  
 97. spica fructu ad gramen ex quo accidit S.  
 98. spica fructu ad gramen ex quo accidit S.  
 99. spica fructu ad gramen ex quo accidit S.  
 100. spica fructu ad gramen ex quo accidit S.



*Cyperus cyperus vulgaris panicula sparsa j.*  
*E. minimus panicula sparsa nigricante j.*  
*C. granineus B.*

*Cyperus altissimus f. r. canna, seratis j.*  
*A. altissimus j.*  
*A. capit. requiseti minor et fluctans j.*  
*A. requiseti capit. maj. j.*

*Polygonum polygonum angusto oblongo fol. C.*  
*in cyperoides latif. spica infra sine caule triang.*  
*deor. C. spica pendula fruticosa j.*

*C. mexicanum humile densis rarioribus j.*  
*C. palustre auleatum capitula brevior j.*  
*C. polystachyon canaliculatum j.*

*C. mexicanum globosum spica pendula long. j.*  
*C. spicis raris longe distantibus j.*  
*C. polystachyon spicis teretibus breviter j.*

*C. nigro-luteum nervum majus j.*  
*C. minus spicis densioribus j.*  
*C. nigro-luteum nervum minus j.*

*Ruppia ruppia palustris major. C.*  
*sparg. sparganium non canaliculatum C.*  
*ind. C. ramosum C.*

*Equisetum equisetum palustre majus tab. ge.*  
*E. majus aquat. B.*  
*E. palustre humilior f. polysperum. C.*

*E. setidum sub aqua reperit C.*  
*E. fol. medium non ramosum sine ramicum. j. 70*

*E. vulg. C.*  
*modo presternalis mont. spicata C.*  
*unio. mont. testiculata. C.*

*M. pic. sine feminis Diop. Eyl.*  
*M. testicul. sine vadi Diop. Eyl. C.*  
*testicul. spica vens usina. C.*

*Z. av. minor C.*  
*Z. av. pululade f. v. Diop. Linnelini. C.*  
*Luzula Luzula femina C.*

*Luzula Luzula C.*  
*filix filix querna. C.*  
*f. ramosa maj. pin. obtusis non dentatis C.*

*Con. onychitis auleata major j.*  
*Con. onychitis auleata fol. elegant. j.*  
*Con. onychitis auleata fol. elegant. j.*  
*Con. onychitis auleata fol. elegant. j.*

*Con. onychitis auleata fol. elegant. j.*  
*Con. onychitis auleata fol. elegant. j.*  
*Con. onychitis auleata fol. elegant. j.*  
*Con. onychitis auleata fol. elegant. j.*

*Con. onychitis auleata fol. elegant. j.*  
*Con. onychitis auleata fol. elegant. j.*  
*Con. onychitis auleata fol. elegant. j.*  
*Con. onychitis auleata fol. elegant. j.*

*Con. onychitis auleata fol. elegant. j.*  
*Con. onychitis auleata fol. elegant. j.*  
*Con. onychitis auleata fol. elegant. j.*  
*Con. onychitis auleata fol. elegant. j.*

*Con. onychitis auleata fol. elegant. j.*  
*Con. onychitis auleata fol. elegant. j.*  
*Con. onychitis auleata fol. elegant. j.*  
*Con. onychitis auleata fol. elegant. j.*

*Con. onychitis auleata fol. elegant. j.*  
*Con. onychitis auleata fol. elegant. j.*  
*Con. onychitis auleata fol. elegant. j.*  
*Con. onychitis auleata fol. elegant. j.*

L. caerulea modo basis adnosa. nervosus cinereus & s.  
 veluti dentatus j.  
 L. dist. 22. glim. 2. coloris col.  
 L. dist. 22. glim. 2. coloris flammeo col.  
 L. dist. 22. glim. 2. coloris viridante col.  
 L. pinnatifida ovipalodes j.  
 L. pubula. axatilis cinereus minor umbilicus nigricans  
 id.  
 L. pubula. axatilis digitatus major j.  
 L. pubula. axatilis digitatus minor j.  
 L. pubula. axat. digitatus cinereus f. pubula minimus j.  
 L. pubula. axatilis maximus cinereus j.  
 L. pubula. axat. subsessile lycopodium glaucum infestum  
 reticulatum  
 L. pyramidatus acetabulorum bris coccineis et tamentibus  
 L. pyramidatus acetabulorum, oris foveis et tamentibus j.  
 L. pyramidatus coarctatus aduncis j.  
 L. pyramid. maj. j.  
 L. pyramidatus minor j.  
 L. pyramid. ramosus acetabulis fimbriatis j.  
 L. pyramid. tenuis acetabulis min. repandis j.  
 L. tubulatus cinereus j.  
 M. f. pubula arborisens utraque offic. C. XVII.  
 M. capillaceus densissimus longissimus j.  
 M. cap. maj. pedicelo et capitulo crassioribus j.  
 M. cap. maj. pedic. et capit. tenuioribus j.  
 M. cap. min. capitulo longiori falcato j.  
 M. cap. min. f. tenuior capit. imbricatis j.  
 M. capillaceus omnium minimus j.  
 M. cap. plumosus elegans j.  
 M. cap. ramosus minor calyptra tomentosa.  
 M. cap. ramosus maj. capit. longissimum. C.

XVI

M. filicinus maj. C.  
 M. filicinus min. C.  
 M. linearis f. maj. et crispus j.  
 M. lin. f. min. et crispus capit. juvenis j.  
 M. longissimus aquat. capillaceo f. j.  
 M. pubulatus a bivalvi f. juvenis j.  
 M. polygami - folius j.  
 M. ramosus erectus major. C.  
 M. sericeus cordis folie j.  
 M. squammosus erectus alopecuroides j.  
 M. sp. erectus minimus j.  
 M. sp. Erica foliis minimus capitulis imbricatis  
 M. sp. f. latis subrotundis  
 M. sp. maj. f. angustioribus acutissimis j.  
 M. sp. maj. f. angustioribus obtusissimis j.  
 M. sp. non ramosus maj. capit. juvenis j.  
 M. sp. non ramosus min. capit. juvenis j.  
 M. sp. ramulosis f. pediculis erectis j.  
 M. sp. min. f. maj. j.  
 M. sp. min. f. minor j.  
 M. sp. pubulatus candelicatus mollioribus j.  
 M. sp. ram. capite juvenis j.  
 M. sp. ramosus tenuis capitulis erectis j.  
 M. sp. ramos. tenuis capit. juvenis j.  
 M. terrestis clavatus C.  
 M. tenuis latioribus f. maj. in ungu. et h.  
 M. vulg. pinnatus major. C.  
 M. vulg. pinnatus minor C.





*Impatiens*  
*Sida* ulg. globosa C.  
*Sida* f. ulg. globosa fl. albo C.  
*Sida* f. nigra fol. fissata C.  
*Sida* f. similis cortice cinereo arbuti fl. C.  
*Sida* f. frum. cortice cinereo arbuti fl. albo J. v.  
*Sida* f. unguis cati fl. jz umbellata nigra C.  
*Sida* f. similis sine lobulata C.  
*Opuntia*  
*Melastoma*  
*Sida* f. oblongis bracteis fo. nigricante C.  
*Sida* f. folium germanicum J.  
*Sida* f. bacis albis C.

*Senecio*  
*Senecio* f. immoderatus C.  
*Senecio* f. repens fo. ovata C.  
*Senecio* f. ulg. sine lobulata fo. nigra C.  
*Senecio* f. angustifolius et minus C.  
*Senecio* f. mont. candidus C.

*Senecio*  
*Senecio* f. similis ulg. granis in barlibus C.  
*Senecio* f. repens C.  
*Senecio* f. similis sylv. amara Mahalab putata S.  
*Senecio* f. laciniatus C.  
*Senecio* f. similis sylv. fo. odoratis C.  
*Senecio* f. similis sylv. ulg. fo. odorato juncosato C.  
*Senecio*  
*Senecio* f. similis vov. grisea fo. vigr. maj. C.  
*Senecio* f. simplicis acinis vel pinocis subrotatis C.  
*Senecio* f. similis C.

*Senecio*  
*Senecio* f. similis sylv. sine oxya  
*Senecio* f. rotundior fo. nigra subdulci  
*Senecio* f. germanica f. latius noy bracteis Mahalab  
*Senecio* f. similis C.  
*Senecio* f. similis f. superici C.  
*Senecio* f. partium. mass. omnibus elongioribus ac  
*Senecio* f. similis adhib. J.  
*Senecio* f. similis J.  
*Senecio* f. similis C.  
*Senecio* f. Geraniella Geraniella sine chamae partium S.  
*Senecio* f. Capitatus scoparius ulg. fl. luteo J.  
*Senecio* f. scop. ulg. fl. magno J.  
*Senecio* f. coronilla Geraniella fl. vario J.  
*Senecio* f. minima J.

*Senecio*  
*Senecio* f. minima J.  
*Senecio* f. similis spiralis f. dentulatus S.  
*Senecio* f. similis minor luteo S.  
*Senecio* f. similis officis cauda muris C.  
*Senecio* f. similis f. Saerematum legi putidi fungosum  
*Senecio* f. similis digitatus maximum bracte. mund. J. J.  
*Senecio* f. similis ulg. J.  
*Senecio* f. similis cum floribus nupius fugal membranae  
*Senecio* f. similis pinguis Col. Morff.  
*Senecio* f. similis unclaria major lutea C.  
*Senecio* f. similis polygoni - unclifera per terram  
*Senecio* f. similis fl. scorpioides S.





Digitized by Hunt Institute for Botanical Documentation