

Hunt Institute for Botanical Documentation 5th Floor, Hunt Library Carnegie Mellon University 4909 Frew Street Pittsburgh, PA 15213-3890 Contact: Archives Telephone: 412-268-2434 Email: huntinst@andrew.cmu.edu Web site: www.huntbotanical.org

The Hunt Institute is committed to making its collections accessible for research. We are pleased to offer this digitized version of an item from our Archives.


Usage guidelines

We have provided this low-resolution, digitized version for research purposes. To inquire about publishing any images from this item, please contact the Institute.

About the Institute

The Hunt Institute for Botanical Documentation, a research division of Carnegie Mellon University, specializes in the history of botany and all aspects of plant science and serves the international scientific community through research and documentation. To this end, the Institute acquires and maintains authoritative collections of books, plant images, manuscripts, portraits and data files, and provides publications and other modes of information service. The Institute meets the reference needs of botanists, biologists, historians, conservationists, librarians, bibliographers and the public at large, especially those concerned with any aspect of the North American flora.

Hunt Institute was dedicated in 1961 as the Rachel McMasters Miller Hunt Botanical Library, an international center for bibliographical research and service in the interests of botany and horticulture, as well as a center for the study of all aspects of the history of the plant sciences. By 1971 the Library's activities had so diversified that the name was changed to Hunt Institute for Botanical Documentation. Growth in collections and research projects led to the establishment of four programmatic departments: Archives, Art, Bibliography and the Library.



Digitized by Hunt Institute for Botanical Documentation E. LUCY BRAUN 2702 MAY ST. CINCINNAT, ITY12). OHIO great Smokies En Porte Summer, 1933 Berea - manificter - London Corbin- Cumberland Falls Oct. 1933 1933 VI.

Digitized by Hunt Institute for Botanical Documentation Bet, Penerillet middleslow some MM but more out than north Eg Pinon pot much prinary, but inducations are of Mair lone slopes there Juily close together South of Cumberland Gap, Amost no fores left. In the whole area for Cuntarland Jap to Gatlenting tim by mm; sother, prevalence for rul my slipes, ex Clink m all inter app. balley area app was och n bah hick my mpene och

(m 252.) where l. s. out agan, Suhnin-1. E. adam. Co. prairie comline prairie elemant, + so, hero physica. Locally, smith of moniston, vally of Holdon Ring 2 a Con lench, butabore bottons, contains areas for "upland"-Q. phillis mit Digitized by Hunt Institute for Botanical Documentation Surpers, Carey, etc; now dry, betotowaly Wet earlier Slightly higher (dryer) D. digitata + 2 shellos prominen + 2 shellos etc. - much like out Tispe A Beren. Slopes - rolling -oan, like notskirt of ashenele.

Digitized by Hunt Institute for Botanical Documentation freehlier, great Smokies-East slope at "Tinter notoes Camp - Chesting dominans [deag) Up stream of right hand side of part in anay from heading. alkling a Ochod - herrloch slope y fireh in prime Ofalis acetrelle bere, to Circain alping re hare ferentive reseptadhe

her this wears Blues & lenty, Reemaple & simple miel Red. Semerilie W. F. blundas rotud Diliaret militille effension , + m Digitized by Hunt Institute for Botanical Documentation Porter Flatsgreentrier Eler. about 3000 Forest more open than Black mt. i.e. true Jarthe affait & un Jeneral branching Umar. On the that trunks a little farger, Porter's Creek flows north apento north. N.W. and of lings chestruct. July with chestrus I with hemlicht with other meso. off.

Hener part frit truck Cich s. maple upper 3200 41) bassmed - more auro arechan isterly place Spalesia bucheye hendry near streamy occ. chestnut vah redoah Digitized by Hunt Institute for Botanical Documentation Situations comparable To this not not found in Tay regime - which he about like Collyers Creek arned school Herbaceous begetation essentially same is in Ky. Rich mess. mixture, with fems totally aspert is much litre this fre Day trail; includes mt. laurel & Galap Curumber is a large Tree

East encobelon Sugarland July 15 Cherry core in new found gapad maple gaptotel huchero beech (not much) silver bill hembole (notmut) Carefa corel, Bep lutea Cladractis (amall) & miso undergrowt Simaple - 12 ffr buckeye - 14fr Digitized by Hunt Institute for Botanical Documentation buckeyes + maples are larget trees PA The come buckeye-bass Black maple frasktos Black mt, with silm bill added in canopy grow on bery stup Cherry is higher, above the SM-bassmed-buckup; more tuly alove, Too.

uly 16 Hersfound gap to my Pephant Jung Digitized by Hunt Institute for Botanical Documentation July 17. Le Conte bia mill Creek Chestnut plopes alt meer. a. mist facing pene slope below Rhi Jorhin hearth a NW ch, vah chesh Shinh slope met huy galay prory meso con Silver to cherry shout, beech,

Rocky spin -Eridacens cover of Phod. cat. "may bac. simulate greyl Kalma with a feir non erenews amel. + galaf, Tr. und. mos & luche Digitized by Hunt Institute for Botanical Documentation Soil. 12in brown fibros pear 12 in black comparted " 6 in nearly black sandy pelly +- bie sandy, cron 1/4 in . unmodified not

July In. hlessen from grossy gap + Roaring Inch July 19 July 20 alum m shift- whole valley as gottenling rastilis Digitized by Hunt Institute for Botanical Documentation July & 1 - En Porte. North Deaving Smokres, mifel meso, stops afonce. Froshiels are prevailingly ouk. Broad balley of Tennessee having had any MM. Indications are from what little and growth there is) that vally mus oah hickory mitfuly. af Bull Run (creek) a very little MM one slope toward erech, otherme all oak - hickory - talip

at La Follette, enter the Cumberlands: MM begin at once I before entering mts, II range for some time, 7 bech, glassmort breile m slipes] My increases in prominum as soon as for stirs stipe; southered slipes hand more that MM. macrophylla t. mag trafitala start Some areasare distinctly Beach - puckage - basching v. maple - M. Digitized by Hunt Institute for Botanical Documentation Cucumber & present. as fellico, run out off level platen mich lon hilly. Hill are oakballey is form of. flat - polest or high vielow och (at lunch stop) Soil white ; croyfish ; Cothorinen around maple roots norrow-leaved Sathatia 4 grass, much Junais tenus. Cerros field, stillon flit pine (Rochslibergeda) apine refor .

Whitey Co. - . Perses orgeneous 11 regile Swell gren Ulming deale Q. agitala river birch Spirara tomerlosa mignolia tub Digitized by Hunt Institute for Botanical Documentation Whitey Co Hells Conder type Redegetata, tellata per gum, telip och willow oak, a sittle beech n. of Wielameling, very lette Det at great & plople not Higher hills north of Rockhole much

+locally, second gran Spicara philas Farrie Corenter Ceifferte Plat. hendrek magnolin maero A Tockcocele of the itized by Hunt Institute for Botanical Documentation lope ? partille vection = m. M. es There are Rocaccialing counter. From back in plating "Vive Hill Finel On" Descend limestore places from but been toward Berea - much cedar; where any orig. , ind. are mingel ment.

Flats approaching Bere surfguns, etc. m Spiraco tomentosa, bites (Robusso ?) Phlop mac.) etc. + higher, och undland y Berea Type Digitized by Hunt Institute for Botanical Documentation

Beren Och 14, 1933 Anyma shale slopes tulip beeca black vale who are Chruh Caryaglela red maper Sass. Offel diginge many asters-A coudif., Sageth aguinen Iginzed by Hunt Institute for Botanical Documentation Sol. causen Cunica, gerardia laes Phegop, ch. fer Songi und to cast slpc Comp mon D. prin, hypon Piving se och gilin, andr prop ger lang, agures Concare cast bassing meso- Wirah buckupe to buck choal papa redral st. I hick

Spice bush top urte diging Up to miss, l. 7. M. tripeta around to north pl. busined the bul huller amplyo redhad Digitized by Hunt Institute for Botanical Documentation Ramieflats tulip Cango tay magnetations smaple, but i Slopes of deep noten valler monthly beach + large 2nd still lold stups of suit Canbrily vig creek Jep picetre 5 Charelly

Hydranigen Jouchne not tall asplang almind a. milito slopes nor quite b porse mere MM blech bassmal bity or tralment carp N.E. upper slipes 2 nd gent hitig rigitized by Hunt Institute for Botanical Documentation below p. D. Crenies of s.s. Auchern rugelli upper sandy seg Sercocarperoast Chestrut after pater Sol erecter Thespite Paster diran C. glaten sis (Pogonation on rd cinf) bac bac

Ridge top: - mder ch tak mt laurel Lespendeza formalia Prenantly services goyl, higher my asigne a igitized by Huit Institute for Botanical Documentation Vitro heal Solidago adora ister undulate Serc. aster. Chryp. maria Lephrosia gradually up -price burn do Desm maryl Cassin net thin un vol are hars his along madeson -Rockastle Co. time in nen it

P.M. Oct 14. From Berea to Beg Hill - Clover Bottom mckee - graybank manchester In low forthills, Beren to Big Hel + Kingston h Big Hill (black shale) penes more prevalent Than in most pucharero. In places, valis - white, black, post, & hickory From Big Hel, start ascent thru" the Mino, big up to capping panditone. very poor, come down some, and follow for a long may a nearly E- Working of the Incromac, meddle Miss lo. - thome which mathers in rounded of Berea. Cedars abrentant, 7 much p, maple In meplace, beechaling clean to top & along ridge Instlygn ginth mil nature of the orig. vkg. Considerable of the rolling type of plateau with Finally hemlock + Rhodondrom start bet, mekee & march ;

manchester to London up store creek -Clay co. hilly - + in general connecte general dessected mich but not rugged platen Excrementy line, Claychanges + land mly rolling. (Stratuno plane of Pottonllet a small amount of shale : Soil from fine sandy to pandy. silf. Streams us shallow valleys mil indefinable heads + broad swampy flats Digitized by Hufit Institute for Botanical Documentation See notes of Flat of Ky 80 -nd from manchester He Standar + Cumb Hallo 2001

Flatsm Dey 80 Sweetgun of London reg maple Spiraca Fomentosa Lolismo, Lynia ligustrina Rhuscop alder a rugosa Juntiana sipmaria Sol, rugosa aristida A Calamagnostis Sygoduu hispidus Stearone Juni Gual Stearone Juni Stearone progue mords- Vred make F. cullale agalea -? Sutter the Polyterthu - deworth Cobelia - sp ? mittaltin OPEN Rhegia, narrow mariana gerardia Aletres Horycarper ? Uniola lafa Partingala APostal Staguert Rubiotrinceles

a pine bink Osminen reg tein Osp. thelipp Forest Bigbreed) pin rat sulp sugar buch redmaple the val Understry tall bac. luch Oyden red maple Orgitized by Hunt Institute for Botanical Documentation Der an azulea Pyru: Conpe Bare deeper evid Splogn, esparond there spreadout a Splog mitchella on mos mederla Agbenani bit lentago

Ermy olor magn macrofin buch part, not so Chim aphilo bigtree 22 1/2 th Topularin Follow shallow Itea Digitized by Hufft Institute for Botanical Documentation Falls rd. Ort 13 pirch que red maple hyppal Anoah smitival Shengle red Understory some + Algendrim Stea Jalla, sheng analen galia, sheng Etronymis anen + obri " bert P. my mel

terrifolium. Helenien - Jellico tir Ky Whitey Co 14 Sobbatia Camponulater Part Part Digitized by Hunt Institute for Botanical Documentation XI , 1, 2. + 3 - ar mullens 1 K32 F. S.E. - into N.C. from ninformed gap 1/2500 8 1/2 00 22 5 N. from Neufrund gap matiles mich 5. 7. Upperpart of fullo Regen P. 125m 8, cloudy & hagy from field - ascent to operend core 1/2 m 2 2 Buckeye, 14 ft pr

10, /25m16, 4 Sunday morn Vien into Teur fin nenfored gap 11. 1/2 on 22 12 1/2 on 22 12 1/2 on 22 Vooked baches bu nenforendgap trang X11 T-2 1. 1/2 m 22. N. Jacing rock cliff n masses of Aylocomium masses of Aylocomium r. Hale, Polypody m left; base of fir tree high 2, 1 m 22 Apropriate Digitized by Hunt Institute for Botanical Documentation 1/2 00 2 2 Lilies on newforend gap trat Lisuperta H. 15m 22 Summit beeches on 5. 1/5 m 2 2. C.S. Vien into N.C. toward Sloff Balsans b /25m 11 From the Jump Off. Sorbus phrulsare Rhidpuni

fir branche 7. 50m 11 Looking porth from trait Road dorm in N.C. in balley. P. /50 m 8 Le Conte from near nenfind gof By 9. Roundin Fall 1m16 10/25m 8 Rocky Sper for Parton Falls Rhod cas & may is Digitized by Hunt Institute for Botanical Documentation white spot on not slipe is chestras 11. Looking down mill Creek from risets Rocky Spin Rhod laed spice 12. across to mhopp Rochy Spins Spinie Comes dom nidgs, dend the up cons X/1/-1-Rochy hinths in upper Slapes

Sugarlantha Hist shows in 1927 picture encompour mikefue 2 gapre 3 1 + trail through the Brich for 4. Hent + duarfspruce 1/23m 11. 5/25m 16 Dendriving a fim duarfsprucet Rhot can 6. Loward Bruch Digitized by Hunt Institute for Bottiniegt Documentation 7. 25m 16 Brund /25m 6.3 asp. spin. delatata un fir woods. Shrut is bit, almy 3" m 2 2. mos, opalis, etc in dense fir ford-10. Clingmans dome in center detra Themen below, right 1/2 00 22 Cliffon summer, the print

12. Le Conte Dodge XIV T-4 1. " bn 2 2 Fir forestrich asp dilas 20 falis most of mossis Hylor 2. Silver Bill her py 3. Stream formed aling 4. Lunit to alum care Deniother Plurd. for Buckeyet. 5. Leucothers & Buck 5. Alum can looking Jasmp Sprice J alum Can north Spruce - snith, 1"m 22 8 91 Tallalum Care 12. Chinnerspon Highwalf

Och1933 K 33 1. Beren - north from hill road shining hill mith so cliff 2 meadmin pircet grentlar in right; there of "open" has 3, Inflat words on Cunt falls rie Sug RIM 1 1 reom much Stea Digitized by Hunt Institute for Botanical Documentation 4 Same lor, -Holly abundant Will Holly carper of ast thelp 5. Some loz Sh gen r + I so pindek (2) m red m + nymer Tholly inder Ten shulsmate

Flots, Cumberland Fall road (cont.) asp, thelyp Osh regalistican aspl. ff Jontian and brola cue Ling, canad Acleum Ludr alata militella Lygodien Rubus hisp Red toulowing Caruppo Sout. Pinen Panin the medeolo Lobelia cand Ky mas Hy moles Habennii flassed mossy hun of Church Bartina mi Sphagn Dightzed by that Institute for Botanical Documentation Der Paloren Slope is appreciable a line of drawage in almost 5 ft to In 200 becoming slightly rolling Frand margins Undergien abund

Bet. Corbin & London. In 25- at Sunch- west Ch. ferro a for the higher the pin bah red maple Digitized by Hunt Institute for Botanical Documentation 1. 27 3 1. 4.5 1. beech almost enterety 2. beech, red maple sor gun & nyson 3 pir gun, red maple alder Brohming Chelme Selagenella mal Syzodice Polyg sog Ordamine rot

4 mostly brecht surger 4 drier than 3. S= etrea a miged mith mith beech from except in sports - maynery reatherey Digitized by Hunt Institute for Botanical Documentation

Back Cover 3hrs lr. 80 W. at 4 get to more by 1:30 drine 1 hrs. lunch 1/2 hr

bynn's Fouring camp & karoon bet. Richmond + Lege near Rechnig - looks very nice Digitized by Hunt Institute for Botanical Documentation 3

and the second Digitized by Hunt Institute for Botanical Documentation $\frac{933}{933}$ TATE TATE NOTE 1933 I apr 6 greenwood, mc Creary Co " I natural Br., " " " & Stearns ry. - Rock Creek, Tenn. " 9. Eureka Care Co. II may 27 banceburg-Kinii. ridge - 28 hoah Slipe forist, big bend 29 Iron Bridge 1933 June 7 Rockcastle River, 2. of Lingston "7 En Route 8 Colliers Creek + Rogers Firk 91 10 Pinemt, Partridge 11 "", " 12 (to Line Fork) 13. Line Fork, woods in Calin, TIL accent of slope about calin Base of Pinemit, a. bank of

Nety, Date III In 14 Lynn Fork Leatherwood 15 Stony Fork + branch of Jukes Creek 16 Pine mt. - ascent opp. Stapleton Calin Pinemp, lover plope, + 17 Stigh Stalls . Head of Line Fork. To Cumberland + back 18 19 (To Partredge) 20 21 Penemp, Partridge 71. cont June 10 + 11. — Trees almy Poor Firk. 22 Joe Day Branch TY 23 24 Little Joe Day Branch 25. Upper Poor Fork to Bod Branch 26 Rim Hills, Harlan Co. " " month of Colliers 27. Bad Branch to falls 28 Care Branch of Cloverlick 29. Digitized by Hunt Institute for Botanical Documentation <u>X</u> 30 Whitesburg to Hyden 4 Hindman July 1 + return 11 2 " 3 Joe Day (clouds) IV " 4 High Roch & upper Bod Branch 5 to Red Bird Rin Tr Big Nouble Creek 6 Hill behind Chil House Red Bird River to Sugar Creek & Sugar Creek Row 9. Big Double Creek Red Bird Pin below camps 410 Return to mullins? 11. 12 VI Partridge to gathenburg 13. greenbrier; Porter Flats 14 jest-Sugarland mt "cherry cm" 15 newfound gap to 16

17 Inble Conte via Roundon 1 Falls trail 18 Descent Via grang gap, Roaring Fork, Cherokee Old. 19. -20 alum Care 21 gatlinburg - Berea Oct 13 Cire. ho Kingston, Big Hill VI Berev 14 A.M. Beren College Forest, "Con-bell hollow. P.M. - Big Hill, manchester Sonden - Cortine Words 10 mi. can of London 15. Cumberland Falls. Flatson" " rel Hordo F milast of London and Return to hey. 16 Jo Cin. Digitized by Hunt Institute for Botanical Documentation