



Hunt Institute for Botanical Documentation
5th Floor, Hunt Library
Carnegie Mellon University
4909 Frew Street
Pittsburgh, PA 15213-3890
Contact: Library
Telephone: 412-268-2434
Email: huntinst@andrew.cmu.edu

The Hunt Institute is committed to making its collections accessible for research. We are pleased to offer this digitized version of an item from our Library.

Usage guidelines

To the best of our knowledge, this item is in the public domain. We have provided this low-resolution, digitized version for research purposes. To inquire about publishing any images from this item, please contact the Institute.

About the Institute

The Hunt Institute for Botanical Documentation, a research division of Carnegie Mellon University, specializes in the history of botany and all aspects of plant science and serves the international scientific community through research and documentation. To this end, the Institute acquires and maintains authoritative collections of books, plant images, manuscripts, portraits and data files, and provides publications and other modes of information service. The Institute meets the reference needs of botanists, biologists, historians, conservationists, librarians, bibliographers and the public at large, especially those concerned with any aspect of the North American flora.

Hunt Institute was dedicated in 1961 as the Rachel McMasters Miller Hunt Botanical Library, an international center for bibliographical research and service in the interests of botany and horticulture, as well as a center for the study of all aspects of the history of the plant sciences. By 1971 the Library's activities had so diversified that the name was changed to Hunt Institute for Botanical Documentation. Growth in collections and research projects led to the establishment of four programmatic departments: Archives, Art, Bibliography and the Library.

VOL. VIII.

March 1, 1834.

No. LXXXVII.—*New Series.*

Price 3s. 6d. Coloured and 3s. Plain,

(To be continued Monthly)

**CURTIS'S
BOTANICAL MAGAZINE;**

OR

Flower Garden Displayed:

In which the most Ornamental FOREIGN PLANTS cultivated in the Open Ground,
the Green House, and the Stove, are accurately represented and coloured.

To which are added,

THEIR NAMES, CLASS, ORDER, GENERIC AND SPECIFIC CHARACTERS,
ACCORDING TO THE SYSTEM OF LINNÆUS;

*Their Places of Growth, Times of Flowering, and most approved
Methods of Culture.*

CONDUCTED

By SAMUEL CURTIS, F. L. S.

THE DESCRIPTIONS

By WILLIAM JACKSON HOOKER, L. L. D.

F. R. A. and L. S. and Regius Professor of Botany in the University
of Glasgow.

London:

Printed by Edward Cauchman, 10, Throgmorton Street,

FOR THE PROPRIETOR SAMUEL CURTIS,

AT THE BOTANICAL MAGAZINE WAREHOUSE, GLAZENWOOD,
NEAR COGGESHALL, ESSEX;

Also by SHERWOOD, GILBERT, & PIPER, 23, Paternoster Row; J. & A. ARCH, Cornhill;
TRETTTEL & WURTZ, Soho Square; BLACKWOOD, Edinburgh; and in Holland, of
Mr. G. ELDERING, Florist, at Haarlem:

And to be had of all Booksellers in Town and Country.

TO ADVERTISERS.

CURTIS'S
BOTANICAL MAGAZINE.

The **BOTANICAL MAGAZINE**, which has been published without intermission on the first day of every Month for the last Forty-six Years, and is circulated amongst the most respectable classes of society, from its established reputation, elegance, and scientific tendency, must be viewed with interest by all persons under whose observation it comes, and will be found a most desirable medium to Advertisers.

All persons wishing to advertise **WORKS ON SCIENCE**, ingenious **IMPROVEMENTS OR INVENTIONS**, more particularly as they may relate to Horticulture, Agriculture, or any subject, in which not only the Nobility and Gentry, but all scientific persons would feel an interest, are respectfully informed by Mr. CURTIS, that his **BOTANICAL MAGAZINE** forms one of the best vehicles for bringing such improvements under the notice of the most intelligent persons in these kingdoms, as well as abroad. The Work is elegantly printed in Royal Octavo, and the Advertisements admitted are of a select description.

TERMS. For a whole page royal octavo, £2 2s.; half a page, £1 1s.; one-third of a page, 15s.; not exceeding ten lines, 10s. 6d. For **Stitching-in Proposals, Prospectuses, &c.** not exceeding four pages, £1 11s. 6d.

Prospectuses, &c. sent for **Stitching-in** must be perfectly dry, as the **Plates** of the Work are beautifully coloured; and would be much injured by damp **Prospectuses**.

N. B. It is requested, that all Advertisements, &c. may be sent to the Publishers, Messrs. **SHERWOOD, GILBERT, and PIPER, 23, Paternoster Row**, by the 21st of the month.

CATALOGUE
OF
AGRICULTURAL
AND
HORTICULTURAL SEEDS,
TO BE HAD
OF
S. MAINE,
Seedsman,

No. 449, WEST STRAND, LONDON,

OPPOSITE HUNGERFORD MARKET.

1834.

Davison, Printer, 37, Duke Street, West Smithfield.

GARDEN KNIVES, SPADES, RUSSIA MATS, &c.

ORNAMENTAL SHRUBS, FRUIT TREES, &c.

CARNATIONS, PINKS, AURICULAS, &c.

Malt and Hops, split and whole boiling Peas.

FLOUR OF MUSTARD.

ENGLISH ARROW ROOT AND FARINACEOUS FOOD.

*Wheat, Oats, Horse and Pigeon Beans, Tares, Hay, Straw, Bird Seeds,
Groats, Oatmeal, Flour, Bran, and every other article of Cornchandlery,
at the most reasonable prices, wholesale and retail.*

KITCH

I.

EARLY PEAS.

Bishop's new
Single blossom Frame
Double do.
Nimble
Chariton
Hotspur
Spanish Dwarf

Later Peas.

Dwarf blue Prussian
Dwarf white do.
Dwarf Marrow
Tall do.
Green do.
Knight's do.
New green do. d
Dwarf do. d
Woodford's new e
Waterloo
Wellington
Dwarf Imperial
Improved do.
Tall Egg
Spanish Marott
Blue Scimitar
Rose or Crown
Blue Spanish
Grey Rouncee
Tall Dutch S
Dwarf do. d

KITCHEN GARDEN SEEDS.

I. EARLY PEAS.

Bishop's new
Single blossom Frame
Double do.
Nimble
Charlton
Hotspur
Spanish Dwarf

Later Peas.

Dwarf blue Prussian
Dwarf white do.
Dwarf Marrow
Tall do.
Green do.
Knight's do.
New green do. do.
Dwarf do. do.
Woodford's new do.
Waterloo do.
Wellington
Dwarf Imperial
Improved do.
Tall Egg
Spanish Marotto
Blue Scimitar
Rose or Crown
Blue Spanish Dwarf
Grey Rounceval
Tall Dutch Sugar
Dwarf do. do.

II. BEANS.

Early Mazagan
Early long Pod
Sword do. do.
Green do. do.
Windsor
Taylor's broad do.
Green Windsor
Mumford
Toker
White Blossom
Fan or Cluster
Red Blossom

III.

FRENCH BEANS.

Dwarf.

Fulmer's early forcing
Early Dun
— Canterbury
— China
— Negro
— purple-speckled
Liver-coloured
Dutch Dwarf
Zebra

Runners or Tall.

Scarlet
White Dutch Case-knife
New variegated
Cranberry Pole

IV. SEEDS OF CULINARY ROOTS.

Carrot.

Early Horn
Scarlet do.
Long Orange
Short do.
Large Altringham
Long Surrey
White
Purple French

Turnip.

Early Dutch
— Stone
— yellow
— Six-week
Yellow Stone
Maltese
Markish or German

Radish.

Early Frame
— scarlet
— Salmon
Long white
White Turnip
Pink do.
New scarlet do.
Black Spanish
White do.

Onion.

White Spanish or
 Portugal
 Brown Spanish
 White Reading
 White Lisbon
 Deptford
 Strasburg
 James' keeping
 Large Tripoli
 Globe
 Silver-skinned or small
 pickling
 Lisbon
 Yellow
 Two-bladed
 Welsh

Beet.

Fine red
 Turnip-rooted

Cabbage.

Turnip-rooted, above
 ground
 Turnip-rooted, under
 ground
 Purple or Kohl Rabi

Celery.

Celeriac or large-rooted

*Parsley,**&c.*

Hamburg or large-rooted
 Parsnip
 Salsafy
 Scorzonera
 Skirret

V.

BROCOLI, &c.

Early Dwarf, white
 — Dwarf, purple
 — green
 Late white
 — purple
 Brimstone
 Early white Cape
 — purple do.
 Dwarf Siberian
 Grange's early
 Early sprouting

Cabbage.

Earliest Dwarf
 Early York
 Large York
 Early Emperor
 Wellington
 Early Battersea
 — Paington
 East Ham
 Early Sugar Loaf
 Large Drumhead
 Thousand-headed
 Best red
 Large Dutch do.
 For the Turnip-rooted
 varieties *see* IV.

Savoy.

Earliest Dwarf
 Early Dwarf
 Green curled
 Late do.
 Drumhead
 Yellow

Cauliflower.

Best early
 — late
 London

Kail or Cole.

Dwarf green, Scotch
 Dwarf brown do.
 Tall green do.
 Tall brown do.
 Variegated do.
 Dwarf Canadian
 Chou de Milan
 Cesarean or Cow Cabbage
 Jerusalem
 Buda
 Brussels' Sprouts
 Dwarf do. do.
 Guernsey

Beet.

White
 Green

Orach.

White
 Red

Sorrel.

Broad-leaved
 Narrow-leaved

Spinage.

Round or Spring
 Prickly or Winter
 Flanders

VI.

*PRINCIPALLY USED
 FOR SALADS.*

Corn Salad
 Cress
 — curled
 — golden
 — American
 — Normandy
 Mustard, white
 — brown
 Rape, Salad
 Salad or Purple Radish

Kail or Cole.
 Dwarf green, Scotch
 Dwarf brown do.
 Tall green do.
 Tall brown do.
 Variegated do.
 Dwarf Canadian
 Chou de Milan
 Cesarean or Cow Cabbage
 Jerusalem
 Buda
 Brussels' Sprouts
 Dwarf do. do.
 Guernsey

Beet.
 White
 Green

Orach.
 White
 Red

Sorrel.
 Broad-leaved
 Narrow-leaved

Spinage.
 Round or Spring
 Prickly or Winter
 landers

VI.
 PRINCIPALLY USED
 FOR SALADS.
 Corn Salad
 Dress
 — curled
 — golden
 — American
 — Normandy
 Mustard, white
 — brown
 Pe, Salad
 rad or Purple Radish

Cucumber.

Early Frame
 Long do.
 Long prickly
 Short do.
 Early yellow Russian
 Early Cluster
 White Turkey
 White-spined

Endive.

Green curled
 White do.
 Broad-leaved
 White Batavian

Lettuce.

Green Coss
 White do.
 Brown do.
 Blood do.
 Spotted do.
 Egyptian do.
 Bath do.
 NewParis do.
 Florence do.
 Imperial do.
 White Silesia
 Brown do.
 White Cabbage
 Brown Dutch
 Green Hammersmith
 Malta
 Marseilles
 Grand Admiral
 Tennis Ball

Nasturtions.

Tall
 Dwarf

VII.
 VARIOUS POT AND
 SWEET HERBS.

Celery.

White solid
 Red do.
 Rose do.
 Giant
 Italian
 Rooted, see IV.

Chervil.

Best curled

Parsley.

Curled
 Extra curled
 Plain
 Giant
 Rooted, see IV.

Leek.

London Flag
 Common

Angelica
 Anise
 Balm
 Basil, large
 Basil, small
 Borage
 Burnet
 Capsicum
 — long red
 — yellow
 — Cherry

Other varieties

Carraway
 Clary
 Comfrey
 Coriander
 Cummin
 Dill

Fennel
 Hyssop
 Lavender
 Love Apple
 — large red
 — yellow
 — heart-shaped
 — Cherry-clustered
 Marygold
 Marjoram, sweet
 — Pot
 Purslane, green
 — golden
 Rosemary
 Savory, Summer
 — Winter
 Scurvy Grass
 Sage
 Thyme

VIII.

MISCELLANEOUS SEEDS.

Artichoke, green
 — Globe
 — violet
 Asparagus, best
 Cardoon, prickly
 — smooth
 Rhubarb, Turkey
 — red
 SeaKail, *Crambe maritima*
 Gourds, various
 Squash, Custard
 — Bush
 — warted
 — Cocoa-nut
 Melon, Cantaloup
 — Ispahan
 — Romana
 — green-fleshed
 — scarlet do.
 — Water
 — French varieties

IX.
PLANTS, &c.

Artichokes
Asparagus
Garlic
Mushroom Spawn
Potatoes, early
—— late
Various others
Potato or root-bearing
Onions—*Allium Cepa*
var. *aggregatum*
Sea Kail
Shallots
Tarragon

X.

AGRICULTURAL SEEDS.

Barley, common
—— Spring
—— Winter
Beans, Pigeon
—— Horse
—— Helgoland
Buck Wheat
Oats, Potatoe
—— black
—— Brew
—— Poland
—— skinless
Peas, white boilers
—— grey do.

Tares, Winter
—— Spring
Wheat, white
—— red
—— Spring
Zea mais, Indian Corn

Broom
Burnet
Canary
Chicory
Clover, red
—— white Dutch
Comfrey—*Symphitum*
asperinum
Furze

Grass Seeds
—— soft or Brome
—— crested Dog's Tail
—— Fescue, Meadow
—— Sheep's
—— Heath
—— Fioren
—— Meadow Foxtail
—— rough-stalked
—— smooth
—— rough Cock's-foot
—— Rye grass
—— Pacey's
—— Sweet Vernal
—— Timothy

Hay or common Grass Seed
—— Fine mixed do.

Hemp
Linseed or Flax
Lucerne
Mangold Wurzel
—— red do.
—— yellow do.
—— white do.
Marl or Cow-grass
Rape or Cole Seed
Rib-grass or Plantain
St. Foin
Trefoil
Trifolium incarnatum

Turnip, white round
—— red do.
—— green do.
—— Globe
—— large Scotch
—— white Tankard
—— red do.
—— green do.
—— Yellow Swedish
—— purple-topped do.
—— Stubble
Weld—*Reseda luteola*
Woad—*Isatis tinctoria*
Yarrow

TO BE HAD OF S. MA

HARDY AN

Those dis

The HARDY ANNUALS
week in February until
an *, should be sown in
hot-bed, and transplant
beginning of May; the
without artificial treatm
end of April or beginn

The colour of the Flowe

SYSTEMATIC NAMES. E

Adonis aestivalis *Scar*
Agrostem'ma *Ag*
Colli-rosa *Co*
Githago *Co*
*Althea sinensis** *CP*
Amaranthus
caudatus *L*
var. albus *V*
hypochondriacus *E*
*Anagallis arven'sis**
*car'nea**
*indica**
Antirrhinum
bipunctatum
latifolium
speciosum
tripartitum
triphyl'ium
versicolor
Anthericum an'nuu
Aretotis tris'tis
anthemoides
Argemone mexica
*ochroleuca**
*undulata**

Common Grass Seed
mixed do.

Flax

Wurzel
d do.
Yellow do.
White do.
Low-grass
Cole Seed
or Plantain

incarnatum
white round
ed do.
green do.
Globe
Large Scotch
white Tankard
red do.
green do.
Yellow Swedish
purple-topped do.
Stubble
Reseda luteola
Isatis tinctoria

FLOWER SEEDS,

TO BE HAD OF S. MAINE, SEEDSMAN, 449, WEST STRAND, LONDON.

HARDY AND HALF HARDY ANNUALS,

*Those distinguished by an * are Half-hardy.*

The HARDY ANNUALS may be sown in the open ground, from the second week in February until the end of May. The HALF-HARDY, marked with an *, should be sown in March under hand-glasses, or on a very moderate hot-bed, and transplanted into the borders towards the end of April or beginning of May; they, however, with few exceptions, succeed very well without artificial treatment, when sown in the open ground in the latter end of April or beginning of May.

The colour of the Flower is generally affixed; for instance, (y) yellow, &c.

| SYSTEMATIC NAMES. | ENGLISH NAMES. | SYSTEMATIC NAMES. | ENGLISH NAMES. |
|----------------------|-------------------------|------------------------|-----------------------|
| Adonis æstivâlis | Scarlet Pheasant's eye | As'ter sinen'sis* | China Aster, mixed |
| Agrostem'ma | Agrostemma | var. albus* | White, double |
| Cœli-rôsa | Rose-coloured | cœrûleus* | Blue do. |
| Githâgo | Corn Cockle (r.) | purpûreus* | Purple do. |
| Althea sinensis* | China Hollyhock (v.) | rôseus* | Rose col. do. |
| Amaran'thus | | rûber* | Red do. |
| caudâtus | Love lies bleeding (r.) | striatus* | Striped do. |
| var. albus | White do. do. | variegatus* | Variegated do. |
| hypocondriacus | Princes Feather (pu.) | violaceus* | Violet do. |
| Anagallis arven'sis* | Scar. Pimpernell | (b) brachyan'thus* | Bonnet Aster, mixed |
| car'nea* | Flesh-coloured do. | var. albus* | White do. |
| in'dica* | Indian do. (bl.) | rûber* | Red do. |
| Antirrhinum | Snap Dragon | purpûreus* | Purple do. |
| bipunctâtum | Two-spotted (bl.) | violâceus* | Violet do. |
| latifolium | Broad-leaved (y.) | tenellus | Slender (bl.) |
| speciosum | Showy | Blitum capitatum | Strawberry blite (re) |
| tripartitum | Three-cloven | Blumenbach'ia insignis | Elegant Blum. (w.) |
| triphyl'ium | Three-leaved (bl.y.) | Briza max'ima | Quaking grass |
| versicolor | Mottled (y. bl.) | Cacàlia coccinea* | Scarlet Sow-thistle |
| Anthêricum an'num | Anthericum, annual | Calen'dula hybrida | Hybrid Marygold (w.) |
| Arctôtis tris'tris | Drooping Arctotis (s.) | officinâlis | Common (y.) |
| anthemoides | Camomile-fl. do. | pluviâlis | Cape (w. pu.) |
| Argemone mexicâna* | Mexican Poppy (y.) | stellâta | Starry (y.) |
| ochroleuca* | Straw-coloured | Camelina dentata | Toothed Cam. (y.) |
| undulâta* | Waved do. | Campânula dichotôma | Bell Flower, forked |

| SYSTEMATIC NAMES. | ENGLISH NAMES. | SYSTEMATIC NAMES. | ENGLISH NAMES. |
|-----------------------|-----------------------|------------------------------------|-----------------------|
| pentagônia | Five-angled (bl.) | Cistus guttatus* | Rock Rose (sp.) |
| Spéculum | Venus Looking-glass | salicifolius* | Willow-leaved (y.) |
| var. alba | White do. do. | Clar'kia elegans* | Elegant Clarkia |
| Calceolària | Slipperswort | pulchella* | Pretty do. Rose-col. |
| pinnata* | Wing-leaved (st.) | var. al'ba* | White do. |
| pl. var. | Several other sorts | Collin'sia grandiflora* | Large-flowered C. |
| Carthamus tinctorius | Bastard Saffron (or.) | Collomia grandiflora do. do. (bf.) | |
| Catanan'che lutea | Yellow Catananche | Convulvulus tricolor | Convolvulus minor |
| Centauria Americana* | American C. (bl.) | Coreopsis tinctoria | Yellow and pur. C. |
| Croodylium | Blush-flowered | Atkinsonia | Atkinson's |
| crupina | Black-seeded (re.) | Crèpis barbata | Yellow Hawkweed |
| moschata* | Sweet Sultan (pu.) | rùbra | Red do. |
| var. al'ba* | White do. do. | Cynoglossum | Venus Navelwort |
| suaveolens* | Yellow Sultan | linifolium | Common (wh) |
| Cyanus | Corn Bottle, mixed | Cucumis Dudaim* | Apple sh. Cucumber |
| var. nana | Dwarf do. do. | Cucur'bita* | Gourd |
| Cerinthe aspera | Honeywort (p. & y.) | aurantia* | Large Orange (ye.) |
| major | Large do. | var. orangina* | Small do. (ye.) |
| minor | Small do. (y.) | striata* | Striped do. (ye.) |
| Cheiranthus annuus* | Ten-week Stock, mix. | Iagenaria* | Bottle-shaped (wh.) |
| var. al'bus* | White | var. clavata* | Club-shaped (wh.) |
| carneus* | Flesh-coloured | turbinata* | Turban (wh.) |
| coccineus* | Scarlet | Melopèpo* | Melon Gourd (ye.) |
| cupreus* | Copper-coloured | var. verrucosa* | Warted do. (ye.) |
| fulvus* | Brown | oblonga* | Oblong do. (ye.) |
| fuscatus* | Buff | ovifera* | Egg-shaped (ye.) |
| lilacinus* | Lilac | var. pyriformis* | Pear-shaped |
| purpureus* | Purple | striata* | Striped do. |
| roseus* | Rose-coloured | Pèpo* | Large round (ye.) |
| ruber* | Red | | Patagon. Cucumber |
| variegatus* | Variegated | Datura | Thorn Apple |
| violaceus* | Violet | ceratocaula* | Horn-stalked do. (w.) |
| (b) cheiranthifolius* | Wallflower-leaved | Guayaquilensis* | Guayaquil do. (w.) |
| var. al'bus* | White do. | Mètel* | Downy do. (w.) |
| coccineus* | Scarlet do. | quercifolia* | Oak-leaved do. (li.) |
| purpureus* | Purple do. | Stramónium | Common do. (w.) |
| maritima | Dwarf Annual | Tátula | Light Blue do. |
| Chenopodium Bòtrys | Belecere (gr.) | Delphinium Ajàcis | Tall Larkspur (m.) |
| Chrysanthemum | Chrysanthemum | var. humile | Dwarf do. |
| carinatum | Three-coloured | expansum | Branching do. |
| coronarium | Common do. | diversiflorum | Unique |
| var. al'bum | White do. do. | Neapolitanum | Neapolitan |
| latifolium | Broad-leaved do. | Dracocéphalum | Dragon's Head or |
| Sibthorpi | Sibthorp's do. | Moldávia | Moldavian Balm |

| | |
|-------------------------|-----|
| Piantinus proflifer | St. |
| Polium violaceum | Va |
| plantagineum | Pl. |
| Polycyrtum laticornium* | Ya |
| Polycyrtum cristatum | Cr |
| Polycyrtum grimum | Br |
| moschatum | Mo |
| Polycyrtum multiflorum | Ma |
| Polycyrtum sempervirens | Fe |
| Polycyrtum | Ca |
| trilobatum* | Th |
| Polycyrtum tripetalum* | He |
| Polycyrtum capitatum* | He |
| pulchellum* | Pr |
| Polycyrtum fulvum | Ho |
| polycyrtum | Vi |
| Polycyrtum elegans | El |
| roseum | Cl |
| Polycyrtum annuum* | Cl |
| indicum | Du |
| petiolaris | Pe |
| pubescens* | Pa |
| pubiflorum* | Tu |
| Heliophila | He |
| pubesca | Cu |
| stricta | Up |
| Heliopsis africana* | Af |
| Trionum | Bl |
| Hypochaeris niger | Bl |
| pallescens* | Pa |
| Hypochaeris amara | Wa |
| odorata | St |
| umbellata | Pu |
| var. nova | Ne |
| Impatiens | |
| multitangere | To |
| Impatiens barbiger* | Be |
| coccinea* | Sc |
| hederacea* | De |
| hepaticifolia* | He |
| perfoliata | Co |
| var. incarnata | Fl |
| leucantha | W |

AMES. ENGLISH NAMES.

| AMES. | ENGLISH NAMES. | SYSTEMATIC NAMES. | ENGLISH NAMES. |
|------------|-----------------------|-----------------------------|-----------------------|
| | Rock Rose (sp.) | <i>Dianthus prolifer</i> | Small Rose Pink |
| | Willow-leaved (y.) | <i>Echium violaceum</i> | Viper's Bugloss (v.) |
| | Elegant Clarkia | <i>plantagineum</i> | Plantain-like (bl.) |
| | Pretty do. Rose-ink | <i>Elichrysum lucidum*</i> | Yel. Zeranthemum |
| | White do. | <i>Elsholtzia cristata</i> | Crested Elsh. |
| iflora* | Large-flowered C. | <i>Erodium gruinum</i> | Broad-l. Heron's Bill |
| iflora do. | do. (ll.) | <i>moschatum</i> | Musk-scented (li.) |
| color | Convolvulus minor | <i>Eutoca multiflora</i> | Many-flowered E. |
| oria | Yellow and pur. C. | <i>Fumaria sempervirens</i> | Fumitory (bh.) |
| | Atkinson's | <i>Galinsoga</i> | Galinsoga |
| | Yellow Hairbrush | <i>trilobata*</i> | Three-lobed (ye.) |
| | Red do. | <i>Gaura tripetala*</i> | Three-petaled G. |
| | Venus Navelwort | <i>Gilia capitata*</i> | Headed Gilia |
| | Common (wh) | <i>pulchella*</i> | Pretty do. |
| | Apple sh. Cucumber | <i>Glau'cium fulvum</i> | Horn Poppy (ye.) |
| | Gourd | <i>phoeniceum</i> | Red do. |
| | Large Orange (ye.) | <i>violaceum</i> | Violet do. |
| a* | Small do. (ye.) | <i>Gypsophila elegans</i> | Elegant G. (bh.) |
| | Striped do. (ye.) | <i>viscosa</i> | Clammy do. |
| | Bottle-shaped (wh.) | <i>Helianthus an'nuus</i> | Double Sunflower |
| | Club-shaped (wh.) | <i>in'dicus</i> | Dwarf do. (y.) |
| | Turban (wh.) | <i>petiolaris</i> | Petiololed do. (y.) |
| | Melon Gourd (ye.) | <i>pubes'cens*</i> | Pubescent (y.) |
| ea* | Warted do. (ye.) | <i>tubifor'mis*</i> | Tube-shaped (y.) |
| | Oblong do. (ye.) | <i>Heliophila</i> | Heliophila |
| | Egg-shaped (ye.) | <i>pilosa</i> | Cut-leaved (bl.) |
| nis* | Pear-shaped | <i>stric'ta</i> | Upright (bl.) |
| | Striped do. | <i>Hibiscus africanus*</i> | African Ketmia |
| | Large round (ye.) | <i>Triönium</i> | Bladder do. |
| | Patagon. Cucumber | <i>Hyosciamus niger</i> | Black Henbane |
| | Thorn Apple | <i>pal'ida*</i> | Pale-coloured do. |
| | Horn-stalked do. (r.) | <i>Iberis amara</i> | White Candy Tuft |
| is* | Guayaquil do. (r.) | <i>odorata</i> | Sweet do. |
| | Dourny do. (r.) | <i>umbellata</i> | Purple do. |
| | Oak-leaved do. (l.) | <i>var. nova</i> | New French do. (pu.) |
| | Common do. (r.) | <i>Impatiens</i> | |
| | Light Blue do. | <i>nöli-tangere</i> | Touch me not (y.) |
| | Tall Larkspur (bl.) | <i>Ipomoea barbiger*</i> | Bearded Convolvulus |
| | Dwarf do. | <i>coccinea*</i> | Scarlet do. |
| | Branching do. | <i>hederacea*</i> | Deep-lobed do. (bl.) |
| um | Unique | <i>hepaticifolia*</i> | Hepatica-leaved (bl.) |
| num | Neapolitan | <i>purpurea</i> | Convolvulus major |
| | Dragon's Head of | <i>var. incarnata</i> | Flesh-coloured |
| | Moldavian Balm | <i>leucantha</i> | White |

| AMES. | ENGLISH NAMES. | SYSTEMATIC NAMES. | ENGLISH NAMES. |
|-------|----------------|-----------------------------|-----------------------|
| | | <i>var. punctata</i> | Spotted |
| | | <i>striata</i> | Striped |
| | | <i>Michaux'ii*</i> | Michaux's (w. & bl.) |
| | | <i>Nil*</i> | Large Blue |
| | | <i>Knautia orientalis</i> | Oriental K. (re.) |
| | | <i>Lathyrus odoratus</i> | Sweet Peas, mixed |
| | | <i>var. albus</i> | White do. |
| | | <i>coccineus</i> | Scarlet do. |
| | | <i>coc. striatus</i> | Do. Striped |
| | | <i>luteus</i> | Yellow do. |
| | | <i>niger</i> | Black do. |
| | | <i>purpureus</i> | Purple do. |
| | | <i>roseus</i> | Painted Lady do. |
| | | <i>striatus</i> | Common Striped |
| | | <i>floribundus</i> | Top Knot |
| | | <i>bithynicus</i> | Tumid Poddod (vi.) |
| | | <i>magellanicus</i> | Lord Anson's |
| | | <i>Nissolia</i> | Crimson |
| | | <i>tingitanus</i> | Tangier (pu.) |
| | | <i>Lavatera trimes'tris</i> | Annual Lavat. (bl.) |
| | | <i>var. alba</i> | White do. do. |
| | | <i>punctata</i> | Spotted-stalked (bl.) |
| | | <i>Lobelia gracilis</i> | Slender Lobelia (bl.) |
| | | <i>Loasa nitida*</i> | Glossy-leaved L. (y.) |
| | | <i>Lopezia coronata*</i> | Crown-fl. L. (pu.) |
| | | <i>Lupinus albus</i> | White Lupins |
| | | <i>hirsutus</i> | Large Blue do. |
| | | <i>luteus</i> | Yellow do. |
| | | <i>var. sulphureus</i> | Straw-coloured do. |
| | | <i>pilosus</i> | Large Rose do. |
| | | <i>varius</i> | Small Blue do. |
| | | <i>elegans</i> | Elegant |
| | | <i>mutabilis*</i> | Changing |
| | | <i>Lych'nis lac'ta</i> | Dwarf Lychnis (re.) |
| | | <i>Lycoper'sicum</i> | Love Apple |
| | | <i>esculentum*</i> | Red-fruited |
| | | <i>var. rubrum*</i> | Yellow do. |
| | | <i>luteum*</i> | White do. |
| | | <i>al'bum*</i> | Cherry-shaped (re.) |
| | | <i>cerasifor'me*</i> | Yellow-fruited |
| | | <i>var. luteum*</i> | Striped Malope |
| | | <i>Malope trifida</i> | Ivy-leaved Mallope |
| | | <i>Mal'va mauritiana</i> | Hedgehogs (ye.) |
| | | <i>Medicago intertexta</i> | Smaits (ye.) |
| | | <i>scutellata</i> | |

| SYSTEMATIC NAMES. | ENGLISH NAMES. | SYSTEMATIC NAMES. | ENGLISH NAMES. |
|---------------------------|-----------------------|-----------------------|-----------------------|
| Mesembryanthemum | | Papáver Rhœas | Double Corn Poppy |
| glâbrum* | Fig Marygold (st.) | somiferum | DoubleGardenPoppy |
| Mirabilis Jalapa* | Marvel of Peru | var. coccineum | Scarlet do. |
| var. al'ba* | White | al'bum | White do. |
| flâva* | Yellow | striatum | Striped do. |
| rûbro-flâva* Red & Yellow | | fimbriatum | Fringed do. |
| rûbro-al'ba* Red & White | | Plumbâgo micran'tha | sm. Leadwort (pu.) |
| longiflora* | Long-tubed or sweet | Polygonum orientale | Persicaria (re.) |
| var. bicolor* | Two-coloured | var. al'oum | White do. |
| coccinea* | Scarlet | Prunella laciniata* | Self-heal (ye.) |
| striata* | Striped | Reseda al'ba | White Reseda |
| tricolor* | Three-coloured | odorata | Mignonette |
| Momordica | | Ricinus communis* | Palma Christi |
| Elatérium* | SquirtingCucumber | var. minus* | Small do. |
| Nicotiana | Tobacco | Rudbeckia | Rudbeckia |
| glutinosa* | Clammy (or.) | amplexicaulis* | Stem-clasping (ye.) |
| longiflora* | Long-flowered | Salvia Horminum | Purple-topped Clary |
| macrophylla* | Broad-leaved (re.) | var. rubra | Red-topped do. |
| paniculata* | Panicled (gr.) | Saponaria vaccaria | Soapwort (re.) |
| rustica | Common (gr.) | Scabiosa | Scabious |
| Tabacum | Virginian (re.) | atropurpurea | Sweet, mixed |
| Nigella damascena | Devil in a bush (wh.) | prolifera | Prolific (st.) |
| coarctata | Dwarf do. (wh.) | stellata | Starry (wh.) |
| hispanica | Spanish do. (bl.) | Schizanthus pinnatus* | WingedSchiz.(l.p.) |
| orientalis | Oriental do. (ye.) | porrigens* | Spreading (wh. pu.) |
| Nolana paradox'a | Violet-col. Nolana | Senecio elegans | Jacobea (pu.) |
| prostrata | Trailing | var. purpureus | Double Purple |
| Cenothera | Evening Primrose | albus | Do. White |
| amœna | Lovely (ye.) | carneus | Do. Flesh-col. |
| decumbens | Decumbent (pu.) | luteus | Do. Yellow |
| grandiflora | Large-flowered (pu.) | ruber | Do. Red |
| Lindleyana | Lindley's (pu.) | Silene Armeria | Lobel's Catchfly (r.) |
| purpurea | Purple | var. al'ba | White do. |
| Romanzovii | Romanzoff's (pu.) | Atocion | Orchis-flowered (p.) |
| rosea-al'ba | Rose & White | colorata | Coloured |
| salicifolia | Willow-leaved (ye.) | cretica | Cretan (re.) |
| sinuata | Scalloped (ye.) | nyctantha | Various-leaved (st.) |
| striata | Striped | pendula | Drooping (re.) |
| tetrap'tera | Four-winged (wh.) | pic'ta | Painted (wh. pu.) |
| viminea | Twiggy (pu.) | vespertina | Evening (re.) |
| Ononis | Rest Harrow | viscosa | Clammy (wh.) |
| ornithopoides | Bird's Foot | reticulata | Net-flowered |
| Physalis | Winter Cherry | Trifolium incarnatum | Scarlet Trefoil |
| Alkaken'gi | Common (wh.) | cœruleum | Blue or sweet do. |

ENGLISH NAMES.

as Double Corn Puff
 in Double Garden Puff
 neum Scarlet do.
 n White do.
 um Striped do.
 ran'tha sm. Leadwort (re.)
 orientale Persicaria (re.)
 m White do.
 aiata* Self-heal (ye.)
 White Benda
 Mignonette
 nis* Palma Christi
 * Small do.
 Rudbeckia
 ulis* Stem-clasping (n.)
 num Purple-topped (clay)
 Red-topped do.
 caria Soapwort (re.)
 Scabious
 rea Sweet, mixed
 Prolific (st.)
 Starry (wh.)
 innatus* Winged (st.)
 * Spreading (wh. pl.)
 as Jacobea (pl.)
 treus Double Purple
 Do. White
 us Do. Flesh-col.
 Do. Yellow
 Do. Red
 Lobel's Catchfly (?)
 White do.
 Orchis-flowered (?)
 Coloured
 Cretan (re.)
 Various-leaved (t.)
 Drooping (re.)
 Painted (wh. pl.)
 Evening (re.)
 Clammy (wh.)
 Net-flowered
 natum Scarlet Trefal
 Blue or sweet do.

SYSTEMATIC NAMES. ENGLISH NAMES.

Tagêthes erecta* African Marygold
 var. auran'tia* Orange-col. do.
 sulphurea* Sulphur-col. do.
 lutea* Yellow do.
 pátula* French Marygold
 var. al'ta* Tall do.
 nana* Dwarf do.
 striata* Striped do.
 nòva* French new do.
 corymbòsa* Corymbus-flowered
 lucida* Sweet Marygold
 Tropæolum majus* Indian Cress (ye.)
 var. atrosanguineus* Dark-flowered
 perigrinum* Fringe-flowered (y.)
 minus* Small

SYSTEMATIC NAMES. ENGLISH NAMES.

Ur'tica pilulifera Roman Nettle
 Verónica filiflor'is Long-std. Speedwell
 Vicia amphicar'pa Subterr. Vetch (p.)
 benghalen'sis Bengal do (sc.)
 narbonen'sis Broad-leaved (d. p.)
 Nissoliàna Red-flowered
 Xeran'themum Xeranthemum
 an'num* Purple
 var. al'bum* White do.
 Zin'nia elegans* Purple Zinnia
 coccinea-al'ba* Scarlet & white
 multiflora* Many-flowered (re.)
 var. lutea* Yellow do.
 tenuiflora* Slender-flowered (r.)
 verticillata* Whorl-leaved (re.)

TENDER ANNUALS, &c.

These require one or more Hot-beds to bring them to perfection. They should be sown in the month of February or the commencement of March.

| SYSTEMATIC NAMES. | ENGLISH NAMES. | SYSTEMATIC NAMES. | ENGLISH NAMES. |
|----------------------------|----------------------------|------------------------------|----------------------------|
| <i>Amaranthus tricolor</i> | Three-col. Amaranth | <i>Hibiscus Mānhot</i> | Palmated Hibiscus |
| <i>Browallia elata</i> | Upright <i>Browallia</i> | <i>Abel-mos'chus</i> | Musk Okro (ye.) |
| var. al'ba | White do. | <i>Heliotropium in'dicum</i> | Indian Turnsole (li.) |
| demis'sa | Spreading do. (bl.) | peruvianum | Peruvian do. (wh.) |
| grandiflōra | Large-flowered | <i>Impatiens balsamina</i> | Double Balsam, mixed |
| <i>Can'na in'dica</i> | Indian Shot | var. al'ba | Double white |
| angustifolia | Narrow-leaved | car'nea | Double flesh-coloured |
| coccinea | Scarlet | flam'mea | Double flame-col. |
| flac'cida | Flaccid (ye.) | lilacina | Double lilac |
| lūtea | Yellow | striāta | Double striped |
| <i>Cap'sicum an'num</i> | <i>Capsicum</i> (wh.) | rūbra | Double red |
| cerasifor'me | Cherry-shaped | coccinea | Dwarf scarlet |
| cordifor'me | Heart-shaped | <i>Ipomœ'a Quamōclit</i> | Winged <i>Convolvulus</i> |
| | Other varieties | <i>Marty'nia an'nua</i> | Annual M. (li.) |
| <i>Celōsia cristata</i> | Coxcomb (r.) | <i>Mauran'dia</i> | <i>Maurandia</i> |
| var. compac'ta | Dwarf do. | semperflōrens | Red-flowered |
| lūtea | Yellow do. | <i>Mimōsa pudica</i> | Humble Plant |
| au'rea | Golden do. | sensitiva | Sensitive do. |
| castren'sis | Branching do. | <i>Momor'dica</i> | Balsam Apple |
| <i>Cleōme rōsea</i> | Rose-col. <i>Cleome</i> | balsamina | Yellow |
| pentaphyl'la | Five-leaved do. | <i>Passiflōra ēdulis</i> | Eat. <i>Passion-flower</i> |
| <i>Cobœ'a scan'dens</i> | Climbing <i>Cobœa</i> (b.) | <i>Pentapētes</i> | <i>Pentapetes</i> |
| <i>Cōix Lāchryma</i> | <i>Job's Tears</i> | phoenicea | Scarlet |
| <i>Colutœa frutes'cens</i> | Bladder <i>Senna</i> (sc.) | <i>Salpiglos'sis</i> | <i>Salpiglossis</i> |
| <i>Cos'mos bipinnātus</i> | Purple-fl <i>Cosmos</i> | atropurpūrea | Dark purple |
| <i>Cūcumis flexuōsus</i> | Snake Melon | linearis | Linear |
| <i>Datura fastuōsa</i> | Pur. Thorn Apple | pic'ta | Painted-fl. (w. b.) |
| var. purp. pl. | Double purple do. | <i>Solanum</i> | |
| al'ba pl. | Double white do. | ovigerum | Egg Plant (pur.) |
| <i>Dōlichos Lab'lab</i> | Common <i>Dolichos</i> | var. al'bum | White do. |
| purpūreus | Purple do. | flaves'cens | Yellow do. |
| Soja | Hispid do. | rūber | Red do. |
| <i>Gomphrēna globōsa</i> | Globe <i>Amaranthus</i> | | |
| var. al'bus | White do. | | |
| car'neus | Flesh-coloured do. | | |

BIENNIA

These may be sown in the middle of June. The case with the soil should be covered with a few of the var. success.

SYSTEMATIC NAME

Aconitum al'bum
An'thora
cer'neum
elatum
exaltatum
intermedium
lyoc'cinum
Napel'us
ochroleucum
pyramidale
Sprengel'ii
uncinatum
Agrostem'ma
*coronaria**
*flos-Jovis**
Anagal'lis latifolia
*Monel'li**
Althœ'a rōsea
 var. al'ba
coccinea
fulves'
lūtea
niger
purpū'
rōsea
rūbra
violac'
stiefolia
Aly'ssum marit'
Anchūsa semp'
violacea
Anemōne alpi'
 var. sulpl'
coronaria
narcissifl.

BIENNIAL AND PERENNIAL FLOWER SEEDS.

These may be sown any time between the beginning of April and the middle of June. Many of them flower the first year; this is invariably the case with those distinguished by an *, see *Alyssum maritimum*, &c. A few of the varieties require a particular mode of treatment to ensure success.

| SYSTEMATIC NAMES. | ENGLISH NAMES. | SYSTEMATIC NAMES. | ENGLISH NAMES. |
|------------------------------|---------------------|-----------------------------|-----------------------|
| <i>Aconitum al'bum</i> | White Monk's-hood | <i>Androsæce lactiflora</i> | Buckshorn l. A. |
| <i>An'thora</i> | Wholesome do. (st.) | <i>A'rabis lúcida</i> | White Wall Cross |
| <i>cer'num</i> | Drooping do. (bl.) | <i>Argemone</i> | Mexican Poppy |
| <i>elátum</i> | Great do. (bl.) | <i>grandiflora</i> | Large-flowered |
| <i>exaltátum</i> | Tall blue | <i>A'ster alpinus</i> | Alpine Aster |
| <i>intermédiu</i> | Intermediate | <i>Antirrhinum majus*</i> | Common Snap-dragon |
| <i>lycoe'tinum</i> | Large yellow | <i>var. bicolor*</i> | Two-coloured do. |
| <i>Napel'us</i> | Common (bl.) | <i>coccinea*</i> | Scarlet do. |
| <i>ochroleúcum</i> | Pale-flowered | <i>Aquilégia</i> | Columbine |
| <i>pyramidále</i> | Pyramidal (bl.) | <i>atropurpúrea</i> | Dark purple |
| <i>Sprengel'li</i> | Sprengel's | <i>glandulósa</i> | Glandulous |
| <i>uncinátum</i> | American (pu.) | <i>Sibérica</i> | Siberian (bl.) |
| <i>Agrostem'ma</i> | | <i>vul'garis</i> | Common (var.) |
| <i>coronária*</i> | Rose Campion | <i>Campánula</i> | Bell-flower |
| <i>flos-Jóvis*</i> | Umbelled (re.) | <i>azúrea</i> | Azure |
| <i>Anagal'lis latifolia*</i> | Br. l. Pimpernell | <i>americana</i> | American |
| <i>Monel'li*</i> | Italian do. | <i>cervicaroides</i> | Intermediate |
| <i>Althæ'a rósea</i> | Hollyhock | <i>Médiu</i> | Canterbury Bells (b.) |
| <i>var. al'ba</i> | Double white | <i>var. al'ba</i> | White do. |
| <i>coccinea</i> | Scarlet do. | <i>pyramidalis</i> | Pyramidal (bl.) |
| <i>fulves'cens</i> | Buff do. | <i>sarmática</i> | Gummy (p. bl.) |
| <i>lútea</i> | Yellow do. | <i>thyrsoides</i> | Striped |
| <i>niger</i> | Black do. | <i>ucrànica</i> | Ukrain (bl.) |
| <i>purpúrea</i> | Purple do. | <i>versicolor</i> | Var. coloured |
| <i>rósea</i> | Rose-col. do. | <i>Catanan'che cœrúlea*</i> | Blue Catananche |
| <i>rúbra</i> | Red do. | <i>var. al'ba*</i> | White do. |
| <i>violacea</i> | Violet do. | <i>bicolor*</i> | Two-coloured do. |
| <i>floifolia</i> | Fig-leaved do. | <i>Cheiran'thus incanus</i> | Queen Stock |
| <i>Alyssum maritimum*</i> | Sweet Alyssum (w.) | <i>var. al'bus</i> | White do. |
| <i>Anchúsa sempervirens</i> | Evergreen Bugloss | <i>coccineus</i> | Scarlet do. |
| <i>violacea</i> | Violet do. | <i>purpúreus</i> | Purple do. |
| <i>Anemone alpina</i> | Alpine Anemone (w.) | <i>simplicicaulis</i> | Brompton do. |
| <i>var. sulphúrea</i> | Pale yellow do. | <i>var. al'bus</i> | White |
| <i>coronária</i> | Common do. (va.) | <i>coccineus</i> | Scarlet |
| <i>narcissiflora</i> | Narcissus-fl. (w.) | <i>purpúreus</i> | Purple |

| SYSTEMATIC NAMES. | ENGLISH NAMES. | SYSTEMATIC NAMES. | ENGLISH NAMES. |
|---------------------|-----------------------|-----------------------|-------------------------|
| cheiri | Wall-flower | Hesperis tris'tis | Sweet Rocket |
| var. sanguineus | Bloody do. | matronalis | Common do. |
| flaves'cens | Yellow do. | Hæmoro-cal'lis | Day Lily |
| al'bus | White do. | cœrulea | Blue-flowered |
| Chelone pubes'cens | Pubescent C. (bl. p.) | graminea | Grass-leaved (y.) |
| pulchel'la | Pretty do. (pu.) | Lathyrus | Vetch or Pea |
| Lyôni | Lyon's do. (re.) | californicus | Californian |
| Cineraria | Cineraria | latifolius* | Everlasting |
| grandiflora | Large-flowered | grandiflorus | Large-flowered |
| Clematis | Traveller's Joy | Lobelia secun'da | Schrank's Lobelia. (b.) |
| integrifolia | Entire-leaved (bl.) | cardinalis | (Cardinal do. (sc.) |
| Commelina cœles'tis | Blue Commelina | heteromalla | Woolly do. (bl.) |
| Coronilla iberica | Iberian C. (ye.) | siphilitica | Blue Cardinal (bl.) |
| Dahlia variabilis* | Dahlia, mixed | Lunaria bien'nis* | Honesty (w. pu.); |
| var. al'ba* | White-flowered | rediviva | Perennial do. (li.) |
| coccinea* | Scarlet do. | Lupinus arboreus | Tall Lupin (ye.) |
| lutea* | Yellow-flowered | leucophyllus | Purple do. |
| purpurea* | Purple do. | ornatus | Adorned do. |
| rubra* | Red do. | Lych'nis chalcœdonica | Scarlet Lychnis |
| violacea* | Violet do. | var. al'ba | White do. |
| Delphinium | Larkspur | flœre-pleno | Double do. |
| grandiflorum* | Large-flowered (bl.) | Mal'va moschata* | Musk Mallow (ro.) |
| Dianthus barbatus | Sweet William | Mimulus guttatus | Monkey Flower (sp.) |
| var. coccineus | Scarlet do. | moschatus | Musk-scented do. (y.) |
| flœre-pleno | Double do. | Monarda oblongata | Oblong Monarda (p.) |
| Caryophyllus | Garden Pink | Myosotis palus'tris* | Forget me not |
| var. flœre-pleno | Double do. | Cenothera | Evening Primrose |
| coronaria | Carnation | acaulis | Short-stalked |
| giganteus | Giant Pink | bien'nis | Common yellow |
| sinen'sis* | China do. | Fraseri | Fraser's (ye.) |
| var. latifolius* | Broad-leaved do. | macrocarpa | Broad-leaved (y.) |
| superbus | Superb Pink | Papaver alpinum | Alpine Poppy |
| Digitalis aurea | Golden Foxglove | Parnassia palus'tris | Marsh Parnassia (w.) |
| ferruginea | Iron-col. do. | Penstemon | |
| lutea | Yellow do. | pulchellum | Pretty Penstemon |
| ochroleuca | Sulphur-col. do. | pl. var. | And other varieties |
| orientalis | Oriental do. | Potentilla splendens | Splendid Potentilla |
| purpurea | Common pur. do. | Phytolacca decan'dra | Virginian Poke (b.) |
| var. al'ba | White do. | Primula auricula | Auricula, common |
| Dodecatheon | American Cowslip | var. | Fine do. |
| Mœdia | Mead's | prœnitens | China Primrose |
| Erinus alpinus | Smooth-leaved E. (p.) | var. | Mixed do. do. |
| Eschscholtzia | Eschscholtzia | veris | Polyanthus |
| californica | Californian (ye.) | var. | Fine do. |

Pyrethrum roseum
 Psoralea grandiflora
 Rudbeckia digitata
 hirta
 Scabiosa alpina
 caucasiaca
 atropurpurea
 Many other species
 collection, may
 Catalogue will be

400 fine varieties of
 300 do.
 200 hardy and half-
 100 do.
 100 good common

Anemone coronaria
 var. flœre-pleno
 do.
 Ranunculus acris
 Do.

The following

Dahlia variabilis
 Do. do.

* Country orders

| SYSTEMATIC NAMES. | ENGLISH NAMES. | SYSTEMATIC NAMES. | ENGLISH NAMES. |
|-----------------------------|------------------------------|--------------------------|----------------------------|
| <i>Pyrethrum roseum</i> | <i>Feverfew (ro.)</i> | <i>Vesicaria sinuata</i> | <i>Sinuuated Vesicaria</i> |
| <i>Psoralea grandiflora</i> | <i>Large-flowered P.</i> | <i>utriculata</i> | <i>Smooth yellow</i> |
| <i>Rudbeckia digitata</i> | <i>Jagged Rudbeckia (y.)</i> | <i>Viola odorata</i> | <i>Sweet violet</i> |
| <i>hirta</i> | <i>Hairy do (y.)</i> | <i>tricolor*</i> | <i>Heart's-ease</i> |
| <i>Scabiosa alpina</i> | <i>Alpine Scabious (st.)</i> | <i>var. grandiflora*</i> | <i>Large-flowered do.</i> |
| <i>caucasiaca</i> | <i>Caucasian (vi.)</i> | <i>Vin'ea major</i> | <i>Large Periwinkle</i> |
| <i>atropurpurea*</i> | <i>Common, mixed</i> | <i>minor</i> | <i>Small do. (bl.)</i> |

Many other sorts of FLOWER SEEDS, besides those enumerated in the above collection, may be had.—Of AMERICAN SHRUBS, TREES, &c., a separate Catalogue will be published.

FLOWER SEEDS.

| | | |
|---|----|----|
| 400 fine varieties of hardy and tender Annuals, Biennials, &c. | £4 | 4 |
| 300 do. do. do. do. | 3 | 3 |
| 200 hardy and half-hardy, | 2 | 2 |
| 100 do. do. | 1 | 1 |
| 100 good common sorts, | 0 | 15 |

FLOWER ROOTS.

To be had till the end of April.

| | |
|--------------------------------------|--|
| <i>Anemone coronaria</i> | <i>Anemonies, single, mixed, per lb.</i> |
| <i>var. flore-pleno</i> | <i>Double do. do.</i> |
| do. do. | <i>Finest do.</i> |
| <i>Ranunculus asiaticus, fl. pl.</i> | <i>Ranunculus, good double, per 100</i> |
| Do. do. | <i>Fine do.</i> |

The following cannot be forwarded before the end of March or beginning of April.

| | |
|--------------------------|---|
| <i>Dahlia variabilis</i> | <i>Double Dahlias, mixed, per dozen</i> |
| Do. do. | <i>Fine do. with names</i> |
| | <i>Fifty fine sorts, named</i> |

. Country orders must be accompanied with a remittance or Town-reference.

| SYSTEMATIC NAMES. | ENGLISH NAMES. | SYSTEMATIC NAMES. | ENGLISH NAMES. |
|-----------------------------|------------------------------|--------------------------|---------------------------|
| <i>Pyrèthrum roseum</i> | <i>Feverfew (ro.)</i> | <i>Vesicària sinuàta</i> | <i>Sinuàted Vesicària</i> |
| <i>Psoràlea grandiflora</i> | <i>Large-flowered P.</i> | <i>utriculàta</i> | <i>Smooth yellow</i> |
| <i>Rudbeck'ia digitàta</i> | <i>Jagged Rudbeckia (y.)</i> | <i>Viòla odoràta</i> | <i>Sweet violet</i> |
| <i>hir'ta</i> | <i>Hairy do (y.)</i> | <i>tricolor*</i> | <i>Heart's-ease</i> |
| <i>Scabiòsa alpina</i> | <i>Alpine Scabious (st.)</i> | <i>var. grandiflora*</i> | <i>Large-flowered do.</i> |
| <i>caucàsica</i> | <i>Caucasian (vi.)</i> | <i>Vin'ea mājor</i> | <i>Large Perriewinkle</i> |
| <i>atropurpùrea*</i> | <i>Common, mixed</i> | <i>minor</i> | <i>Small do. (bl.)</i> |

Many other sorts of FLOWER SEEDS, besides those enumerated in the above collection, may be had.—OF AMERICAN SHRUBS, TREES, &c., a separate Catalogue will be published.

FLOWER SEEDS.

| | | |
|---|----|----|
| 400 fine varieties of hardy and tender Annuals, Biennials, &c. | £4 | 4 |
| 300 do. do. do. do. | 3 | 3 |
| 200 hardy and half-hardy, | 2 | 2 |
| 100 do. do. | 1 | 1 |
| 100 good common sorts, | 0 | 15 |

FLOWER ROOTS.

To be had till the end of April.

| | |
|---------------------------------------|--|
| <i>Anemòne coronària</i> | <i>Anemonies, single, mixed, per lb.</i> |
| <i>var. flore-plèno</i> | <i>Double do. do.</i> |
| <i>do. do.</i> | <i>Finest do.</i> |
| <i>Ranun'culus asiàticus, fl. pl.</i> | <i>Ranunculus, good double, per 100</i> |
| <i>Do. do.</i> | <i>Fine do.</i> |

The following cannot be forwarded before the end of March or beginning of April.

| | |
|--------------------------|---|
| <i>Dah'ia variabilis</i> | <i>Double Dahlias, mixed, per dozen</i> |
| <i>Do. do.</i> | <i>Fine do. with names</i> |
| | <i>Fifty fine sorts, named</i> |

. Country orders must be accompanied with a remittance or Town-reference.

ARGUS LIFE ASSURANCE COMPANY

39, THROGMORTON STREET, BANK, LONDON.

CAPITAL—£300,000.

Directors.

WILLIAM BANBURY, Esq.
HARRY BARRETT, Esq.
EDWARD BATES, Esq.
THOMAS CAMPLIN, Esq.
JAMES CLIFT, Esq.
DRYDEN ELSTOB, Esq.

JOHN HUMPHERY, Esq. M.P.
THOMAS KELLY, Esq. ALDERMAN.
LEWIS POCOCK, Esq.
LANCELOT SOUTH, Esq.
WILLIAM WILDEY, Esq.
THOMAS WONTNER, Esq.

Auditors.

EDMUND FRANCIS GREEN, Esq. | BRIAN SHAW HILDITCH, Esq.
WILLIAM PALMER KNIGHT, Esq.

Physician.

THOMAS DAVIES, MD. 30, NEW BROAD STREET.

Surgeon.

WILLIAM COULSON, Esq. 34, CHARTERHOUSE SQUARE.

Bankers.

MESSES. VERE, SAPTE, BANBURY, & Co. 77, LOMBARD STREET.

The advantages of a well regulated system of Life Assurance are too well understood and too widely diffused, to render it necessary to insist or enlarge upon them in a Prospectus.

Life Assurance enables those who depend on personal exertion, or on life income for support, and all persons who may be incapable of accumulating a sufficient fund out of their savings, to secure a maintenance for their families in the event of premature death. It gives to owners of landed Property the opportunity of providing for widows and younger children without incumbering their estates. It offers extraordinary facilities to persons requiring advances of money; whilst to lenders it presents the most ready and, at the same time, effectual means of security.

So extensive, however, is the practice of Life Assurance in this country, and so numerous are the cases in which it may be resorted to, as an economical mode of investment, or as a precautionary measure of security, that although many excellent offices have been established for this purpose, they do not appear to have kept pace, either with the rapid advance of population, or with the increased demands of the community.

THIS CONSIDERATION HAS LED TO THE ESTABLISHMENT OF THE ARGUS LIFE ASSURANCE COMPANY.

In forming this Establishment the object of the Directors has been to present great and unusual advantages to the Assured. Their attention has chiefly been directed to three points, viz. :—

TO OFFER THE LOWEST RATES OF ASSURANCE CONSISTENT WITH SAFETY TO THE INSTITUTION.

TO GIVE INCREASED FACILITIES IN EFFECTING ASSURANCES : AND

TO AFFORD TO THE POLICY-HOLDERS FULL SECURITY FOR THE PROMPT SETTLEMENT OF THEIR CLAIMS.

In furtherance of the FIRST object, they have, after a careful consideration of the best authorities, and the most authentic observations on the duration of human life, and after minute and laborious calculations, been enabled to frame a set of Tables, extensively varied to suit the objects of different parties, and presenting much lower Rates of Assurance than those of any other Office.

SECONDLY—they have established a daily Board of Directors, by whom all Proposals will undergo an immediate examination, and who will dispense with all unnecessary formalities, so that, if desired, an assurance may be completed, and the Policy delivered in a few hours.

THIRDLY—they have adopted such regulations as will afford full protection to the Policy-holders against vexatious litigation or delay in the settlement of claims, by reason of technical objections, or unintentional misstatements of any kind.

On the whole, the Directors feel confident that, by combining Economy and Security with Facility and Dispatch of business, they have effected such improvements in the system of Life Assurance as will secure for this Establishment a decided preference on the part of the public

ADVANTAGES OF THE ARGUS LIFE ASSURANCE COMPANY.

An ample subscribed Capital for the security of the Assured. Lower Rates of Premium than in any other Office.

By comparing the rates in Table I. with those of other offices, the decided superiority of this Institution in point of Economy will be manifest.

For instance, in many Offices an Annual Premium of £45. 1s. 8d. is charged for the Assurance of £2,000 on the life of a person aged 25, whilst in this Establishment the same Assurance may be effected for £35. 1s. 8d.

Increasing and decreasing Rates of Premium.

Tables II. and III. are peculiarly suited to those, to whom the least possible present outlay is desirable; as where assurances are effected by way of security for loans of money, and in many other cases.

Table IV. is especially calculated for those, who may be desirous of gradually reducing, and of being ultimately relieved altogether from the payment of their annual Premiums.

N.B.—These Tables present much lower rates, and are better adapted to the circumstances and convenience of Policy-holders than any similar Tables hitherto published.

Tables for Foreign Climates and Impaired Health.

Officers in the Army and Navy not engaged in actual service, and other persons will be assured at the ordinary rates of Premium so long as they remain in Europe, and may be at liberty to proceed to all parts of the world on payment of rates fixed and endorsed on the Policy at the time it is issued.

Persons afflicted with Gout, Asthma, and other disorders not attended with immediate danger to life, will be assured at moderate rates of Premium duly proportioned in each case to the nature of the risk.

Increased facilities in effecting Assurances.

A Board of Directors attends every day at the Office. References will not be required to friends or medical attendants when the report of the Company's Medical Officers is satisfactory. Females and other persons on whose life assurances are proposed, may be visited by the Medical Officers, at their own houses, if desired. In every case the assurance may be completed and the Policy obtained from the Office on the day the Proposal is made.

Prompt settlement of Claims without Dispute or Litigation.

All claims are payable in three months after notice of death is sent to the Office. They may however be received immediately after proof of death if three months' discount be allowed. No proof of age is required after death, and in case of unintentional mistatement as to age, the Policy will not become forfeited, but an equitable proportion will be deducted from the sum assured.

Policies effected by persons on their own lives, and afterwards assigned as a bona fide security to others, will not be rendered void in consequence of death by suicide, duelling, or the hands of justice. Policies so assigned will thus afford effectual security to Creditors, whose interest in the life assured can never become a question in this Establishment.

** Every requisite information, together with full instructions for effecting assurances will be given to parties applying at the Office, or addressing a letter to the Secretary.

Agents and Medical Officers will immediately be appointed in all the principal towns throughout the Kingdom, on the Continent, and in the Colonies: so that assurances in those places may be completed without delay or inconvenience.

Attendance is given daily at the Office from TEN till FIVE o'Clock.

By order of the Board of Directors.

SAMUEL BARRETT, Secretary.

FORM OF PROPOSAL FOR ASSURANCE.

Name and Residence of the Person on whose behalf the Assurance
is to be effected }
Amount and Term of Assurance }
Name and Occupation of the Person whose Life is to be Assured ..
Present Residence
Place and Date of Birth
Age next Birth-day
Whether the Party is subject to any disorder tending to shorten life

** In addition to the annexed Tables, a most extensive set of Tables has been computed for the various cases of Assurance on Joint Lives and Survivorships, for Contingent Assurances, Reversionary Annuities, and Endowments for Widows and Children, the particulars of which may be ascertained by application at the Office.

TABLE I.
Equal Rates of Premium.

Table of Premiums required for the Assurance of 1000, for the whole term of any single Life, in Annual, Half-Yearly, or Quarterly Payments.

| Age. | Annual Premium. | | | Half-Yearly Premium. | | | Quarterly Premium. | | | |
|------|-----------------|----|----|----------------------|----|----|--------------------|----|----|---|
| | £ | s. | d. | £ | s. | d. | £ | s. | d. | |
| 16 | 1 | 8 | 4 | 0 | 14 | 4 | 0 | 7 | 7 | 3 |
| 17 | 1 | 9 | 0 | 14 | 8 | 0 | 7 | 7 | 5 | 3 |
| 18 | 1 | 9 | 8 | 0 | 15 | 0 | 7 | 7 | 9 | |
| 19 | 1 | 10 | 5 | 0 | 15 | 5 | 7 | 9 | 9 | |
| 20 | 1 | 11 | 2 | 0 | 15 | 9 | 7 | 11 | | |
| 21 | 1 | 11 | 10 | 16 | 2 | 0 | 8 | 9 | | |
| 22 | 1 | 12 | 8 | 0 | 16 | 6 | 8 | 4 | | |
| 23 | 1 | 13 | 5 | 0 | 16 | 11 | 8 | 6 | | |
| 24 | 1 | 14 | 3 | 0 | 17 | 4 | 8 | 9 | | |
| 25 | 1 | 15 | 1 | 0 | 17 | 9 | 8 | 11 | | |
| 26 | 1 | 15 | 11 | 0 | 18 | 3 | 0 | 9 | | |
| 27 | 1 | 16 | 10 | 0 | 18 | 8 | 0 | 9 | | |
| 28 | 1 | 17 | 10 | 0 | 19 | 2 | 0 | 9 | | |
| 29 | 1 | 18 | 10 | 0 | 19 | 8 | 0 | 9 | | |
| 30 | 1 | 19 | 10 | 0 | 20 | 10 | 9 | | | |
| 31 | 2 | 0 | 11 | 1 | 0 | 9 | 10 | 5 | | |
| 32 | 2 | 2 | 11 | 1 | 4 | 10 | 9 | | | |
| 33 | 2 | 3 | 3 | 1 | 11 | 10 | 11 | 0 | | |
| 34 | 2 | 4 | 6 | 1 | 2 | 7 | 11 | 4 | | |
| 35 | 2 | 5 | 10 | 1 | 3 | 3 | 11 | 8 | | |
| 36 | 2 | 7 | 3 | 1 | 4 | 0 | 12 | 1 | | |
| 37 | 2 | 8 | 9 | 1 | 4 | 9 | 12 | 5 | | |
| 38 | 2 | 10 | 4 | 1 | 5 | 7 | 12 | 10 | | |
| 39 | 2 | 12 | 0 | 1 | 6 | 5 | 13 | 0 | | |
| 40 | 2 | 13 | 9 | 1 | 7 | 4 | 13 | 9 | | |
| 41 | 2 | 15 | 8 | 1 | 8 | 4 | 14 | 3 | | |
| 42 | 2 | 17 | 8 | 1 | 9 | 4 | 14 | 9 | | |
| 43 | 2 | 19 | 10 | 1 | 10 | 5 | 15 | 4 | | |
| 44 | 3 | 2 | 2 | 1 | 11 | 7 | 15 | 11 | | |
| 45 | 3 | 4 | 7 | 1 | 12 | 10 | 16 | 7 | | |
| 46 | 3 | 7 | 9 | 1 | 14 | 3 | 17 | 3 | | |
| 47 | 3 | 9 | 11 | 1 | 15 | 6 | 17 | 11 | | |
| 48 | 3 | 12 | 10 | 1 | 17 | 0 | 18 | 8 | | |
| 49 | 3 | 15 | 11 | 1 | 18 | 0 | 19 | 6 | | |
| 50 | 3 | 19 | 3 | 2 | 0 | 4 | 1 | 0 | | |
| 51 | 4 | 2 | 9 | 2 | 2 | 1 | 1 | 3 | | |
| 52 | 4 | 6 | 6 | 2 | 4 | 1 | 1 | 2 | | |
| 53 | 4 | 10 | 6 | 2 | 6 | 1 | 1 | 3 | | |
| 54 | 4 | 14 | 9 | 2 | 8 | 3 | 1 | 4 | | |
| 55 | 4 | 19 | 3 | 2 | 10 | 7 | 1 | 5 | | |
| 56 | 5 | 4 | 0 | 2 | 13 | 1 | 1 | 6 | | |
| 57 | 5 | 9 | 2 | 3 | 15 | 9 | 1 | 8 | | |
| 58 | 5 | 14 | 7 | 3 | 18 | 7 | 1 | 9 | | |
| 59 | 6 | 0 | 4 | 3 | 1 | 11 | 1 | 1 | | |
| 60 | 6 | 6 | 6 | 3 | 4 | 9 | 1 | 12 | | |

Example—A Person aged 28 (next birth-day) may secure 1000, at his death, by paying £23 18 6 Annually; or £12 0 0 Half-Yearly; or £6 0 10 Quarterly.

TABLE II.
Increasing Rates of Premium.
FOURTEEN YEARS SCALE.

Table of Annual Premiums required for the Assurance of 1000, for the whole term of any single Life;—the rate increasing in each case at the end of Seven Years; and again increasing at the end of Fourteen Years, after which period, a fixed Annual Premium will be payable during the remainder of life.

| Age. | Annual Premium Payable during | | | | | | | |
|------|-------------------------------|---------------------|--------------------|---|----|-----|----|---|
| | First Seven Years. | Second Seven Years. | Remainder of Life. | | | | | |
| 16 | 0 | 18 | 3 | 1 | 4 | 1 | 16 | 6 |
| 17 | 0 | 18 | 3 | 1 | 4 | 1 | 16 | 6 |
| 18 | 0 | 18 | 3 | 1 | 5 | 0 | 17 | 6 |
| 19 | 0 | 19 | 3 | 1 | 5 | 8 | 18 | 6 |
| 20 | 0 | 19 | 3 | 1 | 6 | 4 | 19 | 6 |
| 21 | 0 | 20 | 3 | 1 | 7 | 0 | 20 | 6 |
| 22 | 1 | 0 | 9 | 1 | 7 | 8 | 21 | 6 |
| 23 | 1 | 1 | 3 | 1 | 8 | 4 | 22 | 6 |
| 24 | 1 | 1 | 9 | 1 | 9 | 0 | 23 | 6 |
| 25 | 1 | 2 | 6 | 1 | 10 | 6 | 24 | 6 |
| 26 | 1 | 3 | 1 | 1 | 11 | 2 | 25 | 6 |
| 27 | 1 | 3 | 9 | 1 | 11 | 8 | 26 | 6 |
| 28 | 1 | 4 | 3 | 1 | 12 | 4 | 27 | 6 |
| 29 | 1 | 5 | 0 | 1 | 13 | 0 | 28 | 6 |
| 30 | 1 | 5 | 9 | 1 | 14 | 6 | 29 | 6 |
| 31 | 1 | 6 | 6 | 1 | 15 | 2 | 30 | 6 |
| 32 | 1 | 7 | 3 | 1 | 16 | 8 | 31 | 6 |
| 33 | 1 | 8 | 0 | 1 | 17 | 4 | 32 | 6 |
| 34 | 1 | 9 | 0 | 1 | 18 | 0 | 33 | 6 |
| 35 | 1 | 10 | 0 | 1 | 18 | 6 | 34 | 6 |
| 36 | 1 | 11 | 0 | 1 | 19 | 2 | 35 | 6 |
| 37 | 1 | 11 | 0 | 2 | 1 | 4 | 36 | 6 |
| 38 | 1 | 12 | 0 | 2 | 1 | 10 | 37 | 6 |
| 39 | 1 | 13 | 0 | 2 | 1 | 16 | 38 | 6 |
| 40 | 1 | 14 | 0 | 2 | 1 | 22 | 39 | 6 |
| 41 | 1 | 15 | 0 | 2 | 1 | 28 | 40 | 6 |
| 42 | 1 | 16 | 0 | 2 | 1 | 34 | 41 | 6 |
| 43 | 1 | 17 | 0 | 2 | 1 | 40 | 42 | 6 |
| 44 | 1 | 18 | 0 | 2 | 1 | 46 | 43 | 6 |
| 45 | 1 | 19 | 0 | 2 | 1 | 52 | 44 | 6 |
| 46 | 1 | 20 | 0 | 2 | 1 | 58 | 45 | 6 |
| 47 | 1 | 21 | 0 | 2 | 1 | 64 | 46 | 6 |
| 48 | 1 | 22 | 0 | 2 | 1 | 70 | 47 | 6 |
| 49 | 1 | 23 | 0 | 2 | 1 | 76 | 48 | 6 |
| 50 | 1 | 24 | 0 | 2 | 1 | 82 | 49 | 6 |
| 51 | 1 | 25 | 0 | 2 | 1 | 88 | 50 | 6 |
| 52 | 1 | 26 | 0 | 2 | 1 | 94 | 51 | 6 |
| 53 | 1 | 27 | 0 | 2 | 1 | 100 | 52 | 6 |
| 54 | 1 | 28 | 0 | 2 | 1 | 106 | 53 | 6 |
| 55 | 1 | 29 | 0 | 2 | 1 | 112 | 54 | 6 |
| 56 | 1 | 30 | 0 | 2 | 1 | 118 | 55 | 6 |
| 57 | 1 | 31 | 0 | 2 | 1 | 124 | 56 | 6 |
| 58 | 1 | 32 | 0 | 2 | 1 | 130 | 57 | 6 |
| 59 | 1 | 33 | 0 | 2 | 1 | 136 | 58 | 6 |
| 60 | 1 | 34 | 0 | 2 | 1 | 142 | 59 | 6 |

Example—A Person aged 36 (next birth-day) may secure 1000, at his death, by the Annual Payment of £16 0 0 until the expiration of seven years, 21 0 0 after seven years, until the expiration of fourteen years; and 32 0 0 after fourteen years during the remainder of life.

TABLE III.
Increasing Rates of Premium.
TWENTY YEARS SCALE.

Table of Annual Premiums required for the Assurance of 1000, for the whole term of any single Life;—the rate increasing, in each case, by one fourth part of its original amount, at the end of every fifth year, until the twentieth, inclusive, after which period, a fixed Annual Premium will be payable during the remainder of life.

| Age. | Annual Premium Payable during | | | | | Remainder of Life. | | | | | | | | | |
|------|-------------------------------|--------------------|-------------------|--------------------|-------------------|--------------------|----|----|----|----|----|----|---|----|---|
| | First Five Years. | Second Five Years. | Third Five Years. | Fourth Five Years. | Fifth Five Years. | | | | | | | | | | |
| 16 | 0 | 18 | 4 | 2 | 11 | 1 | 7 | 6 | 13 | 11 | 16 | 2 | 1 | | |
| 17 | 0 | 19 | 0 | 1 | 3 | 9 | 1 | 8 | 6 | 11 | 13 | 3 | 1 | 18 | 6 |
| 18 | 0 | 19 | 4 | 1 | 4 | 2 | 9 | 0 | 11 | 13 | 10 | 1 | 1 | 18 | 5 |
| 19 | 0 | 20 | 1 | 5 | 0 | 1 | 10 | 0 | 11 | 15 | 0 | 2 | 0 | 19 | 0 |
| 20 | 1 | 0 | 4 | 1 | 5 | 1 | 10 | 6 | 1 | 15 | 0 | 2 | 0 | 19 | 0 |
| 21 | 1 | 1 | 0 | 1 | 6 | 1 | 11 | 6 | 1 | 16 | 9 | 2 | 0 | 20 | 0 |
| 22 | 1 | 1 | 4 | 1 | 6 | 1 | 11 | 12 | 0 | 17 | 4 | 2 | 0 | 20 | 0 |
| 23 | 1 | 2 | 0 | 1 | 7 | 1 | 12 | 0 | 1 | 17 | 8 | 6 | 2 | 21 | 0 |
| 24 | 1 | 2 | 8 | 1 | 7 | 1 | 12 | 6 | 1 | 18 | 2 | 5 | 4 | 21 | 0 |
| 25 | 1 | 3 | 4 | 1 | 8 | 1 | 13 | 2 | 0 | 19 | 2 | 6 | 2 | 22 | 0 |
| 26 | 1 | 4 | 0 | 1 | 8 | 1 | 13 | 8 | 0 | 20 | 2 | 8 | 0 | 22 | 0 |
| 27 | 1 | 4 | 8 | 1 | 10 | 1 | 14 | 4 | 0 | 21 | 3 | 2 | 9 | 23 | 0 |
| 28 | 1 | 5 | 4 | 1 | 11 | 1 | 15 | 0 | 4 | 22 | 3 | 6 | 0 | 23 | 0 |
| 29 | 1 | 6 | 0 | 1 | 11 | 1 | 15 | 6 | 0 | 23 | 6 | 2 | 6 | 23 | 0 |
| 30 | 1 | 6 | 8 | 1 | 13 | 1 | 16 | 2 | 0 | 24 | 6 | 8 | 2 | 23 | 0 |
| 31 | 1 | 7 | 4 | 1 | 14 | 1 | 16 | 8 | 0 | 25 | 7 | 10 | 2 | 24 | 0 |
| 32 | 1 | 8 | 0 | 1 | 15 | 1 | 17 | 4 | 0 | 26 | 7 | 12 | 2 | 24 | 0 |
| 33 | 1 | 9 | 0 | 1 | 16 | 1 | 18 | 0 | 0 | 27 | 8 | 14 | 2 | 25 | 0 |
| 34 | 1 | 10 | 0 | 1 | 17 | 1 | 18 | 6 | 0 | 28 | 8 | 16 | 2 | 25 | 0 |
| 35 | 1 | 11 | 0 | 1 | 18 | 1 | 19 | 2 | 0 | 29 | 9 | 18 | 2 | 26 | 0 |
| 36 | 1 | 12 | 0 | 1 | 19 | 1 | 20 | 8 | 0 | 30 | 9 | 20 | 2 | 26 | 0 |
| 37 | 1 | 13 | 0 | 1 | 20 | 1 | 21 | 4 | 0 | 31 | 10 | 22 | 2 | 27 | 0 |
| 38 | 1 | 14 | 0 | 1 | 21 | 1 | 22 | 0 | 0 | 32 | 10 | 24 | 2 | 27 | 0 |
| 39 | 1 | 15 | 0 | 1 | 22 | 1 | 22 | 6 | 0 | 33 | 11 | 26 | 2 | 28 | 0 |
| 40 | 1 | 17 | 0 | 1 | 23 | 1 | 23 | 2 | 0 | 34 | 11 | 28 | 2 | 28 | 0 |
| 41 | 1 | 18 | 0 | 1 | 24 | 1 | 24 | 8 | 0 | 35 | 12 | 30 | 2 | 29 | 0 |
| 42 | 1 | 19 | 0 | 1 | 25 | 1 | 25 | 4 | 0 | 36 | 12 | 32 | 2 | 29 | 0 |
| 43 | 1 | 20 | 0 | 1 | 26 | 1 | 26 | 0 | 0 | 37 | 13 | 34 | 2 | 30 | 0 |
| 44 | 1 | 21 | 0 | 1 | 27 | 1 | 27 | 6 | 0 | 38 | 13 | 36 | 2 | 30 | 0 |
| 45 | 1 | 22 | 0 | 1 | 28 | 1 | 28 | 2 | 0 | 39 | 14 | 38 | 2 | 31 | 0 |
| 46 | 1 | 23 | 0 | 1 | 29 | 1 | 29 | 8 | 0 | 40 | 14 | 40 | 2 | 31 | 0 |
| 47 | 1 | 24 | 0 | 1 | 30 | 1 | 30 | 4 | 0 | 41 | 15 | 42 | 2 | 32 | 0 |
| 48 | 1 | 25 | 0 | 1 | 31 | 1 | 31 | 0 | 0 | 42 | 15 | 44 | 2 | 32 | 0 |
| 49 | 1 | 26 | 0 | 1 | 32 | 1 | 32 | 6 | 0 | 43 | 16 | 46 | 2 | 33 | 0 |
| 50 | 1 | 27 | 0 | 1 | 33 | 1 | 33 | 2 | 0 | 44 | 16 | 48 | 2 | 33 | 0 |
| 51 | 1 | 28 | 0 | 1 | 34 | 1 | 34 | 8 | 0 | 45 | 17 | 50 | 2 | 34 | 0 |
| 52 | 1 | 29 | 0 | 1 | 35 | 1 | 35 | 4 | 0 | 46 | 17 | 52 | 2 | 34 | 0 |
| 53 | 1 | 30 | 0 | 1 | 36 | 1 | 36 | 0 | 0 | 47 | 18 | 54 | 2 | 35 | 0 |
| 54 | 1 | 31 | 0 | 1 | 37 | 1 | 37 | 6 | 0 | 48 | 18 | 56 | 2 | 35 | 0 |
| 55 | 1 | 32 | 0 | 1 | 38 | 1 | 38 | 2 | 0 | 49 | 19 | 58 | 2 | 36 | 0 |
| 56 | 1 | 33 | 0 | 1 | 39 | 1 | 39 | 8 | 0 | 50 | 19 | 60 | 2 | 36 | 0 |
| 57 | 1 | 34 | 0 | 1 | 40 | 1 | 40 | 4 | 0 | 51 | 20 | 62 | 2 | 37 | 0 |
| 58 | 1 | 35 | 0 | 1 | 41 | 1 | 41 | 0 | 0 | 52 | 20 | 64 | 2 | 37 | 0 |
| 59 | 1 | 36 | 0 | 1 | 42 | 1 | 42 | 6 | 0 | 53 | 21 | 66 | 2 | 38 | 0 |
| 60 | 1 | 37 | 0 | 1 | 43 | 1 | 43 | 2 | 0 | 54 | 21 | 68 | 2 | 38 | 0 |

Example—A Person aged 36 (next birth-day) may secure 1000, at his death, by the Annual Payment of £16 0 0 until the expiration of five years; 20 0 0 after five years, until the expiration of ten years; 24 0 0 after ten years, until the expiration of fifteen years; 29 0 0 after fifteen years, until the expiration of twenty years; and 32 0 0 after twenty years, during the remainder of life.

TABLE IV.
Decreasing Rates of Premium.

Table of Annual Premiums required for the Assurance of 1000 for the whole term of any single Life; the rate diminishing, in each case, by one fourth part of its original amount, at the expiration of every fifth year, so that after twenty years, no further payment will be required; although the sum Assured will be payable at the death of the party, whenever that event may happen.

| Age. | Annual Premium payable during | | | |
|------|-------------------------------|--------------------|-------------------|------------------|
| | First Five Years. | Second Five Years. | Third Five Years. | Last Five Years. |
| | £ s. d. | £ s. d. | £ s. d. | £ s. d. |
| 16 | 3 0 8 | 2 5 6 | 1 10 4 | 0 15 2 |
| 17 | 3 2 0 | 2 6 6 | 1 11 0 | 0 15 6 |
| 18 | 3 3 0 | 2 7 3 | 1 11 6 | 0 15 9 |
| 19 | 3 4 4 | 2 8 3 | 1 12 2 | 0 16 1 |
| 20 | 3 5 8 | 2 9 3 | 1 12 10 | 0 16 5 |
| 21 | 3 6 8 | 2 10 0 | 1 13 4 | 0 16 8 |
| 22 | 3 8 0 | 2 11 0 | 1 14 0 | 0 17 0 |
| 23 | 3 9 4 | 2 12 0 | 1 14 8 | 0 17 4 |
| 24 | 3 10 8 | 2 13 0 | 1 15 4 | 0 17 8 |
| 25 | 3 12 0 | 2 14 0 | 1 16 0 | 0 18 0 |
| 26 | 3 13 4 | 2 15 0 | 1 16 8 | 0 18 4 |
| 27 | 3 14 8 | 2 16 0 | 1 17 4 | 0 18 8 |
| 28 | 3 16 0 | 2 17 0 | 1 18 0 | 0 19 0 |
| 29 | 3 17 8 | 2 18 3 | 1 18 10 | 0 19 5 |
| 30 | 3 19 0 | 2 19 3 | 1 19 6 | 0 19 9 |
| 31 | 4 0 8 | 3 0 6 | 2 0 4 | 1 0 2 |
| 32 | 4 2 4 | 3 1 9 | 2 1 2 | 1 0 7 |
| 33 | 4 4 0 | 3 3 0 | 2 2 0 | 1 1 0 |
| 34 | 4 5 8 | 3 4 3 | 2 2 10 | 1 1 5 |
| 35 | 4 7 8 | 3 5 9 | 2 3 10 | 1 1 11 |
| 36 | 4 9 4 | 3 7 0 | 2 4 8 | 1 2 4 |
| 37 | 4 11 4 | 3 8 6 | 2 5 8 | 1 2 10 |
| 38 | 4 13 4 | 3 10 0 | 2 6 8 | 1 3 4 |
| 39 | 4 15 8 | 3 11 9 | 2 7 10 | 1 3 11 |
| 40 | 4 18 0 | 3 13 6 | 2 9 0 | 1 4 6 |
| 41 | 5 0 4 | 3 15 3 | 2 10 2 | 1 5 1 |
| 42 | 5 2 8 | 3 17 0 | 2 11 4 | 1 5 8 |
| 43 | 5 5 4 | 3 19 0 | 2 12 8 | 1 6 4 |
| 44 | 5 8 4 | 4 1 3 | 2 14 2 | 1 7 1 |
| 45 | 5 11 0 | 4 3 3 | 2 15 6 | 1 7 9 |
| 46 | 5 14 0 | 4 5 6 | 2 17 0 | 1 8 6 |
| 47 | 5 17 4 | 4 8 0 | 2 18 8 | 1 9 4 |
| 48 | 6 0 8 | 4 10 6 | 3 0 4 | 1 10 2 |
| 49 | 6 4 4 | 4 13 3 | 3 2 2 | 1 11 1 |
| 50 | 6 8 0 | 4 16 0 | 3 4 0 | 1 12 0 |

Example.—A Person aged 35 (next birthday) may secure 1000, at his death, by the Annual Payment of 13 4 until the expiration of five years; 10 0 after five years, until the expiration of ten years; 6 8 after ten years, until the expiration of fifteen years; and 3 4 after fifteen years, until the expiration of twenty years, after which he will not be required to make any further payment whatever.

TABLE V.
Short Terms.

Table of Premiums required for the Assurance of 1000, on a single Life, for the respective terms of One, Five, and Seven Years.

| Age. | Premium. | | |
|------|-----------|-------------|--------------|
| | One Year. | Five Years. | Seven Years. |
| | £ s. d. | £ s. d. | £ s. d. |
| 16 | 0 15 2 | 0 16 3 | 0 16 9 |
| 17 | 0 15 9 | 0 16 9 | 0 17 3 |
| 18 | 0 16 3 | 0 17 3 | 0 17 9 |
| 19 | 0 16 10 | 0 17 9 | 0 18 2 |
| 20 | 0 17 4 | 0 18 3 | 0 18 8 |
| 21 | 0 17 10 | 0 18 8 | 0 19 1 |
| 22 | 0 18 4 | 0 19 1 | 0 19 6 |
| 23 | 0 18 9 | 0 19 6 | 0 19 10 |
| 24 | 0 19 2 | 0 19 11 | 0 20 3 |
| 25 | 0 19 7 | 1 0 3 | 1 0 7 |
| 26 | 1 0 0 | 1 0 7 | 1 0 11 |
| 27 | 1 0 4 | 1 0 11 | 1 1 3 |
| 28 | 1 0 8 | 1 1 3 | 1 1 6 |
| 29 | 1 1 0 | 1 1 6 | 1 1 10 |
| 30 | 1 1 3 | 1 1 10 | 1 2 1 |
| 31 | 1 1 7 | 1 2 1 | 1 2 5 |
| 32 | 1 1 10 | 1 2 5 | 1 2 8 |
| 33 | 1 2 2 | 1 2 8 | 1 3 0 |
| 34 | 1 2 5 | 1 3 0 | 1 3 4 |
| 35 | 1 2 9 | 1 3 4 | 1 3 8 |
| 36 | 1 3 0 | 1 3 8 | 1 4 1 |
| 37 | 1 3 4 | 1 4 1 | 1 4 6 |
| 38 | 1 3 8 | 1 4 6 | 1 5 0 |
| 39 | 1 4 1 | 1 5 0 | 1 5 7 |
| 40 | 1 4 6 | 1 5 7 | 1 6 2 |
| 41 | 1 5 0 | 1 6 2 | 1 6 10 |
| 42 | 1 5 6 | 1 6 10 | 1 7 8 |
| 43 | 1 6 2 | 1 7 8 | 1 8 7 |
| 44 | 1 6 10 | 1 8 7 | 1 9 7 |
| 45 | 1 7 8 | 1 9 7 | 1 10 9 |
| 46 | 1 8 7 | 1 10 9 | 1 12 1 |
| 47 | 1 9 7 | 1 12 1 | 1 13 6 |
| 48 | 1 10 9 | 1 13 6 | 1 15 1 |
| 49 | 1 12 0 | 1 15 1 | 1 17 0 |
| 50 | 1 13 5 | 1 16 11 | 1 19 0 |
| 51 | 1 15 2 | 1 19 0 | 2 1 3 |
| 52 | 1 17 0 | 2 1 3 | 2 3 9 |
| 53 | 1 19 0 | 2 3 9 | 2 6 6 |
| 54 | 2 1 3 | 2 6 7 | 2 9 7 |
| 55 | 2 3 10 | 2 9 8 | 2 13 0 |
| 56 | 2 6 8 | 2 13 1 | 2 16 8 |
| 57 | 2 9 9 | 2 16 10 | 3 0 9 |
| 58 | 2 13 2 | 3 0 11 | 3 5 3 |
| 59 | 2 16 11 | 3 5 5 | 3 10 1 |
| 60 | 3 1 1 | 3 10 5 | 3 15 5 |

Example.—A Person aged 35 (next birthday) may secure 1000, at his death, — provided he die within the term of one year, by the payment of 15 10s.; — provided he die within the term of five years, by the annual payment of 14 10s. 8d.; — provided he die within the term of seven years, by the annual payment of 12 0s. 10d.

THE VALUABLE AND SELECT
BOTANICAL & ENTOMOLOGICAL
LIBRARY

Of the late A. H. HAWORTH, Esq.

BY AUCTION,
By MR. SOTHEBY & SON,
WELLINGTON STREET, STRAND,

On TUESDAY, MARCH 11th, 1834, and Two following Days,
at Twelve o'Clock,

THE VALUABLE AND SELECT
BOTANICAL & ENTOMOLOGICAL
LIBRARY

OF THE LATE

ADRIAN HARDY HAWORTH, Esq.

Fellow of the Linnean and Horticultural Societies; of the Casuarina Society of Natural History at Moscow; and of the Société Royale d'Horticulture des Pays Bas; Author of the "Lepidoptera Britannica" and many other works on Natural History.

AMONG WHICH WILL BE FOUND

HUMBOLDT ET BONPLAND, MONOGRAPHIA MELASTOMACEARUM *coloured plates*, 2 vol.; MULLERI ZOOLOGIA DANICA, *coloured plates*, 4 vol.; PANZERI FAUNE INSECTORUM GERMANICÆ INITIA, *complete, with coloured plates*; PETIVER'S WORKS, *complete, fine copy*; RUITZ ET PAVON, FLORA PERUVIANA ET CHILENSIS, *figuris*, 4 tom.; WALLICH'S PLANTÆ ASIATICÆ RARIORIS, *coloured plates, complete, in 12 parts*; HUMBOLDT ET BONPLAND, NOVA GENERA ET SPECIES PLANTARUM, *figuris*, 24 parts; JACQUIN, COLLECTANEA AUSTRIACA, *coloured plates*, 5 vol.; HÜBNER'S LARVÆ OF EUROPEAN LEPIDOPTERA, 412 *coloured plates*; CURTIS AND SIMS'S BOTANICAL MAGAZINE, *coloured plates*, 55 vol., a perfect copy, *uncut*; CURTIS'S BRITISH ENTOMOLOGY, 10 vol.; EDWARDS AND LINDLEY'S BOTANICAL REGISTER, *coloured plates*, 18 vol., a perfect copy; DICTIONNAIRE DES SCIENCES NATURELLES, *brilliant impressions of the plates*, 60 vol.; DONOVAN'S INSECTS, *coloured plates*, 16 vol.; JABLONSKY AND HERBST'S HISTORY OF INSECTS, *coloured plates*, 20 vol.; SHAW AND NODDER'S NATURALIST'S MISCELLANY, *coloured plates*, 26 vol.; SOWERBY'S ENGLISH BOTANY, *coloured plates*, 36 vol., a perfect copy; &c. &c.

To be viewed Three Days prior to the Time of Sale.

MR. SAMUEL CURTIS,

(PROPRIETOR OF THE BOTANICAL MAGAZINE,)

Of the *Glazenwood Horticultural Grounds, near Coggeshall, Essex,*
begs to recommend the following Articles from his Stock.

APPLES. A very choice and extensive Collection of the best and most useful, both for Dessert and Culinary purposes, among which he recommends his *GLAZENWOOD GLORIA MUNDI* Apple, the Fruit of which he has grown, to the enormous weight of Twenty-six Ounces, dwarf trees 2s. 6d. The *NEW AROMATIC PIPPIN*, has been allowed by competent judges to surpass all others for flavour, and will keep well until May and June, dwarf trees 2s. 6d. each. *Scarlet Pearmain*, *Golden Russet Nonpareil*, *Court Wick*, and *New Golden Reinette* from their very abundant bearing, long keeping and free growth, are very desirable Apples, dwarf trees, 1s.; standards, 1s. 6d. Mr. CURTIS, in his Collection at this place, which consists of Fifty Acres, planted with Apples and other Fruit Trees, finds them the most productive and best worth growing.

PEARS; among which the *MARIE LOUISE*, *PASS COLMAR*, *SECKLE*, &c. are well worth cultivating, fine young trees, 1s. trained for walls, 3s. 6d. each.

PLUMS. An extensive collection kept, among which the *WASHINGTON* is highly recommended, dwarf trees of it 2s. trained, as well as other fine kinds, 3s. 6d.

PEACHES, NECTARINES, and APRICOTS trained for walls, at from 3s. 6d. to 5s.

CALCEOLARIAS, thirty or forty fine varieties, with their names, at 1s. 6d. each, in small pots.

ROSES. The Collection of which consists of upwards of eight hundred varieties, by far too numerous to insert here, embraces the best known sorts both English and Foreign, as are worthy of particular notice. Mr. CURTIS has paid great attention to this most beautiful shrub, and flatters himself, that he can sell better Flowers at low Prices than any other Nurseryman; and he more particularly recommends to the Public a new and beautiful Dark Rose, which he thinks superior in colour to *Tuseany* and most double dwarf plants, 5s.

CHINA ROSES of sorts, in great variety, at 1s. Climbing ditto, as *White* and *Yellow Banksia*, *Blush* and *Red Bourzolt*, *Noisette*, *Grandiflora*, *Grevillea* or *Seven Sisters*, and *Red* and *White Multiflora*, &c. at 1s.

SCARLET GREVILLEA 3s. 6d. a beautiful Rose and hardy; *Double Ayrshire* or *Rosa Ruga*, *Double Macartney*, and many other fine varieties from 1s. 6d. to 3s. 6d.

TREE PEONIA; of which Mr. CURTIS has a most extensive stock, from 3s. 6d. to 5s.; that beautiful variety the *P. papaveracea* from 4s. to 7s. 6d. The Chinese varieties of herbaceous Peonias (*PEONIA albiflora*), the latest flowering of all the Genus, and very beautiful; fine plants of the *Fragrant*, *Double White*, and *Humel*, 1s. 6d. each; other *Herbaceous Pæonius*, 1s. each, consisting of upwards of Twenty fine sorts.

Mr. C. from having a large Stock of **AMERICAN PLANTS** is induced to offer *RHODODENDRON Catawbiensis* Seedlings, eighteen inches high, at 1s. 6d.; some very fine Seedling varieties well set with bloom at 2s. 6d. A fine sort of *RHODODENDRON*, known in the Trade as *RHODODENDRON Curtisii*, 3s. 6d. Any Nobleman or Gentleman wishing to plant *Rhododendron* extensively may be supplied with them from £2 to £4 per hundred.

AZALIAS. Fine *Scarlet*, well set with bloom, 2s. 6d. each; *Orange* 3s. 6d.; *Yellow*, *Pink*, and *White*, 1s. 6d. each, or £3 per hundred. *Yellow A.* eighteen inches, 1s. or £3 per hundred. *KALMIA latifolia*, fine plants well set with bloom, 1s. 6d. **SCURTIANAS** of sorts handsome flowering shrubs, 1s. 6d. each.

CACTUS Curtisii, or *Hybrida*, fine plants from 2s. 6d. to 10s. 6d. each. *Speciosissima*, from 1s. to 21s.

YUCCA Aloifolia with beautiful variegated foliage, extremely well adapted for Conservatories, from 7s. 6d. to 21s.

MAGNOLIAS, CAMELLIAS, and GREENHOUSE PLANTS in very great variety, *GYCINE Sincensis*, from 1s. 6d. to 3s. 6d. fine plants.

AMARYLLIS Johnsonia and *Vittata*, from 2s. to 5s.

CALCEOLARIAS, consisting of Fifty fine sorts, in Collections, at 1s. to 2s. each.

A regular assortment of **DUTCH FLOWER ROOTS** always imported. Fine **DOUBLE HYACINTHS** with their names 6d. to 1s. **GLADIOLUS psittacinus**, (see *Botanical Magazine*, plate 3032) 1s. 6d. each.