



Hunt Institute for Botanical Documentation
5th Floor, Hunt Library
Carnegie Mellon University
4909 Frew Street
Pittsburgh, PA 15213-3890
Contact: Archives
Telephone: 412-268-2434
Email: huntinst@andrew.cmu.edu
Web site: www.huntbotanical.org

The Hunt Institute is committed to making its collections accessible for research. We are pleased to offer this digitized version of an item from our Archives.

Usage guidelines

We have provided this low-resolution, digitized version for research purposes. To inquire about publishing any images from this item, please contact the Institute.

About the Institute

The Hunt Institute for Botanical Documentation, a research division of Carnegie Mellon University, specializes in the history of botany and all aspects of plant science and serves the international scientific community through research and documentation. To this end, the Institute acquires and maintains authoritative collections of books, plant images, manuscripts, portraits and data files, and provides publications and other modes of information service. The Institute meets the reference needs of botanists, biologists, historians, conservationists, librarians, bibliographers and the public at large, especially those concerned with any aspect of the North American flora.

Hunt Institute was dedicated in 1961 as the Rachel McMasters Miller Hunt Botanical Library, an international center for bibliographical research and service in the interests of botany and horticulture, as well as a center for the study of all aspects of the history of the plant sciences. By 1971 the Library's activities had so diversified that the name was changed to Hunt Institute for Botanical Documentation. Growth in collections and research projects led to the establishment of four programmatic departments: Archives, Art, Bibliography and the Library.

Berlin O 34 Richthofenstr. 31,
den 6. II. 1934.

Hochgeehrter Herr!

Am 26. Januar habe ich ein
Paket mit 213 Exemplaren gesandt.
Ich hoffe, daß die Pflanzen sicher
und unbeschädigt (in good condition)
ankommen. Der größte Teil stammt
aus den Alpen. Ich kann noch mehr
abgeben, auch aus Schweden und
Norwegen (Skandinavien). Wenn Ihnen
etwas von meinen Pflanzen nicht gefällt,
so schreiben Sie es ruhig, bitte.
Einige Pflanzen konnte ich nur recht
schwer oder mühselig sammeln (*Asple-
nium Seelosii*, *Moehringia glauco-
virens*, *Phyteuma comosum*, *Valeriana elon-
ga*). Sie haben mir gesandt 96 Bogen,
ich habe gesandt 213 "
ich habe also an ein Guthaben (out-
standing debt) von 117 Bogen. Sind
Sie damit einverstanden oder rechnen
Sie anders? Mir ist es gleich, wie

Sie es für gut befinden. - Die Pflanzen
müssen sorgfältig oder vorsichtig heraus-
genommen werden, damit nichts zer-
bricht oder umfällt (to tumble down). -

Für Ihren letzten Brief danke ich
sehr; mir geht es wieder besser.

N^o 453 North Carolina.

Carex flavosperma Dewey?

is: *Carex grisea* Whlbg. var. *amphibola* (Sind.)
Kükenth.

Verzeihen Sie gütigst, daß ich nicht
früher geschrieben habe.

Mit ganz besonderer Hochachtung
und hochachtungsvollem Gruß

Ihr sehr ergebener

Rud. Grafs.

(Konrektor.)

R. Grof Berlin O 34
 Richthofenstr. 31.

213 Exemplare.

B = Bayern (Bavaria)
 F = Italy

<i>Aspidium lobatum</i> L.	B.	
<i>Loer Pseudo-Platanus</i> L.	B.	
<i>Avena Parlatoresii</i> Woods.	F.	
" <i>pubescens</i> Huds. var. <i>alpina</i> Gaud.		Tirol
<i>Aspidium Lonchitis</i> (L.) Sw.	B	
<i>Anthyllis Vulneraria</i> L.	B	
<i>Astragalus glycyphyllos</i> L.	B	
<i>Aconitum paniculatum</i> Lam.		
var. <i>matthioli</i> (Rchb.) de Rap.		Tirol
<i>Anemone trifolia</i> L.	F.	
<i>Aquilegia Linseleana</i> F. Sch.	F.	
<i>Asplenium Seelosii</i> Seyb.	F.	planta rara
<i>Anemone baldensis</i> L.	F.	
<i>Androsace obtusifolia</i> All.	F.	
<i>Avena pratensis</i> L.	F.	
<i>Astragalus alpinus</i> L.	F.	
<i>Achillea Clavennae</i> L.	F.	
<i>Armeria alpina</i> Willd.	F.	
<i>Aposeris foefida</i> (L.) Less	F.	
<i>Alsine austriaca</i> M. et K.	F.	
<i>Betonica Alopecurus</i> L.	B	
" <i>officinalis</i> L.	B	
<i>Brassica Rapa</i> L. = <i>B. campestris</i> L. (wild)	B	
<i>Bupleurum aristatum</i> Bartl.		
f. <i>elatus</i> Bartl.	F.	
<i>Carex silvatica</i> Huds.	B	
" - <i>lus. acrogyna</i>	B	
" <i>capillaris</i> L.	B	
" <i>poracoe</i> Schreb.		Brandenburg
" <i>alba</i> Scop.	F.	
" <i>firma</i> Host	F.	
" <i>panicca</i> L.	F.	
" <i>paniculata</i> L.	F.	
2 " <i>pediformis</i> C. A. Mey		
var. <i>rhizina</i> Blytt		Italy !!
" <i>stellulata</i> Good.	F.	
" <i>vulpina</i> L.		Hessen
" <i>hirta</i> L.		Brandenburg
" <i>divica</i> L. var. <i>isogyna</i> Angstr.		Sweden
" <i>mutica</i> L.		Brandenburg

- Carex baldensis* L. J. Brandenburg
 " *paniculata* L. H.
 " *Pseudo-Cyperus* L. H.
 " — *lus. alternans* (potius *aeruginosa*) H.
 " *gracilis* Curt. H.
 " — *lusus acroandra* H.
 " *Goodenoughii* Gay Tschechoslowakei
 " *capitata* L. Sweden
 " *digitata* L. H.
 " *erubescens* (Pers.) Poir. X *C. Lachenalii* Schk. Norway
 " *magellanica* Lam. Sweden
 " *lasiocarpa* Ehrh. H.
 " *microcarpa* Bert. Corsica
 " — *lus. acroandra*
 " *tomentosa* L. I. Bavaria
 " *vesicaria* L. Rheinprovinz
 " *magellanica* Lam. X *C. variflora* (Wg.) Sm. Sweden.

- Calamagrostis varia* (Schröd.) Host. J.
 " *litorea* (Schröd.) DC J.
 " *Clinopodium vulgare* L. B.
 " *Centaurea jacea* L. B.
 " — *f. nana* Gaud. = *f. humilis* Schenk. B. Brandenburg
 " *Cicuta virosa* L. J.
 " *Cirsium crissithales* Scop. J.
 " *heterophyllum* X *crissithales* *palustre*
 " = *C. Wankelii* Reich. J.
 " *crissithales* X *heterophyllum* J.
 " *Jappeineri* Rehb. = *crissithales* X *heterophyllum* J.
 " *Cineraria longifolia* Jacq. (var. *discoidea*) Ft.
 " *Chaerophyllum aureum* L. Tirol
 " *Centaurea scabiosa* L. B.
 " *Capsella pauciflora* Koch Ft.
 " *Gerastium varinthiacum* Vest
 " var. *lanceolatum* Brittinger Ft.
 " *Cystopteris alpinus* Link Ft.
 " *Chondrilla prenanthoides* (Scop.) Vill. Ft.
 " *Crepis incarnata* Tausch Ft.
 " *Centaurea thénana* Bor. Ft.

<i>Cotoneaster tomentosus</i> Lindl.	Tirol
<i>Cyperus Michelianus</i> (L.) Link	Ungarn
<i>Cleimatis alpina</i> (L.) Miller	St. B.
<i>Dentaria enneaphyllos</i> L.	St.
<i>Douglasia Vitaliana</i> (L.) Hook. f.	St.
<i>Daphne striata</i> Fratt.	St.
<i>Draba Sauteri</i> Hoppe	B.
" <i>Thomasii</i> Koch	St.
<i>Dracopis cordifolium</i> Sternb. & G.	St.
<i>Epilobium Fleischeri</i> Hochst.	Tirol
<i>Erica carnea</i> L.	St.
<i>Equisetum variegatum</i> Schleich.	St.
<i>Euphrasia minima</i> Jacq.	Tirol
" <i>Rostkoviana</i> Hayne	Silesia
" <i>salisburgensis</i> Flink	St.
<i>Eriophorum latifolium</i> Hoppe	St.
<i>Euphorbia amygdaloides</i> L.	B.
<i>Fraxinus excelsior</i> L. nred.	B.
<i>Filago germanica</i> L. var. <i>canescens</i> (Ford.)	St.
<i>Festuca Halleri</i> All.	St.
" <i>pulchella</i> Schrad.	St.
<i>Globularia cordifolia</i> L.	St.
<i>Gentiana Kochiana</i> Perr. et Song. = <i>G. excisa</i> Koch.	B.
" <i>campestris</i> L.	Tirol
" <i>islandica</i> Murb.	Helvetia!
" <i>suecica</i> Fröel	
" <i>germanica</i> W. subsp. <i>solstitialis</i> (Wettst.) Vill.	" Tirol
" <i>utriculosa</i> L.	St.
" <i>terglouensis</i> Harq. = <i>imbricata</i> Fröel.	St.
" <i>acaulis</i> L.	B.
" <i>pannonica</i> L.	B.
<i>Galium rotundifolium</i> L.	B.
" <i>purpureum</i> L.	St.
" <i>silvestre</i> Poll. = <i>multicaule</i> Wallr.	St.
" <i>asperum</i> Schreb. var. <i>austriacum</i> (Jacq.) Beck.	St.
<i>Gnaphalium divicum</i> L.	St.
" <i>carpathicum</i> Wg.	St.
" <i>Hoppeanum</i> Koch	St.
<i>Galeopsis speciosa</i> Mill. = <i>versicolor</i> Curt.	Bav.
<i>Hieracium florentinum</i> All. subsp. <i>florentinum</i> N. et P.	St.
" <i>vulgatum</i> Fr.	Tirol
" <i>minorum</i> L. subsp. <i>lepidoides</i> K. Joh.	"
" <i>alpinum</i> L. subsp. <i>Halleri</i> Vill.	"

- Hieracium glaucum* M. subsp. *nipholepium* N. P. f. *trichocepalum* N. P. Tirol.
Hieracium austriacum L. Bavaria
 " *sphondylium* L. " **Bavaria!**
Horminum pyrenaicum L. St.
Homogyne alpina (L.) Less. St.
 " *discolor* Cass. St.
Herniaria glabra L. var. *glabra* Babingt. Helvetia.
Heleocharis carniolica Koch Ungarn.
Juniperus nana Willd. Helvetia.
Juncus monanthos Jacq. B.
Koeleria pyramidata (Lam.) Don. St.
 var. *montana* (Hausm.) Dalla Torre St.
Knautia longifolia (W. K.) Koch St.
 var. *Kochii* Brügger f. *gemma* Szabo.
Lonicera alpigena L. B.
 " *hylosticum* L. St.
Laserpitium siler L. B.
Luzula nemorosa (Poll.) & Mey. B.
 " *nivea* (L.) DC. Helv. St.
Leontodon pyrenaicus Gouan B.
Luzula silvatica (Huds.) Gaud. St.
Leontopodium alpinum Cass. St.
Laserpitium Panach Gouan Helvet.
Molinia caerulea (L.) Muhl. B.
Moehringia muscosa L. (forma vel var.) St.
 " *glaucovirens* Bertol. pol. var. St.
 " *polygonoides* M. et K. St.
Melica nutans L. St.
Nasturtium officinale R. Br. B.
Ononis spinosa L. B.
Orobanchae Salviae F. Schultz B.
 " *lucorum* A. Br. St.
Paederota Bonarota L. St.
Pedicularis verticillata L. St.
 2 " *elongata* Kerner St.
Polygala chamaebuxus L. f. *rhodoptera* Brügger. St.
Polygonum viviparum L. St.
Pinguicula alpina L. St.
Pirola media Sw. St.

- Phyteuma corniculatum* Gaud. ssp. *chamaelioides* (Biroli) R. Sch.
 var. *petraeum* R. Sch. = *Ph. Scheuchzeri* M. var. *petraeum*
 Helvetia. R. Schult.
Grimula viscosa Vill. = *P. hirsuta* All. Helvetia Tirol
Pirus chamaemespilus (L.) DC. It.
Phyteuma comosum L. It.
Sola annua L. B.
 " *venisia* All. Tirol
 " *minor* Gaud. Bav.
Pimpinella magna L. var. *rosea* Koch B.
Pulicaria dysenterica Gaertn. B.
Primula farinosa L. B.
Papaver alpinum L. f. *albiflorum* B.
Rhododendron Chamaecistus (L.) Rehb. B.
 " *hirsutum* L. It.
 " *ferrugineum* X *Rh. hirsutum* = *Rh. intermedium* Tausch. It.
Rhamnus cathartica L. It.
Rubus saxatilis L. It.
Ranunculus hybridus Biria It.
Ribes grossularia L. wild. It.
Rhynchospora alba Vahl Belgien.
 " *fusca* R. et Sch. Brandenburg.
Salix acutifolia Willd. Pommern.
 " *glabra* Scop. flor. masc. It.
 " *glabra* Scop. It.
 " *arbuscula* L. It.
 " *myrsinitis* L. It.
 " var. *jacquiniiana* (Host) Koch It.
 " *grandifolia* Set. Bav.
 " *incana* Schrank. Bav.
 " *refusa* L. It.
 " var. *serpyllifolia* (Scop.) B.
Salvia glutinosa L. Tirol
Senecio carnioleus L. It.
 " *abrotanifolius* L. Bav.
Sambucus ebulus L. It.
Silene saxifraga L. It.
 " *glutinosa* = *erigophylla* Jus. B.
Scabiosa lucida Vill. B.
Scolopendrium vulgare Sm. B.

<i>Scorzonera aristata</i> Ram.	It.
<i>Saxifraga aphylla</i> Sternbg.	13
" <i>sedoides</i> L	It.
" <i>Burseriana</i> L	It.
" <i>alxoides</i> L	It.
<i>Selaginella helvetica</i> (L) Link	It.
<i>Schœnus nigricans</i> L	Barvaria
<i>Symphytum tuberosum</i> L	Bar.
<i>Lesleria ovata</i> (Hoppe) Kerner	Bar.
" <i>coerulea</i> (L) Ard. var. <i>calcaria</i> Opiz = <i>S. varia</i> Wettst.	It.
<i>Sempervivum montanum</i> L	Salzburg.
<i>Teucrium chamaedrys</i> L	Bar.
<i>Thesium alpinum</i> L	Bar.
" <i>rostratum</i> M. et K.	It.
<i>Thlaspi rotundifolium</i> Gaud.	It.
<i>Frisetum argenteum</i> (Willd.) Ret. Sch.	It.
<i>Valeriana elongata</i> L	It.
<i>Viola tricolor</i> L	Bar.
<i>Veronica fruticulosa</i> L	It.
<i>Valeriana supina</i> L	It.
<i>Scirpus setaceus</i> L	Austria.
" <i>supinus</i> L	Germany.
" <i>silvaticus</i> L	Sweden.