



Hunt Institute for Botanical Documentation
5th Floor, Hunt Library
Carnegie Mellon University
4909 Frew Street
Pittsburgh, PA 15213-3890
Telephone: 412-268-2434
Email: huntinst@andrew.cmu.edu
Web site: www.huntbotanical.org

The Hunt Institute is committed to making its collections accessible for research. We are pleased to offer this digitized item.

Usage guidelines

We have provided this low-resolution, digitized version for research purposes. To inquire about publishing any images from this item, please contact the Institute.

About the Institute

The Hunt Institute for Botanical Documentation, a research division of Carnegie Mellon University, specializes in the history of botany and all aspects of plant science and serves the international scientific community through research and documentation. To this end, the Institute acquires and maintains authoritative collections of books, plant images, manuscripts, portraits and data files, and provides publications and other modes of information service. The Institute meets the reference needs of botanists, biologists, historians, conservationists, librarians, bibliographers and the public at large, especially those concerned with any aspect of the North American flora.

Hunt Institute was dedicated in 1961 as the Rachel McMasters Miller Hunt Botanical Library, an international center for bibliographical research and service in the interests of botany and horticulture, as well as a center for the study of all aspects of the history of the plant sciences. By 1971 the Library's activities had so diversified that the name was changed to Hunt Institute for Botanical Documentation. Growth in collections and research projects led to the establishment of four programmatic departments: Archives, Art, Bibliography and the Library.

Urtica prima, ^W Comm. 1. (Urtica vulgaris urens) Comm. 1.
Urtica 1, N.K. i. 12. Br. 50; F. 58.
Urtica urens maxima G.B.P. 232.a.
Urtica dioica L.Sp. 984.

Urtica altera, Comm. 1.

Urtica urens altera G.B.P. 232.a.

Digitized by Hunt Institute for Botanical Documentation

Urtica tertia, Comm. 1. ✓

N.K. E. lix.

Br. 53; F. 59.

Urtica urens minor G.B.P. 232.a.

Urtica urens L.Sp. 984.

Urtica quarta, peregrina, Comm. 2. (Urtica Romana) Comm. 2. ✓

N.K. E. lvii.

F. 57.

Urtica urens pilulula ferens G.B.P. 232.a.

Urtica pilulifera L.Sp. 983.

Urtica quinta, Comm. 5.

N. K. T. cclxiv.

Br. 51. 7. 266.

Urtica urens pillulas ferens C. B. P. 232. a.

Lamium purpureum vel album non foetens folio oblongo C. B. P. 231. a.

Lamium album L. Sp. 579.

Urtica sexta, Comm. 5.

Lamium folio oblongo luteum C. B. P. 231. a.

Galeopsis Galeobdolon L. Sp. 580.

Digitized by Hunt Institute for Botanical Documentation

Urtica septa, Comm. 5.

Lamium purpureum vel album non foetens folio oblongo C. B. P. 231. a.

Lamium laciniatum L. Sp. II.

Urtica octava, Comm. 5.

Lamium purpureum foetidum, folio subrotundo, sive Galeopsis Dios-
coridis. C. B. P. 230. a.

Lamium purpureum L. Sp. 579.

Urtica nona, Comm. 5.

as Urtica octava C.B.P. 230. a.

Urtica decima, Comm. 5.

As Urtica octava C.B.P. 230. a.

Digitized by Hunt Institute for Botanical Documentation

Urtica undecima (Aeraclea) Comm. 5.

Lamium maximum sylvaticum foetidum C.B.P. 231. b.

Stachys sylvatica L. Sp. 580.

Marrubium maies (!) Comm. 7. ✓

N. K. E. lxxxiv

7. 64.

{ Marrubium nigrum foetidum, C.B.P. 230. a.

{ Ballota Dioscoridis

Ballota nigra L. Sp. 582.

Marrubium ^{or candidum (2)} vulgare, *Comms.* 9.

N. K. cccxxv

Br. 55; F. 325.

Marrubium album vulgare C. B. P. 230. b.

Marrubium vulgare L. Sp. 583.

Marrubium ^{or aquaticum (3)} palustre, *Comms.* 10.

Marrubium palustre glabrum C. B. P. 230. a.

Lycopus europaeus L. Sp. 21.

Digitized by Hunt Institute for Botanical Documentation

Marrubium ^{or agreste (4)} campestre, *Comms.* 10.

N. K. T. cccxxviii

F. 437.

Stachys major Germanica C. B. P. 236. a.

Stachys germanica L. Sp. 581.

Melissa domestica, *Comms.* 12. ✓

N. K. T. cc/xxii

Br. 158; F. 283.

Melissa hortensis C. B. P. 229. a

Melissa officinalis L. Sp. 592.

Sylvestris Melissa, Comm. 12.

N. K. cccxi

Bz. 54; F. 223.

Marrubium bardiaca dictum, fortè primum Theophrasti C.B.P. 230.a.

Leonurus bardiaca L. Sp. 584.

Nepeta vulgaris ⁽¹⁾, Comm. 14.

N. K. L. cccxiii.

Bz. 275; F. 245.

Mentha cataria vulgaris et major C.B.P. 228.a.

Nepeta cataria L. Sp.

Digitized by Hunt Institute for Botanical Documentation

Salvia ^{or altera Nepeta (2)} syvestris, Comm. 14.

Scordium alterum sive Salvia sylvestris C.B.P. 247.b.

Teucrium Scordonia L. Sp. 564.

Balsamina ^{or Nepeta 3} agrestis, Comm. 16.

N. K. L. ccccxii

F. 412.

Mentha rotundifolia palustris seu aquatica major C.B.P. 227 and 228.

Mentha aquatica L. Sp. 576.

Nepeta agrestis, ^{cel 4.} Comm. 17.

N. K. E. ccxlv.

F. 246.

Calamintha arvensis verticillata C. B. P. 229. a. b.

Mentha arvensis L. Sp. 577.

Mentha ^{(ulca, seu Regemium (1))} prunella (1) Comm. 18.

? Mentha rotundifolia spicata altara C. B. P. 227. a.

? Mentha hirsuta γ. L. Mant. 1

Mentha sativa ^{(seu crispa (2))} Comm. 18.

N. K. E. c lx.

F. 162.

Mentha rotundifolia crispa spicata C. B. P. 227. a.

? Mentha sativa L. II.

Balsamina vulgaris, ⁽³⁾ Comm. 18.

Sylvestris mentha prima⁽⁴⁾, comm. 18.

Mentastrium⁽⁵⁾, comm. 18.

N. R. T. clxiv

F. 166.

Mentha sylvestris longiore folio B. B. P. 227. b.

Mentha sylvestris L. Sp. II.

Digitized by Hunt Institute for Botanical Documentation

Peperita aquatica⁽⁶⁾, comm. 18.

N. R. T. clxii.

F. 164.

? Mentha angustifolia spicata ? B. B. P. 227. a.

Mentha viridis L. Sp. 576.

Pulegium⁽¹⁾, comm. 22.

N. R. T. cx.

Bz. 80; F. 110. ✓

Pulegium latifolium B. B. P. 222. a.

Mentha Pulegium L. Sp. 577.

Sylvestris Pulegium⁽²⁾, Comm. 25.

N. K. T. ccxlv

F. 246.

? Calamintha arvensis verticillata C. B. P. 229. a.

This is "Wildes Poley" of Fuchs. no. 246 in Pap. on Herbal

Mentha arvensis L. Sp. 577.

Dictamnus^{or {breteusis(1)}} prunus, Comm. 26.

Dictamnus breteusis C. B. P. 222. a.

Origanum Dictamnus L. Sp. 589.

Vulgare Dictamnus⁽²⁾, Comm. 27.

L. K. II. p. xcvi.

Br. 263.

Dictamnus albus vulgo, sive Fraxinella C. B. P. 222. b.

Dictamnus albus L. Sp. 383.

Basilica prima⁽¹⁾, Comm. 29.

Basilica minor et Bacharis Germanica

N. K. T. cccviii.

F. 309.

Ocimum vulgare C. B. P. 226. a.

Ocimum minimum β L. Sp. 597.

Basilica ^{or maior} altera (2) Comm. 29.

N. K. T. cccx.

Bz. 71; F. 311.

Ocimum caryophyllatum maius C. B. P. 226. a.

Ocimum Basilicum L. Sp. 597.

Basilica tertia (3) Comm. 29. Calamentum montanum 37.

Clinopodium arsense Cimi facie C. B. P. 225. a.

Thymus Acinos L. Sp. 591.

Calamintha Acinos

Digitized by Hunt Institute for Botanical Documentation

Nobilis et exigua Basilica, Comm. 32. Amaracus primus
or maior maiorana sativa

N. K. T. cccxxix.

F. 379.

Majorana tenuifolia C. B. P. 224. a.

Origanum Majorana β. L. Sp. 590.

Amaracus alter, Comm. 33. Majorana syloestris

Majorana syloestris perennis C. B. P. 224. b.

Origanum primum⁽¹⁾, Comm. 35. Origanum vulgare
N.K.T.cccxi. Br. 199. ~~Br. 74~~; F. 312

? Origanum sylvestre C.B.P. 223.a.

Origanum vulgare L.S.P. 590

Origanum alterum⁽²⁾, Comm. 35.

Digitized by Hunt Institute for Botanical Documentation

Origanum tertium⁽³⁾, Comm. 35.

Origanum quartum⁽⁴⁾, Comm. 35. et minus

Clinopodium Origanum simile C.B.P. 224.a.

Clinopodium vulgare L.S.P. 587.

Origanum quintum ⁽⁵⁾ Comm. 35.

Origanum sectum ⁽⁶⁾ Comm. 35. peregrinum

? Origanum Heracleoticum C.B.P. 223.a.

Origanum heracleoticum L. Sp. 589.

Digitized by Hunt Institute for Botanical Documentation

Calamentum montanum officinarum, Comm. 37. see Comm. 299.

The picture seems to be Calamintha Clinopodium, (Basilica tertia

? Calamintha vulgaris, el. officinarum Germaniae. C.B.P. 228.b.

Melissa Calamintha L. Sp. 593.

Prima Serpylli species ⁽¹⁾ Comm. 39. vulgare

? Serpyllum vulgare

Secunda Serpylli species⁽²⁾, Comm. 39.

Tertia Serpylli species⁽³⁾, Comm. 40. vulgare
N. K. T. cxxxix.

Bz. 98; 7. 141.

? Serpyllum vulgare minus C. B. P. 220. a.

Thymus Serpyllum L. 8p. 590.

Digitized by Hunt Institute for Botanical Documentation

Quarta Serpylli species⁽⁴⁾, Comm. 40.

Hortensis Thymus⁽¹⁾, Comm. 42.

N. K. T. cccclxxiv.

7. 471.

? Thymus vulgaris folis tenuiore C. B. P. 219. a.

Thymus vulgaris L. 8p. 591.

Agrestis Thymus⁽²⁾, Comm. 42.

Satureia, Comm. 44. hortensis Hyssopus
N. K. T. c lxx.

F. 172.

Satureia hortensis C. B. P. 218. a.

Satureja hortensis L. Sp. 568.

Digitized by Hunt Institute for Botanical Documentation

Hyssopus (1) Comm. 46.

N. K. T. cccc lxxviii.

Dr. 265; F. 479.

Hyssopus officinarum caerulea, sive spicata C. B. P. 217. a.

Hyssopus officinalis L. Sp. 569.

Montana Hyssopus⁽²⁾, Comm. 47. agrestis

? Hyssopus angustifolia montana aspera C. B. P. 218. b.

Thymus verticillatus L. Sp. 569.

Gallitricum ^{sativum (1)} Comm. 48.
N. K. T. cccxxii.

F. 322.

Horminum Sclarea diatum L. B. P. 238. a.
Salvia Sclarea L. Sp. 27.

Agrete Gallitricum ⁽²⁾ Comm. 50. Marrubium agrete
N. K. T. cccccxxviii.

F. 437.

§ Stachys major Germanica L. B. P. 236. a.
Stachys germanica L. Sp. 581.

Digitized by Hunt Institute for Botanical Documentation

Salvia latifolia ⁽¹⁾ Comm. 51.
N. K. T. cxxxvii.

Br. 140; F. 139.

Salvia major L. B. P. 237. a.
Salvia officinalis L. Sp. 23.

Salvia angustifolia ⁽²⁾ Comm. 51.
N. K. T. cxxxviii.

F. 140.

Salvia minor aurita et non aurita L. B. P. 237. a.
Salvia officinalis β L. Sp. 23.

Salvia sylvestris vera

Comm. 52.

N. K. T. cccxxiii. Br. 101; F. 323

Scorminum pratense foliis serratis

C. B. P. 238. b.

Salvia pratensis

L. Sp. 25.

Salvia sylvestris adulterina⁽⁴⁾, Comm. 53.

Digitized by Hunt Institute for Botanical Documentation

Rosmarinus (dianotis), Comm. 54.

N. K. T. cclxix.

Br. 122; F. 271.

Rosmarinus hortensis angustiore folio C. B. P. 217. a.

Rosmarinus officinalis L. Sp. 23.

Lavandula vel Spica (Cassia hardus), Comm. 57.

N. K. T. ccccx.

F. 507.

Lavandula^{latifolia}~~angustifolia~~ C. B. P. 216. a.

Lavandula Spica B. L. Sp. 572.

Laundula vel Spica (Cassia germanica), Comm. 58.

N. K. T. ccccxix, angustifolia

F. 508.

Laundula latifolia C. B. P. 216. a.

Laundula Spica ~~B.~~ L. Sp. 572.

{ Valeriana prima ⁽¹⁾
Nardus agrestis, Comm. 61.

N. K. T. cccxcii,

F. 489.

Valeriana hortensis C. B. P. 164. a.

Valeriana Phu L. Sp. 32.

Digitized by Hunt Institute for Botanical Documentation

{ Valeriana altera maius ⁽²⁾
Serpyllum ~~maius~~, Comm. 61. Valeriana vulgaris
? F. 490.

Valeriana sylvestris major C. B. P. 164. a.

Valeriana officinalis L. Sp. 31.

Valeriana tertia ⁽³⁾, Comm. 62.

Valeriana sylvestris major montana C. B. P. 164. b.

Valeriana officinalis B. L. Sp. 31.

Valeriana quarta⁽⁴⁾, Comm. 62. exigua

Valeriana ~~exigua~~ ^{palustris minor} vel 4. G.B.P. 164. b.

Valeriana dioica L. Sp. 31.

Asarum, Comm. 64.

N. K. T. v.

Br. 17; F. 5.

Asarum G.B.P. 197. a.

Asarum europaeum L. Sp. 442.

Digitized by Hunt Institute for Botanical Documentation

Garyophyllata, Comm. 66.

N. K. T. ccxv.

Br. III. F. 217.

Garyophyllata vulgaris G.B.P. 321. a.

Geum urbanum L. Sp. 501.

Ruta ^{hortensis} minor vel praestantior⁽¹⁾, Comm. 68.

N. K. T. ccct.

#850.

Ruta hortensis altera G.B.P. 336. a.

Ruta graveolens β L. Sp. 383.

Ruta vulgaris⁽²⁾, Comm. 68. domestica
N.K.T. ccc.

Bz. 162; F. 350.

Ruta kotensis latifolia B.B.P. 336.a.

Ruta graveolens y. L.Sp. 383.

Ruta sylvestris⁽³⁾, Comm. 69.

Tragus, Comm. 70. (Nomenclaturae) says that this may be that it may be
the plant called Harmala & Besaba.

Ruta sylvestris flore magno albo

B.B.P. 336.b.

Peganum Harmala

L.Sp. 444.

Digitized by Hunt Institute for Botanical Documentation

Hypericum exiguum⁽¹⁾, Comm. 74.

Hypericum minus supinum, vel supinum glabrum B.B.P. 279. b.

Hypericum humifusum L.Sp. 785.

Vulgare Hypericon⁽²⁾, Comm. 74.

N.K.T. cccclxxvi.

Bz. 163; F. 473.

Hypericum vulgare B.B.P. 279.a.

Hypericum perforatum L.Sp. 785.

Tertia Hyperici species, ⁽³⁾Comm. 75. 2 species figured p. 73.

2. N. K. T. 41.

F. 41.

1. Ascyrum, sive Hypericum bifolium glabrum non perforatum L. B. P. 280. a.

2. Androsæmon hirsutum L. B. P. 280. a.

1. Hypericum hirsutum L. Sp. 786.

2. Hypericum hirsutum β L. Sp. 786.

Hypericum elegantissimum, ⁽⁴⁾Comm. 75. pulehrum vel quartum

Hypericum minus erectum L. B. P. 279. a.

Hypericum pulehrum L. Sp. 786.

Digitized by Hunt Institute for Botanical Documentation

Chamaecyparissus, Comm. 76.

N. K. T. cccccii.

F. 499.

Abrotanum foemina foliis teretibus L. B. P. 136. b.

Santolina Chamaecyparissus L. Sp. 842.

Chamaecyparissus agrestis (1.)

N. K. T. ccccxix.

Comm. 78.

F. 496.

Botrys Chamaedryoides

L. B. P. 138. b.

Teucrium Botrys

L. Sp. 562.

Chamaepitys altera Dioscoridis (2)

N. K. T. ccccxcix.

Comm. 79.

F. 496.

Botrys Chamaedryides

G. B. P. 138. b.

Teucrium Botrys

L. Sp. 562.

Chamaepitys tertia ⁽³⁾, Comm. 80.

Chamaepitys lutea vulgaris, sive folio trifido G. B. P. 249. b.

Teucrium Chamaepitys L. Sp. 562.

Digitized by Hunt Institute for Botanical Documentation

Nasturtium hortense ⁽¹⁾, Comm. 81.

N. K. T. cciv.

Br. 134, 252; F. 206.

Nasturtium hortense vulgatum G. B. P. 108. a.

Lepidium sativum L. Sp. 644.

Nasturtium aquaticum ⁽²⁾, Comm. 81.

Nasturtium aquaticum supinum G. B. P. 104. a.

Sisymbrium Nasturtium aquaticum L. Sp. 657.

Rasturtium pratense⁽³⁾, Comm. 81.

N. K. T. c/xxxiii.

Bz. 77; F. 185.

Rasturtium pratense magno flore C. B. P. 104. a.

Bardamine pratensis

L. Sp. 656.

Sinapi rusticum (4), Comm. 81.

? agreste Rasturtium p. 84

? Sinapi agreste quartum

Rapistrum flore luteo C. B. P. 95. a.

82 { Sinapis arvensis L. Sp. 668.

{ Raphanus Raphanistrum L. Sp. 669.

Digitized by Hunt Institute for Botanical Documentation

Sinapi rusticum (5), Comm. 81. Rasturtium 5

N. K. T. c/xxii.

B. 146; F. 174.

Rasturtium sylvestre Oxyridis folio C. B. P. 105. b.

Lepidium ruderale

L. Sp. 645

Either this or the preceding is called Besemkrant Comm. 84.

Alliaria Thlaspidium cornutum⁽¹⁾, Comm. 85.

Alliaria C. B. P. 110. a.

Erysimum Alliaria

L. Sp. 660.

Vulgare Thlaspidium⁽²⁾, Comm. 85. also Thlaspi & Bursa pastoris prima

Thlaspi arvense siliquis latis C.B.P. 105.a

Thlaspi arvense L.Sp. 646.

Aliud Thlaspidium⁽³⁾ genus, Comm. 85.

Thlaspi umbellatum arvense Iberidis folio C.B.P. 106.a.

Iberis amara L.Sp. 649.

Digitized by Hunt Institute for Botanical Documentation

Lepidium, sive Piperitis, Comm. 88. ✓

N.K.T. cc/xii

Br. 180; F. 274.

Lepidium latifolium C.B.P. 97.a.

Lepidium latifolium L.Sp. 644.

Primum Persicariae genus⁽¹⁾, Comm. 90.

N.K.T. cccc/xxxiv.

F. 480.

Persicaria urens seu Hydropiper C.B.P. 101.b.

Polygonum Hydropiper L.Sp. 361.

Alterum Persicariae genus ⁽²⁾, Comm. 91.

Br. 95.

Persicaria mitis maculosa et non maculosa C.B.P. 101. a.

Polygonum ^{um} ~~um~~ Persicaria L. Sp. 361.

Apium aquaticum ⁽¹⁾ vel Ranunculus exiguus, Comm. 93.

N. K. T. lxxxviii.

F. 88.

Ranunculus palustris apii folio laevis C.B.P. 180. a.

Ranunculus scleratus L. Sp. 551.

Digitized by Hunt Institute for Botanical Documentation

Ranunculus exiguus ⁽²⁾, Comm. 93.

N. K. T. lxxxix.

Br. 49; F. 89.

Ranunculus pratensis radice verticilli modo rotunda C.B.P. 179. a.

Ranunculus bulbosus L. Sp. 554.

Alterā Ranunculi species ⁽³⁾ luteus

Comm. 94

Ranunculus pratensis erectus acris

C.B.P. 178. b.

Ranunculus acris

L. Sp. 554.

Alterā Ranunculi species (3) luteus p. 94 flore pleno Comm. 94
N. K. T. lxxxvii. Br. 42; F. 87

Ranunculus hortensis erectus, flore pleno L. B. P. 179. b.
Ranunculus acris β. L. Sp. 554.

Tertiā Ranunculi species (4) Comm. 95. Ranunculus candidus
N. K. T. xc. p. 95. Br. 136; F. 90.

Anemone nemorosa flore majore L. B. P. 176. b.
Anemone nemorosa L. Sp. 541.

Digitized by Hunt Institute for Botanical Documentation.

Ranunculus sylvestris alterum genus Comm. 95
N. K. T. xci. F. 91.

Ranunculus nemorosus luteus L. B. P. 178. a.
Anemone ranunculoides L. Sp. 541.

Ranunculus pratensis ⁽¹⁾; Comm. 96. dulcis p. 97
N. K. T. cccciiv. F. 501.

Ranunculus pratensis erectus dulcis L. B. P. 179. a.
Ranunculus repens γ. L. Sp. 554.

Ranunculus sylvestris (2)

Comm. 97.

Ranunculus nemorosus luteus

G.B.P. 178.a.

Anemone ranunculoides

L.Sp. 541.

Ranunculus sylvestris (2) Comm. 97. dulcis p. 97.

? N.K.E. lxxv.

785.

Ranunculus nemorosus vel sylvest. foliis rotundo G.B.P. 178.a.

Ranunculus auricomus L.Sp. 551.

Digitized by Hunt Institute for Botanical Documentation

Coronopus (3) Comm. 97. 98.

N.K.E. cc/lv,

f. 254.

Coronopus hottensis G.B.P. 190.a.

Plantago Coronopus β. L.Sp.

Ranunculus

^ Coronopus sylvestris (4), Comm. 98.

Holosteos affinis, Cauda muris G.B.P. 190.6.

Myosurus minimus L.Sp. 284.

Sinapi sativum primum, ⁽¹⁾ Comm. 100. luteum p. 101.
N.K.E. ccciii. Br. 249; F. 304.

Sinapi apii folio C.B.P. 99.a.
Sinapis alba L. Sp. 668.

Sinapi sativum alterum, ⁽²⁾ candidum p. 104.
Comm. 100.

Sinapi hortense semine albo C.B.P. 99.a.
Is this a variety of Sinapis alba? See note in Richter's Calce. p. 648.

Digitized by Hunt Institute for Botanical Documentation

Lampasana vetrum C.B.P. 95.a.
{ Sinape agreste primum (sp. 3), Comm. 100. luteum p. 101.

Sinapis flore albo siligina articulata C.B.P. 95.a.
Raphanus Raphanistrum L. Sp. 669.

Sinape agreste alterum (sp. 4), Comm. 100.
N.K.E. cxliii. Br. 191; F. 144.

Raphistrum flore luteo C.B.P. 95.a.

{ Sinapis arvensis L. Sp. 668.

or { Raphanus Raphanistrum? L. Sp. 669. see Richter, p. 649.

Sinapi (sp. 5.) Comm. 103. Herba S. Barbarae

Eruca lutea latifolia sive Barbarea C.B.P. 98. b.

Erysimum Barbarea L. Sp. 660

Sinapi (sp. 6.) Comm. 103.

Digitized by Hunt Institute for Botanical Documentation

Sinapi (sp. 7) seu Verbena foemina Comm. 103. ✓

Erysimum vulgare C.B.P. 100. a.

Erysimum officinale L. Sp. 660.

Sinapi (sp. 8.) seu Rucula marina maior, Comm. 103.

Eruca latifolia alba C.B.P. 98. a.

Brassica Eruca L. Sp. 667.

Sinapi (sp. 9.) seu Rucula marina minor, Comm. 104.

Sinapi Crucac folio L.B.P. 99. b.

Sisymbrium tenuifolium (L.Sp.) Cent. I.

Chelidonia (sp. 1) seu Chelidonium majus, Comm. 106.

N.K.T. ccccxcvi.

Br. 82; F. 493.

Chelidonium majus vulgare L.B.P. 144. a.

Chelidonium majus L.Sp. 505.

Digitized by Hunt Institute for Botanical Documentation

Chelidonia (sp. 2) seu Alterum Chelidonii genus, Comm. 106.

also Gratia Dei, vel ^{Geranium} Geranium quibusdam p. 108.

N.K.T. cxcv.

F. 115.

Geranium Robertianum primum L.B.P. 819. b.

Geranium Robertianum L.Sp. 681.

Fumaria, Comm. 109.

N.K.T. cxcxi.

Br. 27; F. 193.

Fumaria officinarum et Dioscoridis L.B.P. 143. a.

Fumaria officinalis L.Sp. 700.

Chelidonium minus, Comm. 113.

N. K. T. cccxcvii.

Bz. 75; F. 494.

Chelidonia rotundifolia minor L. B. P. 309. a.

Ranunculus Ficaria L. Sp. 550.

Coriandrum, Comm. 114.

N. K. T. cxcv.

Bz. 70; F. 197.

Coriandrum majus L. B. P. 158. a.

Coriandrum sativum L. Sp. 256.

Digitized by Hunt Institute for Botanical Documentation

Nigella (sp. 1.) seu Nigella hortensis, Comm. 117.

N. K. T. cc/xxxiv.

F. 285.

Nigella flore minore simplici candido L. B. P. 145. b.

Nigella sativa L. Sp. 534.

Nigella (sp. 2) seu Sylvestris Nigella, Comm. 117.

N. K. T. cc/xxxvi

F. 287.

Nigella arvensis cornuta L. B. P. 145. a.

Nigella arvensis L. Sp. 534.

Nigella (sp. 3) seu Nigella Damascena, Comm. 118.
N.K.T. cc/xxxv. f. 286.

Nigella angustifolia flore majore simplici caeruleo G.B.P. 145. a.
Nigella damascena L. Sp. 534.

Argemone multiflex (2) Comm. 119. or Vulgaris Argemone
N.K.T. ccxcii. f. 293.

Papaver erraticum pleno flore ^(or minus) G.B.P. 171. b.
Papaver Rhoeas β. L. Sp. 507.

Digitized by Hunt Institute for Botanical Documentation

Argemone (sp. 1.) seu Vulgaris Argemone, Comm. 119.

Papaver vulgare cujus capitula foraminibus haerent, semine incano
The yellow juice indicates Papaver dubium (as in Cordus.) G.B.P. 170. b.

Argemone (sp. 2.) seu Argemone exigua, Comm. 119.

Papaver erraticum minus G.B.P. 171. b.
Papaver Rhoeas β. L. Sp. 507.

Anemone testis (see cap. XL.) Comm. 120.
This is apparently Anemone agrostis Comm. 128, which in C.B.P. is
identified as Adonis annua α . L.Sp. I. 547.

Papaver (sp. 1.) seu Vulgare Papaver, Comm. 122.
N. K. T. ccxciii. Br. 227; F. 294.

Papaver vulgare cujus capitula ferruginibus hiant, semine incens.
Papaver somniferum L. Sp. 508. C.B.P. 170. b.

Digitized by Hunt Institute for Botanical Documentation

Papaver (sp. 2.) seu Album Papaver, Comm. 124.
N. K. T. ccxciii. Br. 227; F. 294.

Papaver hortense semine albo C.B.P. 170. a.

Papaver somniferum L. Sp. 508.

Papaver 3. Comm. 124
Tragus calls this Papaver luteum, but the flower is white with
red spots at the base - The seed is yellow, not the flower - C.B.P. 170. a.

Papaver hortense semine albo

C.B.P. 170. a.

Papaver somniferum

L. Sp. 508.

Papaver (sp. 4.) seu Rubeum Papaver, Comm. 124.

Papaver flore rubro semine fusco C.B.P. 171.a.

Papaver (sp. 5.) seu Nigrum Papaver, Comm. 124.

? Papaver hortense, nigro semine C.B.P. 170. b.

Papaver somniferum β. L.Sp. 508

Digitized by Hunt Institute for Botanical Documentation

Papaver (sp. 6.) seu Papaver candidum alterum, Comm. 124.

Papaver cristatum floribus et semine albo C.B.P. 171.a.

Papaver somniferum γ. L.Sp. 508.

Papaver (sp. 7.) seu Papaver rubeum alterum, Comm. 124.

Papaver cristatum floribus rubris semine ^{nigro} fusco C.B.P. 171.a.

Papaver somniferum δ. L.Sp. 508.

Papaver corniculatum
Papaver (sp. 8.) see ~~caeruleum~~ Papaver, Comm. 124.
~~the~~ Papaver sylvestre corniculatum p. 123.
N. K. E. ccxciv. F. 295.

Papaver corniculatum luteum G. B. P. 171. b.

Chelidonium Glaucium L. Sp. 506.

Glaucium flavum Crantz.

Papaver (sp. 8.) see Papaver corniculatum, Comm. 124.

? Papaver corniculatum violaceo flore G. B. P. 172.
Papaver corniculatum L. Sp. 506

I am told that a horned poppy with red or purple flowers used to be found in the cornfields near Cambridge this tallies with "istud gene Papaveris genus in Anglia provenire" Comm. 124

Digitized by Hunt Institute for Botanical Documentation

Mariana Rosa ^{sativa (rubra flores)} (sp. 1) Comm. 126. ✓

Lychnis coronaria Diosc. sativa G. B. P. 203. b.
Agrostemma coronaria L. Sp. 436.

Mariana Rosa ^{sativa (candidos flores)} (sp. 2), Comm. 126.

Lychnis coronaria Diosc. sativa G. B. P. 203. b.
Agrostemma coronaria L. Sp. 436.

Been album
Mariana Rosa (sp. 3), Comm. 126.

Lychnis sylvestris alba simplex C.B.P. 204.a.

Lychnis dioica L. Sp. 437.

~~But see Lucubalus Behen L. Sp. 414.~~

Been rubrum
Mariana Rosa (sp. 4.), Comm. 126.

Lychnis sylvestris sive aquatica purpurea simplex C.B.P. 204.a.

Lychnis dioica L. Sp. 437.

Digitized by Hunt Institute for Botanical Documentation

Mariana Rosa (~~Daubentoni~~) (sp. 5) Comm. 126.

Lychnis sylvestris quae Been album vulgo C.B.P. 205.a.

Lucubalus Behen L. Sp. 414.

Mariana Rosa (sp. 6.) seu Lithago, Comm. 128.

N.K.T. 1xx.

Br. 85; F. 70.

Lychnis segetum major C.B.P. 204.b.

Agrostemma Lithago L. Sp. 435.

Mariana Rosa (sp. 7.) seu Anemone^{24p/α}, Comm. 128. agrestis (fig)

Adonis sylvestris fl. phoeniceo ciliisque fol. longioribus C.B.P. 178. a.

Adonis aestivalis L. Sp. II

Adonis annua α L. Sp. I. 547.

Mariana Rosa (sp. 8.) seu Anemone, Comm. 128. hortensis p. 122 fig

Adonis hortensis C.B.P. 178. a.

Adonis autumnalis L. Sp. II. Adonis annua β L. Sp. 547.

Digitized by Hunt Institute for Botanical Documentation

Polygonatum ic. tantum Comm. 130

Lychnis segetum rubra foliis perfoliatis C.B.P. 204. b.

Saponaria Vaccaria L. Sp. 409.

Hyoocyamus (sp. 1.) seu Hyoocyamus secundus Galeni, Comm. 132.
Br. 79.

Hyoocyamus vulgaris vel niger C.B.P. 189. a.

Hyoocyamus niger L. Sp. 179.

Hypocyanus ^{alter} (sp. 2) seu Hypocyanus albus, Comm. 132.

Hypocyanus albus major C.B.P. 169.a.

Hypocyanus albus L.Sp. 180.

Aquilegia, Comm. 136.
N. K. t. IV.

F. 55.

Aquilegia sylvestris C.B.P. 144.a.

Aquilegia vulgaris L.Sp. 533.

Digitized by Hunt Institute for Botanical Documentation

Rhapontica Radix vel Centaurea major Comm. 138

Centaureum majus folio in lacinias plures diviso C.B.P. a. 117.

Centaurea Centaurium L.Sp. 910.

Centaurea minor, Comm. 139. Centaureum minus p. 140.

Centaureum minus C.B.P. 278.a.

Centiana Centaurium L.Sp. 229.

Galtha Vergilii
Galtha primum genus, Comm. 142. Galtha Vergilii

Galtha palustris flore simplici C.B.P. 276. a.
Galtha palustris L. Sp. 558.

Galthae alterum genus, Comm. 143.

? Ranunculus palustris serratus C.B.P. 180. b.
Ranunculus Flammula B. L. Sp. 548.

Digitized by Hunt Institute for Botanical Documentation

"alvis foliolis"

Bellis maior Barbare, ^ Comm. 143.
N. K. L. lxxxi. Br. 90; F. 81.

Bellis syl. caule folioso major C.B.P. 261. a
Chrysanthemum Leucanthemum L. Sp. 888.

Bellis maior lutea

Comm. 143.

Bellis lutea foliis profunde incisis
Chrysanthemum segetum

C.B.P. 262. b.
L. Sp. 889.

Calendula, Comm. 145.
N. K. T. ccxiv. Br. 89; F. 216.
Caltha vulgaris C.B.P. 275. a.
Calendula officinalis L. Sp. 921.

Parthenium nobile, 1. Comm. 147. nobilis Chamomilla p. 149.
Chamaemelum nobile sive Leucanthemum odoratus C.B.P. 135. a.
Anthemis nobilis L. Sp. 894.

Digitized by Hunt Institute for Botanical Documentation

Lotula foetida, 2. Comm. 147.
N. K. T. cccxxxi. Br. 88; F. 331.
Chamaemelum foetidum C.B.P. 135. b.
Anthemis Lotula L. Sp. 894.

Chamomilla vulgaris, 3. Comm. 148.
N. K. T. xiii. Br. 232; F. 13.
Chamaemelum vulgare C.B.P. 135. a.
Matricaria Chamomilla L. Sp. 891.

Chamomilla fatua, 4. Comm. 148.

Chamaemelum inodorum C.B.P. 135. b.

Anthemis arvensis L. Sp. 894.

Buphthalmum

Comm. 151.

Buphthalmum, Tanacetum minoris foliis

Anthemis tinctoria

C.B.P. 134. b.

L. Sp. 896.

Digitized by Hunt Institute for Botanical Documentation

Flos tinctorius 1.

N. K. L. lxxiii.

F. 73.

Comm. 153

Aster alticus caeruleus vulgaris

C. B. P. 267. a.

L. Sp. 873.

Aster amellus

Flos tinctorius alterum Comm. 154.

Conyza caerulea acris C. B. P. 265. a.

Erigeron acre L. Sp. 863.

Flos tinctorius 3.

Comm. 154.

? Serratula (see note in Pinax)
Serratula tinctoria

C.B.P. 235.a.

L.Sp. 816.

But this has purple flower, while the flowers of Flos tinctorius 3. are yellow.

Flos tinctorius 4.

Comm. 154.

Chrysanthemum foliis matricariae C.B.P. 134.a.

Chrysanthemum coronarium L.Sp. 890.

Digitized by Hunt Institute for Botanical Documentation

Matricaria hortensis, Comm. 155.

? Matricaria vulgaris seu sativa C.B.P. 133

Matricaria Parthenium L.Sp. 890.

Matricaria sylvestris, Comm. 156.

Matricaria sylvestris flore tota lutea C.B.P. 133.a.

Bauhin also gives under this reference Matricaria Trag.
but Tragus says of this "flores - ... nitus orsellini, per ambitum albi,
radiati."

Tanacetum vulgare luteum, Comm. 158.

N. K. T. xxvi.

Bz. 87; F. 26.

Tanacetum vulgare luteum C. B. P. 132. a.

Tanacetum vulgare L. Sp. 844.

Tanacetum album peu acutum, Comm. 159.

N. K. T. ccc/xiv.

Bz. 262; F. 364.

Dracunculis pratensis serrato folio C. B. P. 98. a.

Achillea Ptarmica L. Sp. 898.

Digitized by Hunt Institute for Botanical Documentation

Primula veris, Comm. 161.

N. K. T. lxxix.

F. 79.

Bellis hortensis flore pleno, eoque magno, vel parvo, C. B. P. 261. b.

Bellis perennis β hortensis L. Sp. 886.

Alisma, Comm. 163.

Mentha hortensis Scorimbijera.

C. B. P. 226. a.

Tanacetum Balsamita

L. Sp. 845.

Gonyza maior, Comm. 166.

Gonyza maior vulgaris C.B.P. 265.a.

Gonyza squarrosa L. Sp. 861.

Gonyza minor, Comm. 166.

Gonyza maior flore globoso C.B.P. 266.a.

Senecio Pulicaria L. Sp. 882.

Digitized by Hunt Institute for Botanical Documentation

Gonyza media, Comm. 167.

Gonyza ^{minor?} maior flore globoso C.B.P. 266.a.

Senecio Pulicaria L. Sp. 882.

Pulicaria, Comm. 167. Psyllium

N.R.t. ccccix.

F. 506.

Psyllium majus erectum C.B.P. 191.b.

Plantago Psyllium L. Sp. 115.

Helenium, Comm. 169.

N.K.T.cxxxiv.

Bz. 170; F. 136.

Helenium vulgare C.B.P. 276.a.

Inula Helenium L.Sp. 881.

Gentianae prima species, Comm. 175.

N.K.T.cxi.

F. III.

Gentiana major lutea C.B.P. 187.a.

Gentiana lutea L.Sp. 227.

Digitized by Hunt Institute for Botanical Documentation

Gentianae secunda species, Comm. 175.

Gentiana major purpurea C.B.P. 187.a.

Gentiana purpurea L.Sp. 227.

Gentianae species tertia, Comm. 175.

Gentiana asclepiadis folio C.B.P. 187.b.

Gentiana asclepiadea L.Sp. 227.

Gentiana sp. 4 Comm. 175.

Gentiana
Gentianella alpina angustif. magno flore G.B.P. 187. 6.
Gentiana acaulis B. L.Sp. 228.

Aristolochia longa, Comm. 177.
N. K. L. xlix. Br. 11; F. 49.
Aristolochia Clematidis recta G.B.P. 307. 2.
Aristolochia Clematidis L.Sp. 962.

Digitized by Hunt Institute for Botanical Documentation

Airundinaria, Comm. 180.

Asclepias albo flore G.B.P. 303. 2.
Asclepias Vincetoxicum L.Sp. 216.

Salicaria prima, Comm. 182. Lysimachia lutea
N. K. L. cclxxvii. F. 279.
Lysimachia lutea major G.B.P. 245. 2.
Lysimachia vulgaris L.Sp. 146.

Salicaria altera,

Comm. 182.

N. K. T. cclxxvii.

F. 278.

Lysimachia siliquosa ^{hirsuta} magna flore L. B. P. 245. a.

Epilobium hirsutum

L. Sp. 347.

Ocinnastrum ^{maius primum}

Comm. 184.

N. K. T. cviii.

Br. 73; F. 108.

Scrophularia aquatica major

L. B. P. 235. b.

Scrophularia aquatica

L. Sp. 620.

X Brumf. 73 is S. nodosa

Digitized by Hunt Institute for Botanical Documentation

Ocinnastrum alterum,

Comm. 184.

Br. 73.

Scrophularia nodosa foetida

L. B. P. 235. a.

Scrophularia nodosa

L. Sp. 619.

Sion non odoratum,

Comm. 187.

N. K. T. ccccxiv.

Br. 202; 269; F. 414.

Anagallis aquatica minor foliis subrotundo L. B. P. 252. b.

Veronica Beccabunga

L. Sp. 12.

Anagallis aquatica,

Comm. 187. Sium altissim

Anagallis aquatica foliis pulegii serpyllis C.B.P. 252. b.

Mercurialis vulgaris, (1) Comm. 189.

N.K.E. cc/xviii.

F. 270.

Mercurialis spicata, sive foemina C.B.P. 121. b.

Mercurialis annua male plant. L. Sp. 1035

Digitized by Hunt Institute for Botanical Documentation

Mercurialis testiculata, (2) Comm. 189.

N.K.E. cc/xvii.

F. 269.

Mercurialis testiculata, sive mas. C.B.P. 121. a.

Mercurialis perennis annua female pl. L. Sp. 1035.

Mercurialis sylvestris, (3) Comm. 189.

N.K.E. ccxlix.

F. 251.

Mercurialis montana testiculata C.B.P. 122. a.

Mercurialis perennis female plant L. Sp. 1035.

Mercurialis sylvestris altera (4) Comm. 190.

Balsamina lutea, sive holi me tangere L.B.P. 306. b.
Impatiens noli tangere L. Sp. 938.

Cannabis foemella (1) Comm. 350.
 N.K.T. ccxx; Br. 209; F. 222.
Cannabis erratica C.B.P. 320. a.
Cannabis sativa (male plant) L.Sp. 1027.

Cannabis major (2) Comm. 350.
 N.K.T. ccxx; Br. 209; F. 222.
Cannabis sativa C.B.P. 320. a.
Cannabis sativa (female plant) L.Sp. 1027.

Digitized by Hunt Institute for Botanical Documentation

Cannabis sylvestris duplex (3;4) Comm. 351.

Urtica aculeata foliis serratis C.B.P. 232. b.
Paleopsis Tetrahit L.Sp. 579.

Linum sativum (1) Comon. 354.
 N.K.T. cc/xv; Br. 59; F. 267.
Linum sativum C.B.P. 214. a.
Linum usitatissimum β . L.Sp. 277.

Sylvestre Linum (2) Comm. 354.

Linum arvense C.B.P. 214.a.

Linum usitatissimum L.Sp. 277.

Vulgaris Linaria (1) Comm. 356.

N.H.T. cccvii ; Br. 109; F. 308.

Linaria vulgaris lutea flore majore C.B.P. 212.b.

Antirrhinum Linaria L.Sp. 616.

Linaria vulgaris Mill.

Digitized by Hunt Institute for Botanical Documentation

Altera Linaria (2) Comm. 357.

See note C.B.P. 213.a. top of page

Linariae ^{tertia} ~~quarta~~ ⁽³⁾ ~~species~~ ⁽⁴⁾

Amaranthus major. 359.
Comm. 357. Helicrysos

Linaria folioso capitulo luteo major C.B.P. 213.a.

Chrysocoma Linosyris L. Sp. 841

Linaria quarta species (4)
Helianthus (3) Comm. 357.

Linum sylv. angustis et densioribus foliis fl. minora C.B.P. 214. b.
Linum tenuifolium var. L. L.Sp. II.

Vera Linaria. 5.

Comm. 358.

Myagrum sativum
Myagrum sativum β.

C.B.P. 109. a.
L.Sp. 641.

~~Comm. 358.~~ ~~Helianthus~~

Digitized by Hunt Institute for Botanical Documentation

Antirrhinum

Comm. 361.

Luteola herba salicis folio C.B.P. 100. a.
Roseda Luteola L.Sp. 448.

seu Romana
Malva hortensiana (1) Comm. 363.
N.K.L. cc/xxvii; 7288.

Malva rosea folio subrotundo C.B.P. 315. a.
Alcea rosea L.Sp. 687.

Althaea rosea Cav.

Alcea (2) Comm. 365.
N.K.T. xlv ; Br. 133; F. 44.
Alcea vulgaris major L.B.P. 316.a.
Malva Alcea L.Sp. 689.

Malva vulgarissima (1) Comm. 368.
N.K.T. cc/xxviii ; Br. 131; F. 289.
Malva sylv. folio rotundo L.B.P. 314.a.
Malva rotundifolia L.Sp. 688.

Digitized by Hunt Institute for Botanical Documentation

Malva vulgaris altera species (2) Comm. 368.
N.K.T. cc/xxxix ; Br. 132; F. 290.
Malva sylvestris folio sinuato L.B.P. 314.a.
Malva sylvestris L.Sp. 689.

Uiscus lanuginosum (Althea) Comm. 370.
N.K.T. vii ; Br. 186; F. 7.
Althaea Dioscoridis et Plinii L.B.P. 315.a.
Althaea officinalis L.Sp. 686.

seu Portulaca maior

Scrophularia Comm. 373.

N.K.T. eccelix; Br. 74; F. 456.

Telephium purpureum minus C.B.P. 287. a.

Sedum Telephium purpureum L.Sp. 430.

Azoon seu Sedum Comm. 375. ^{comm. 376.} ic. Sedum (Haucaurtz)

N.K.T. xviii; Br. 273; F. 17.

Sedum magus vulgare C.B.P. 283.

Scempervivum tectorum L.Sp. 464.

Digitized by Hunt Institute for Botanical Documentation

Sedum minus (1) Comm. 378.

N.K.T. xix; Br. 242; F. 19.

Sedum minus teretifolium album C.B.P. 283. a.

Sedum album L.Sp. 432.

Sedum minus (2) Comm. 378.

Sedum minus teretifolium luteum C.B.P. 283. b.

Sedum rubens var. z. L.Sp. II.

Sedum minus (3) vermicularis Comm. 379.

N.K.T. xx ; Br. 241; F. 20.

Sempervivum minus vermiculatum acre C.B.P. 283. b.

Sedum acre L.Sp. 432.

Portulaca hortensis 1.

Comm. 381. ✓

N.K.T. lxi ; F. 61.

Portulaca latifolia, seu sativa

C.B.P. 288. a.

Portulaca oleracea β.

L.Sp. 445.

Portulaca oleracea var. sativa Db.

Digitized by Hunt Institute for Botanical Documentation.

Sylvestris Portulaca 2.

Comm. 381.

N.K.T. lxii ; F. 62.

Portulaca angustifolia sive sylvestris

C.B.P. 288. a.

Portulaca oleracea

L.Sp. 445.

Portulaca oleracea var. sylvestris Db.

Morsus gallinae sp. 1.

Comm. 384.

N.K.T. x ; Br. 234; F. 10.

Aloine media

C.B.P. 250. b.

Alsine media

L.Sp. 272.

Stellaria media Vill.

Morusus gallinae sp. 2

Comm. 385.

Aloine altissima nemorum
Cerastium aquaticum β.

G.B.P. 250. b.
L. Sp. II

Morusus gallinae sp. 3.

Comm. 385.

N.K.E. xi ;

F. 11.

Aloine Chamaedrifolia & flocculis pediculis oblongis insidentibus G.B.P. 250. a.
Veronica agrestis L. Sp. 13.

Digitized by Hunt Institute for Botanical Documentation

Morusus gallinae sp. 4.

Comm. 385.

N.K.E. xii ;

F. 12.

Aloine minor multicaulis

G.B.P. 250. b.

Arenaria serpyllifolia

L. Sp. 423.

Anagallis mas (flospurpureus) Comm. 387.

N.K.E. viii ;

Bz. 83 ; F. 8.

Anagallis phoenicea flore

G.B.P. 252. a.

Anagallis arvensis

L. Sp. 148.

Anagallis femina (flos caeruleus)

Comm. 387.

N. K. T. ix ; Br. 84 ; F. 9.

Anagallis caerulea flore

C. B. P. 252. a.

Anagallis femina

Willd. Gard. Diet. ed. 8. no. 2.

Polygonum ~~masculum~~ masculum, vulgo Centumnodia sp. 1. Comm. 390

N. K. T. cccxlix ; F. 349.

Polygonum latifolium

C. B. P. 281. a.

Polygonum aviculare

L. Sp. 362.

Digitized by Hunt Institute for Botanical Documentation

Polygonum ^{on} ~~minus~~ minus sp. 2.

Comm. 390.

? an Arenaria or Spergula

Polygonum Germanis (Knewel)

Comm. 392.

Polygonum angustissimum acutis vel gramineis foliis minus repens C. B. P. 281. a.

Scleranthus annua ? perennis ?

L. Sp. 406.

Perovsca Comm. 394.
 N. K. T. cciii ; Bz. 62; F. 205.
Clematis daphnoides minor G. B. P. 301. a.
Vinca minor L. Sp. 209

Laurus Alexandrina, vulgo Uoualaria Comm. 396.
 N. K. T. cxxxii ; Bz. 162; F. 134.
Laurus Alexandrina fructu pediculo insidente G. B. P. 304. a.
Ruscus Hypophyllum Hypoglossum L. Sp. 1041.

Digitized by Hunt Institute for Botanical Documentation

Sigillum Salomonis latifolium 1. Comm. 398.
Polygonatum latifolium vulgare G. B. P. 303. a.
Corallaria Polygonatum L. Sp. 315.
Polygonatum officinale All.

Sigillum Salomonis angustifolium 2. Comm. 398.
 N. K. T. cccxxxiii ; F. 333.
Polygonatum angustifolium non ramosum G. B. P. 303. b.
Corallaria verticillata L. Sp. 315.
Polygonatum verticillatum All.

Hendelkraut 1. (flore caerulea)

Comm. 401.

Alcine triphylos caerulea
Veronica triphylos

G.B.P. 250.a.
L.Sp. 14.

Hendelkraut 2. (flore candida)

Comm. 401.

Sedum tridactylites tectorum
Saxifraga tridactylites & tectorum

G.B.P. 285.a.
L.Sp. 404.

Digitized by Hunt Institute for Botanical Documentation

Cuculi flos ^{pratensis} (Gauchblim) 1.

Comm. 402.

Caryophyllus pratensis fl. lacin. simpl. sive Flos cuculi G.B.P. 210.a.
Lycnis Flos cuculi L.Sp. 436.

Cuculi flos sylvestris 2.

Comm. 402.

Lycnis montana viscosa alba latifolia
Silene nutans

G.B.P. 205.a.
L.Sp. 417.

Eleborus niger adulterinus 1. Comm. 404.
 N. K. T. clii ; Br. 5; F. 154.
Eleborus niger hort. flore viridi C. B. P. 185. b.
Eleborus viridis L. Sp. 558.

{ Eleborus niger sylvestris adulterinus
Consiligo Ruellii 2. Comm. 404.
 N. K. T. cliii ; F. 155.
Eleborus & niger foetidus C. B. P. 185. a.
Eleborus foetidus L. Sp. 558.

Digitized by Hunt Institute for Botanical Documentation

Eleborus niger verus 3. Comm. 404.
Eleborus niger tenuifolius Buphthalmi flore C. B. P. 186. a.
Adonis vernalis L. Sp. 547.

Eleborus albus Comm. 408.
 N. K. T. cli F. 153.
Eleborus albus flore subviridi C. B. P. 186. b.
Veratrum album L. Sp. 1044.

Herba venti

Comm. 413.

N.K.T. c/xii ; Br. 76; F. 517.

Pulsatilla folio crassiore & majore flore

C.B.P. 177.a.

Anemone Pulsatilla

L.Sp. 539.

Petasites

Comm. 415.

N.K.T. ccc/xvii ; F. 367.

Petasites major et vulgaris

C.B.P. 197.a.

Jussilago Petasites

L.Sp. 866.

Petasites hybridus Gaert. Mey. et Scherb.

Digitized by Hunt Institute for Botanical Documentation

Jussilago seu Ungula caballina

Comm. 417.

N.K.T. lxxvi ; Br. 8; F. 76.

Jussilago vulgaris

C.B.P. 197.a.

Jussilago Farfara

L.Sp. 865.

Angelica sativa 1.

Comm. 420.

N.K.T. lxxviii ; Br. 272; F. 68.

Angelica sativa

C.B.P. 155.a.

Angelica Archangelica

L.Sp. 250.

Archangelica officinalis Hoffm.

Angelica sylvestris 2. Comm. 422.
 N.K.E. lxi; F. 69.
Angelica sylvestris major C.B.P. 155. b.
Angelica sylvestris L.Sp. 251.

Vitium Angelicae 3, 4 Osteritium sylv. Comm. 422.
 C.K. II. p. cvi. Br. 200
Angelica sylvestris minor sive erratica C.B.P. 155. b.
Algopodium Podagraria L.Sp. 265.

Digitized by Hunt Institute for Botanical Documentation

Ligusticum sativum Comm. 425. ✓
 N.K.E. cccxxxvi; Br. 177; F. 435.
Ligusticum vulgare C.B.P. 157. b.
Ligusticum Levisticum L.Sp. 250.
Levisticum officinale Koch.

Sylvestre Ligusticum Comm. 427.
Cicutaria palustris tenuifolia C.B.P. 161. b.
Phellandrium aquaticum L.Sp. 255.-

Iseniaculum montanum

Comm. 429.

Pyrethrum umbelliferum

G.B.P. 148.a.

Is this possibly Pimpinella pumila Mant. II.

Cymineum equinum

Comm. 429

Caruifolia

G.B.P. 158.a.

Seseli Caruifolia

L. Sp. 260.

Digitized by Hunt Institute for Botanical Documentation

Herba Vulneraria

Comm. 430.

Bupleurum foliis subrotundis, sive vulgatissimum

G.B.P. 278.a.

Bupleurum falcatum

L. Sp. 237.

{ Smyrnion quod vulgo Asteritium vocant
Smyrnion hortense 1.

Comm. 432.

Imperatoria major

G.B.P. 156.a.

Imperatoria Betruithium

L. Sp. 259.

Sylvestre Osteritium 2.

Comm. 434.

Angelica syl. minor sive erratica
Aegopodium Podagraria

C.B.P. 155.b.
L.Sp. 267.

Osteritium montanum 3.

Comm. 434.

N.K.T. ccc/xxxi ; F. 381.

Helleborus niger Sarriculae folio major
Astrantia major

C.B.P. 186.a.
L.Sp. 235.

Digitized by Hunt Institute for Botanical Documentation

Petroselinor Alexandrinum

Comm. 436.

N.K.T. cl/xxxiv ; F. 186.

Hipposelinum Theophr. vel Smyrniium Dioscor.
Smyrniium Blausatrum

C.B.P. 154.a.
L.Sp. 262.

Branca ursina.

Comm. 437.

N.K.T. xxx ; Br. 206 ; F. 30.

Sphondylium vulgare hirsutum
Heracleum Sphondylium

C.B.P. 157.a.
L.Sp. 249.

Pastinaca sativa Comm. 439.
N.K.T. ccccxixi; F. 430.
Pastinaca sativa latifolia C.B.P. 155. a.
Pastinaca sativa β . var. edulis Db. L.Sp. 262.

Sylvestris Pastinaca Comm. 439.
N.K.T. ccccxixiii; F. 432.
Pastinaca sylv. latifolia C.B.P. 155. a.
Pastinaca sativa var. sylvestris Db. L.Sp. 262.

Digitized by Hunt Institute for Botanical Documentation

Staphylinus 1. (root yellow) Comm. 441.
N.K.T. cccxc; F. 390.
Pastinaca tenuif. sativa radice lutea vel alba. C.B.P. 151. a.
Daucus Carota β . L.Sp. 242.

Staphylinus 2. (root white) Comm. 441.
Pastinaca tenuif. sativa radice lutea vel alba C.B.P. 151. a.
Daucus Carota var. L.Sp. 242.

Staphylinus 3. (root purple) Comm. 441.
 N.K.E. ccc/xxxix ; Br. 250; F. 389.
Pastinaca tenuifolia sativa, radice atro-rubente C.B.P. 151. b.
Daucus Carota var. y. L.Sp. 242.

Sylvestris Staphylinus (2) Comm. 440.
 N.K.E. cccxci ; F. 391.
Pastinaca tenuifolia sylv. Dioscorides, vel Daucus Officinarius C.B.P. 151. a.
Daucus Carota L.Sp. 242.
Daucus Carota var. silvestris Alef.

Digitized by Hunt Institute for Botanical Documentation

Daucus Bretones 1. Comm. ~~445~~ 444.
 N.K.E. ccccli ; Br. 274; F. 130.
Meum foliis anethi C.B.P. 148. a.
Athamanta Meum L.Sp. 245.
Meum athamanticum Jacq.

Secundum Dauci genus 2. Comm. 445.
Daucus mont. apii folio major C.B.P. 150. a.
Athamanta Libanotis L.Sp. 244.

Fertium Dauci genus

Comm. 446.

Foeniculum

Comm. 447.

N.K.T. cclxxiii ;

Bz. 97. 207; F. 284.

Foeniculum vulgare Germanicum

G.B.P. 147. a.

Anethum Foeniculum

L.Sp. 263.

Foeniculum vulgare Mill.

Digitized by Hunt Institute for Botanical Documentation

Anethum

Comm. 450.

N.K.T. xvi ;

F. 16.

Anethum hortense

G.B.P. 147. a.

Anethum graveolens

L.Sp. 263.

Anisum

Comm. 452.

N.K.T. xxv ;

Bz. 173; F. 35.

Anisum herbarius

G.B.P. 159. a.

Pimpinella Anisum

L.Sp. 264.

Caros

Comm. 454.

N.K.T. ccxxii ;

F. 224.

Laminum pratense, Carui Officinarium

L.B.P. 158.a.

Carum Carui

L.Sp. 263.

Pyrethrum

Comm. 457.

N.K.T. ccc/xv ;

F. 365.

Pyrethrum flore bellidis

L.B.P. 148.a.

Anthemis Pyrethrum

L.Sp. 895.

Anacyclus Pyrethrum D6.

Digitized by Hunt Institute for Botanical Documentation

Petroselinum vulgare hortense 1.

Comm. 459.

N.K.T. cccxxvi ;

Br. 181 ; F. 326.

Apium hortense, seu Petroselinum vulgo

L.B.P. 153.a.

Apium Petroselinum

L.Sp. 264.

Petroselinum hortense Hoffm.

Amomum Germanicum 2.

Comm. 461.

N.K.T. ccc/xxiii ;

F. 373.

Sison, quod Amomum Officinis nostris

L.B.P. 154.a.

Sison Amomum

L.Sp. 252.

Petroselinum vitium (Gleisz) 3.

Comm. 462.

Bicuta minor petroselinis similis
Arctostaphylos

G.B.P. 160. b.

L.Sp. 256.

Apium vulgare 1.

Comm. 463.

N.K.T. cccxxvi ;

Bz. 174; F. 426.

Apium palustre & Apium officinarum

G.B.P. 154. a.

Apium graveolens

L.Sp. 264.

Digitized by Hunt Institute for Botanical Documentation

Sium odoratum

Comm. 464.

N.K.T. cl;

F. 152.

Sium sive Apium palustre foliis oblongis

G.B.P. 154. a.

Sium angustifolium

L.Sp. II.

Pimpinella major 1.

Comm. 466.

N.K.T. cccxv;

F. 345.

Pimpinella saxifraga maj. umbellâ candidâ

G.B.P. 159. a.

Pimpinella saxifraga y. major

L.Sp. 263.

Pimpinella major Auds.

Secunda Pimpinellae species 2.

Comm. 466.

C. K. p. ccxiv; Br. 144.

Pimpinella saxifraga major altera

C. B. P. 159. b.

Pimpinella saxifraga β.

L. Sp. 263.

Tertia Pimpinellae species 3.

Comm. 467.

Pimpinella saxifraga minor

C. B. P. 160. a.

Pimpinella saxifraga

L. Sp. 263.

Digitized by Hunt Institute for Botanical Documentation

Pimpinellae Italicae primum genus 1.

Comm. 469.

N. K. T. ccccliv; F. 450.

Pimpinella Sanguisorba minor hirsutus

C. B. P. 160. b.

Poterium Sanguisorba

L. Sp. 994.

Pimpinellae Italicae secundum genus 2.

Comm. 469.

N. K. T. ccccliii; F. 449.

Pimpinella Sanguisorba major

C. B. P. 160. a.

Sanguisorba officinalis

L. Sp. 116.

Chaerophyllum sativum L.

Comm. 471.

N.K.L. cxxii;

Bz. 192; F. 122.

Chaerophyllum sativum

C.B.P. 152. a.

Scandia Cerefolium

L. Sp. 257.

Anthriscus Cerefolium Hoffm.

Sylvestre Chaerophyllum

Comm. 471.

? N.K.L. ccxvi;

F. 297.

? Myrrhis silvestris seminibus laevis

C.B.P. 160.

Chaerophyllum sylvestre

L. Sp. 258.

Anthriscus sylvestris Hoffm.

Digitized by Hunt Institute for Botanical Documentation

Cicuta

Comm. 473.

N.K.L. ccxxviii;

*230.

Cicuta major

C.B.P. 160. a.

Conium maculatum

L. Sp. 243.

Robile Millefolium. Vera Stratiotes L.

Comm. 475.

Tanacetum minus album odore camphorae sive Achillea Diosc. C.B.P. 132a.

Achillea nobilis

L. Sp. 899.

Vulgaris millefolium 2. (3 kinds) Comm. 477.
 N.K.T. ccccxxv; Br. 204, 205; F. 415.
millefolium vulgare album C.B.P. 140. a.
Achillea millefolium L. Sp. 899.

{ millefolii tertia species Comm. 478.
 { Tanacetum album Comm. 159.
 N.K.T. cccxiv; Br. 262; F. 364.
Dracunculus pratensis serrate folio C.B.P. 98. a.
Achillea Ptarmica L. Sp. 898.

Digitized by Hunt Institute for Botanical Documentation

Anserina Comm. 479.
 N.K.T. cccli; F. 351.
Potentilla C.B.P. 321. a.
Potentilla Anserina L. Sp. 495.

Perfoliata maior 1. Comm. 480. 482.
 N.K.T. cccix; Br. 64; F. 360.
Perfoliata vulgarissima, sive arsenois C.B.P. 277. a.
Rupleurum rotundifolium L. Sp. 236.

Altera Perfoliata 2.

Comm. 481. 483.

Brassica campestris perfoliata flore albo

C.B.P. 112. b.

Brassica orientalis

L.Sp. 666.

Cotyledon sylvestre 1. (Unifolium)

Comm. 484.

Lilium convallium minus

C.B.P. 304. a.

Convallaria bifolia

L.Sp. 316.

Digitized by Hunt Institute for Botanical Documentation

Bifolium 2.

Comm. 484.

Ophrys bifolia

C.B.P. 87. a.

Ophrys ovata

L.Sp. 946.

Solidago Sarracenica 1.

Comm. 487.

Virga aurea angustifolia serrata

C.B.P. 268. a.

Solidago Virgaurea var. a.

L.Sp. 880.

Alia Sarracenicae Solidaginis species 2. Comm. 487.

Lysimachia spicata purpurea forte Plinii C.B.P. 246. a.
Lythrum Salicaria L.Sp. 446.

Herba S. Kunigundis Comm. 490.
N.R.T. cxlvii; F. 149.

Eupatorium cannabinum C.B.P. 320.
Eupatorium cannabinum L.Sp. 538.

Digitized by Hunt Institute for Botanical Documentation
Tertia Solidaginis Sarracenicae species 3. Comm. 488.

Onyzae affinis Germanica C.B.P. 266. b.
Onula germanica L.Sp. 883.

Primum Galii genus 1. Comm. 492.
N.R.T. cix; F. 109.

Galium luteum C.B.P. 335. a.
Galium verum L.Sp. 107.

Secundum Gallii genus 2.

Comm. 493.

Cruciata hirsuta

C.B.P. 335.a.

Valantia Cruciata

L.Sp. 1052

Galium Cruciatum

Tertium Gallion 3.

Comm. 493.

Mollugo montana angustifolia vel Gallicum album latif. C.B.P. 334.b.

Galium Mollugo

L.Sp. 107.

Digitized by Hunt Institute for Botanical Documentation

Aparina

Comm. 494.

N.K.L. xxviii

F. 28.

Aparine vulgaris

C.B.P. 334.a.

Galium Aparine

L.Sp. 108.

matrisylva 1.

Comm. 495.

C.K.p. lxxviii ;

Br. 94.

Asperula sive Rubecula montana odora

C.B.P. 334.a.

Asperula odorata

L.Sp. 103.

Asperula 2.

Comm. 496.

Mollugo montana latifolia ramosa
Galium sylvaticum

C.B.P. 334.a.
L.Sp. II.

Rubia sativa

Comm. 497.

N.K.T. clv;

F. 157.

Rubia tinctorum sativa

C.B.P. 333.a.

Rubia tinctorum β.

L.Sp. 109.

Digitized by Hunt Institute for Botanical Documentation

Rubia erratica

Comm. 497.

Rubia syl. aspera, quae sylvestris Dioscoridi

C.B.P. 333.a.

Rubia tinctorum

L.Sp. 109.

Fraga rubra 1.

Comm. 499.

N.K.T. cccxcxi;

Bz. 107; F. 488.

Fragaria vulgaris

C.B.P. 326.a.

Fragaria vesca

L.Sp. 494.

Fraga candida 2.

Comm. 499.

Fragaria fructu albo

C.B.P. 326. b.

Fragaria vesca a.

L.Sp. 494.

Fraga partim rubra, partim candida 3.

Comm. 500

Fragaria foliis hispida

C.B.P. 327. a.

Digitized by Hunt Institute for Botanical Documentation

Quarta Fragariae species 4.

Comm. 501.

Quinquefolium fragiferum

C.B.P. 326. a.

Potentilla rupestris

L.Sp. 496.

Tormentilla

Comm. 502.

N. K. T. cxliv ;

Bz. 22; F. 146.

Tormentilla sylvestris

C.B.P. 326. a.

Tormentilla erecta

L.Sp. 500.

Potentilla erecta Hampe.

Minionum Quinguefolii genus 1.

Comm. 505

Quinguefolium minus repens luteum
Potentilla verna

G.B.P. 325.2.
L.Sp. 498.

Alterum exiguum Pentaphyllum 2.

Comm. 505.

Quinguefolium folio argenteo
Potentilla argentea

G.B.P. 325.6.
L.Sp. 497.

Digitized by Hunt Institute for Botanical Documentation

Vulgare Pentaphyllum 3.

Comm. 505.

N.R.T. ccciv; Br. 104; F. 354.

Quinguefolium majus repens
Potentilla reptans

G.B.P. 325.2.
L.Sp. 499.

Verum et nobile Pentaphyllum 4.

Comm. 506.

N.R.T. cccliii; F. 353.

Quinguefolium album majus alterum
Potentilla alba

G.B.P. 325.2.
L.Sp. 498.

Parietaria exigua, Comm. 193. ✓

Parietaria minor ocimifolia C.B.P. 121.6.

Parietaria judaica L.

Parietaria ^{et maior.} vulgaris [^] Comm. 193.

N.K.T. cliv.

Bz. 91; F. 156.

Parietaria officinarum et Dioscoridis C.B.P. 121.a.

Parietaria officinalis L. Sp. 1052.

Digitized by Hunt Institute for Botanical Documentation

Parietaria dipsensium, Comm. 193.

Melampyrum caerulea coma C.B.P. 234.a.

Melampyrum nemorosum L. Sp. 605.

Elatina, Comm. 194. 195.

Cynoglossum minus C.B.P. 257.6.

Myosotis Lappula L. Sp. 131.

Purpurea.

Betonica, Comm. 197.

^ N. K. T. cxcvii.

Br. 23; F. 199.

Betonica purpurea C. B. P. 235. a.

Betonica officinalis L. Sp. 573.

Stachys officinalis Trevisan.

Betonica candida, Comm. 197.

F. 199.

Betonica alba C. B. P. 235. b.

Betonica officinalis β . L. Sp. 573.

Stachys officinalis Trevisan.

Digitized by Hunt Institute for Botanical Documentation

Betonicae quasdam binas campestris. Comm. 198.

Herba paralysis vulgaris, Comm. 200.

N. K. T. cccc/xxxix.

Br. 25; F. 486

Verbasculum pratense odoratum C. B. P. 241. a.

Primula veris α . officinalis L. Sp. 142.

Primula veris L. emend. Hudson.

Herba paralytica sylvestris, Comm. 200.

N. K. T. ccccxcc.

Br. 26; F. 487.

Verbasculum pratense vel sylvaticum inodorum C. B. P. 241. a.

Primula veris β . elatior

L. Sp. 143.

Primula elatior Schreb.

Chamaedrys nobilis ^{vera,} Comm. 203.

N. K. T. ccccxviii.

F. 495.

Chamaedrys minor repens C. B. P. 248. a.

Teucrium flavum Chamaedrys β . L. Sp. 565.

Digitized by Hunt Institute for Botanical Documentation

Chamaedrys altera, Comm. 205.

N. K. T. ccccc.

Br. 147; F. 497.

Chamaedrys spuria major angustifolia C. B. P. 249. a.

Veronica Teucrium

L. Sp. II.

Chamaedrys vulgaris (3) Comm. 205.

Teucrium, Comm. 207.

N. K. T. xciii.

F. 93.

Veronica mas supina et vulgarissima C. B. P. 246. a.

Veronica officinalis L. Sp. 11.

Agreste Sedum, Comm. 208. Teucrium alterum? (C. B. P.)

Br. 57.

Veronica pratensis serpyllifolia C. B. P. 247. a.

Veronica serpyllifolia L. Sp. 12.

Digitized by Hunt Institute for Botanical Documentation

Verbena recta, Comm. 210.

N. K. T. cccxxvii.

Br. 37; F. 337.

Verbena communis caeruleo flore C. B. P. 269. a.

Verbena officinalis L. Sp. 20.

Verbena foemina, Comm. 210.

Erysimum vulgare C. B. P. 100. a.

Erysimum officinale L. Sp. 660.

Verberna ^{vel tertia} supina $\wedge$ Comm. 211.

Cannabina aquatica folio tripartito diviso C.B.P. 321.a.
Bidens tripartita L.Sp. 831.

Stoechas, Comm. 212.
N.K.L. ccccxvi. (bis); F. 444.
Stoechas purpurea C.B.P. 216.a.
Lavandula Stoechas L.Sp. 573.

Digitized by Hunt Institute for Botanical Documentation

Bursa ^{prima,} pastoris $\wedge$ Comm. 214. ✓

Thlaspi arvense siliquis latis C.B.P. 105.a.
Thlaspi arvense L.Sp. 646.

Bursa pastoris (2) Comm. 214.

N.K.L. c/xxii; F. 173.
Rasturtium syloestrie Oxyridis folio C.B.P. 105.b.
Lepidium rudorale L.Sp. 645.

Bursa pastoris (3) Comm. 214.

Bursa pastoris (4)^{as(2)} Comm. 214.

Nasturtium sylvestre Pyridis folio C.B.P. 105.6.
Lepidium rudicale L. Sp. 645.

Digitized by Hunt Institute for Botanical Documentation

Bursa pastoris (5)^{ruvior} Comm. 214.
N.K.T. cccxlvii; ^{Br. 145; F. 347.}

Bursa pastoris major folio sinuato C.B.P. 108.2.
Thlaspi Bursa pastoris L. Sp. 647.
Capella Bursa pastoris medic.

Bursa pastoris (6) Comm. 214.

Bursa pastoris media C.B.P. 108.2.
Thlaspi Bursa pastoris β . L. Sp. 647.

Verbascum maius, Comm. 216. sive Bandela regia
N.K.T. cccc/xxxvii; F. 484.

Verbascum foemina flore lutes magno C.B.P. 239. a.

Verbascum phalcomoides L.Sp. 244. 1194.

Verbascum nigrum, Comm. 217.

N.K.T. cccc/xxxviii

F. 485.

Verbascum nigrum flore ex luteo purpurascens C.B.P. 240. a.

Verbascum nigrum

L.Sp. 178.

Digitized by Hunt Institute for Botanical Documentation

Sylvestre Verbascum, Comm. 217.

N.K.T. cccc/xxxvi;

Bz. 156; F. 482.

Verbascum foemina flore albo C.B.P. 239. b.

Verbascum Thapsus α

L.Sp. 177.

Verbasculum, Comm. 217.

Cyanus montanus latifolius: vel Verbasculum Cyanoides C.B.P. 273. a.

Centaurea montana

L.Sp. 911.

Gyssoopus campestris, Comm. 221.

N.K.T. cccclxxxiii;

Br. 265; F. 479

Gyssoopus officinarum caerulea, sive spicata C.B.P. 217. a.

Gyssoopus officinalis

L.Sp. 569.

Asparagus, Comm. 222.

N.K.T. xxxiii;

Br. 208; F. 33.

Asparagus setiva C.B.P. 489. a.

Asparagus officinalis var. y. altiss

L.Sp. 313.

Digitized by Hunt Institute for Botanical Documentation

Plantago maior, Comm. 224. ? rubea id. 225.

N.K.T. xxi;

Br. 4; F. 21.

Plantago latifolia sinuata C.B.P. 189. a.

Plantago major

L.Sp. 112.

Plantago media, Comm. 224.

?

Br. 2; F. 22;

Plantago latifolia incana C.B.P. 189. a.

Plantago media

L.Sp. 113.

Plantago lanceolata, Comm. 224.
N.K. post t. xxii; Br. 2. F. 513 (see 22).
Plantago angustifolia major C.B.P. 189. b.
Plantago lanceolata L.Sp. 113.

Plantago aquatica, Comm. 226.
N.K. t. xxiii; Br. 3; F. 23.
Plantago aquatica latifolia C.B.P. 190. a.
Alisma Plantago aquatica L.Sp. 342.

Digitized by Hunt Institute for Botanical Documentation

Cynoglossa, Comm. 229.

Buglossum sylv. tertium C.B.P. 256. a.
The localities, (sandy & waste places) & the description of the fruit which
"sticks to one's clothes" seem to indicate
Cynoglossum officinale L.Sp. 134.

Buglossa domestica maior, Comm. 231. ? Italian
N.K. t. cxiii; Br. 35; F. 195.
Buglossa^{um} angustifolium majus C.B.P. 256. a.
Anchusa angustifolia officinalis L.Sp. 133.

Buglossa domestica altera, Comm. 233.

Buglossum angustifolium minus C.B.P. 256. b.

Anchusa angustifolia L.Sp. 133.

Buglossae sylvestres, Comm. 233.

Buglossum sylvestre minus alterum et asperius C.B.P. 256. b.

? Lycopsis arvensis L.Sp. 139.

Digitized by Hunt Institute for Botanical Documentation

Borago, Comm. 236.

N.K.E. lxxvii; Br. 36; F. 77.

Buglossum latifolium, Borago C.B.P. 256. a.

Borago officinalis L.Sp. 137.

Sylvestris Borago, Comm. 238.

N.K.E. cxlix; F. 151.

Buglossum sylvestre minus C.B.P. 256. b.

Lycopsis arvensis L.Sp. 139.

Consolida maior femina, Comm. 239. white
N. K. L. cccxcvii; Br. 19; F. 397.
Symphytum Consolida maior C. B. P. 259. a.
Symphytum officinale L. Sp. 136.

Consolida maior mas, Comm. 239. purple
N. K. L. cccxcvii; Br. 18; F. 397.
Symphytum Consolida maior C. B. P. 259. a.
Symphytum officinale L. Sp. 136.

Digitized by Hunt Institute for Botanical Documentation

Consolida maior sylvestris, Comm. 239.

Pulmonaria angustifolia rubente caeruleo flore C. B. P. 260. a.
Pulmonaria angustifolia L. Sp. 135.

Symphytum exiguum, Comm. 241.

Scabiosae primus genus, Comm. 243.

N.R.T. cccix; F. 409.

Scabiosa pratensis hirsuta, quae officinarium C.B.P. 269.a.

Scabiosa arvensis

L.Sp. 99.

Knautia arvensis Duby.

Scabiosae alterum genus, Comm. 243.

Apparently differs only in colour from

Scabiosa pratensis hirsuta, quae officinarium (see note) { C.B.P.

Scabiosa arvensis

L.Sp. 99.

{ 269.a

Digitized by Hunt Institute for Botanical Documentation.

Scabiosa tertia, Comm. 243.

Is this the same as Baptisecula

Comm. 565

Or is it

Centaurea Scabiosa

Scabiosa vulgaris pratensis, (4) Comm. 243.

Jacea nigra pratensis latifolia C.B.P. 271.a.

Centaurea Jacea

L.Sp. 914.

Scabiosa quinta,^(5,6) Comm. 243.

- (2) Scabiosa major squammatis capitulis C.B.P. 269. b.
(57A) Scabiosa capitulo globoso major C.B.P. 270. b.
(a) Centaurea Scabiosa L.Sp. 913.
or (b) Scabiosa columbaria L.Sp. 99.

Scabiosa sexta, Comm. 243.

as S. quinta

Digitized by Hunt Institute for Botanical Documentation

- Succisa, (1) Comm. 245. Morsus diaboli ✓
N.K.T. ccccx; Bz. 114; F. ~~408~~ 408.
Succisa glabra C.B.P. 269. a.
Scabiosa Succisa L.Sp. 98.
Succisa pratensis Moench.

Succisa ^{altera} ~~tertia~~ (2) Comm. 245.

Succisa ^{tortia (3)} ~~altera~~ (2) Comm. 245.

Hieracium Chondrillae folio ^{glabro hirsutius succisa majus} glabrum 6. B. P. 127. b.
Crepis ~~tectorum~~ biennis L. Sp. 807.

Luparia Comm. 247.

N. R. L. xlviii

F. 48.

Aconitum lycoctonum luteum 6. B. P. 183. a.

Aconitum lycoctonum L. Sp. 532.

Digitized by Hunt Institute for Botanical Documentation

? Aconitum.

Eisenhütten 1. Comm. 248.

Aconitum caeruleum seu Napellus 1. 6. B. P. 183. b.

Aconitum Napellus L. Sp. 532.

Eisenhütten 2. Comm. 248.

Eisenhüttlén 3. Comm. 248.

Pedicularis campestris prior species, Comm. 249.

Pedicularis pratensis purpurea C.B.P. 163. a.

Pedicularis syriaca L.Sp. 607.

Digitized by Hunt Institute for Botanical Documentation

Pedicularis campestris secunda species, Comm. 250.

Pedicularis prat. lutea, vel Crista galli C.B.P. 163. b.

Rhinanthus Crista Galli L.Sp. 603.

Consiligo Ruellii, Comm. 251. Pedicularis foetida

N.K.E. cli; F. 153.

Helieborus niger foetidus C.B.P. 185. a.

Helieborus foetidus L.Sp. 558.

Cruciata Comm. 253.

N. K. T. cxxxxvi; Dz. 115; F. 238.

Gentiana cruciata G. B. P. 188. a.

Gentiana Cruciata L. Sp. 231.

Isatis sativa^a Comm. 256.

N. K. T. clxxxvi; F. 188.

Isatis sativa vel latifolia G. B. P. 113. a.

Isatis tinctoria β. L. Sp. 670.

Digitized by Hunt Institute for Botanical Documentation

Isatis sylvestris, Comm. 256.

N. K. T. clxxxvii; F. 189.

Isatis sylvestris vel angustifolia G. B. P. 113. a.

Isatis tinctoria L. Sp. 670.

Lactuca sativa maior^(1.), Comm. 258.

1) N. K. T. clxxviii; F. 170.

1. ? Lactuca sativa G. B. P. 122. a.

2. ? Lactuca capitata G. B. P. 123. a.

1. Lactuca sativa L. Sp. 795.

2. Lactuca sativa β. capitata L. Sp. 795.

Lactuca crispata (2.) Comm. 258.
N. K. F. c/xvii; Fr. 169.

Lactuca crispata C. B. P. 123. a
Lactuca sativa y. crispata L. Sp. 795

Crispa Lactuca (3) Comm. 259. as Lactuca crispata Comm. 258.

Lactuca crispata C. B. P. 123. a.
Lactuca sativa y. crispata L. Sp. 795.

Digitized by Hunt Institute for Botanical Documentation

Lactuca sylvestris prima (4.) Comm. 259.
C. K. p. cc/xxxiv; Br. 148.

Lactuca sylvestris costâ spinosâ C. B. P. 123. b.
Lactuca virosa L. L. Sp. 795.

Lactuca sylvestris altera, Comm. 260.

as Lactuca sylvestris prima and Endivia vulgaris Comm. 267
C. K. p. cc/xxxiv; Br. 148.

Lactuca sylvestris costâ spinosâ

C. B. P. 123. b.

Lactuca virosa L.

L. Sp. 795.

Hieracium minus, Comm. 262.
N. K. T. ccc/xxviii; Br. 161; F. 388.
Dent. leonis latiore folio C. B. P. 126. b.
Leontodon Taraxacum L. Sp. 798.

Hieracium minus Comm. 263 see Succisa tetra

Hieracium Chondrillae folio glabro radice succisa, majus. C. B. P. 127. b.
Crepis biennis L. Sp. 807.

Digitized by Hunt Institute for Botanical Documentation

Lagopus ^(Basenköle) ~~et Lactuca leporina~~ ⁽¹⁾, Comm. 266.
N. K. T. ccxcvii; F. 298.

Lotus sive Melilotus pentaphyllos minor glabra C. B. P. 332. a.
Lotus corniculatus L. Sp. 775.

Lagopus ⁽²⁾ (Basenpötlén), Comm. 266.

Gnaphalium montanum flore rotundiore C. B. P. 263. b.
Gnaphalium divicum mas L. Sp. 850.

Lactuca leporina ⁽³⁾ Comm. 266.

Hieracium Brondrillae foliis glabris, radice succisa, minus L.B.P. 128. a
Leontodon autumnale L.Sp. 798.

Endivia maior ⁽¹⁾, Comm. 267.

- ? 1. Lactuca foliis Endiviae L.B.P. 122. b.
? 2. Lactuca sylvestris odore viroso L.B.P. 123. b.
2. Lactuca virosa L.Sp. 795.
1. Lactuca ~~virosa~~ sativa α. L.Sp. 795

Digitized by Hunt Institute for Botanical Documentation

Endivia vulgaris ⁽²⁾, Comm. 267. see Lactuca sylvestris prior

Lactuca sylvestris costâ spinosâ L.B.P. 123. b.
Lactuca virosa δ. L.Sp. 795.

Intybus sylvestris (sp. 1), Comm. 270. seu erratica, acutis foliis
N.H.E. ccc/xxxiii; F. 383.
* Sonchus asper non laciniatus L.B.P. 123. a.
Sonchus oleraceus asper γ. L.Sp. 794.

Intybus sylvestris (sp. 2), Comm. 270.

N. K. T. c/xxix ; F. 181.

Hieracium majus folio Sonchis vel Hieracium Sonchites C. B. P. 126a

Sonchus arvensis L. Sp. 793.

Intybus sylvestris ⁽³⁾ (sp. alia), Comm. 270.

N. K. T. ccc/xxxiv ; F. 384.

Sonchus laevis laciniatus latifolius C. B. P. 124a.

Sonchus oleraceus laevis L. Sp. 794.

Digitized by Hunt Institute for Botanical Documentation

Bichorea caerulea ⁽¹⁾, Comm. 271.

N. K. T. ccc/xxxvii ; Bz. 168 ; F. 387.

Lichorium sylv. sive Officinatum C. B. P. 125b.

Lichorium Intybus L. Sp. 813.

Bichorea candida vel rosea (2) Comm. 271.

Eichorea 3 sive lutea Comm. 272.

Eichorium pratense luteum hirsutic asperum, vel Hieracium hirsutum
foliis caulem ambientibus C.B.P. 126.a.
Picris Hieracioides L.Sp. 792.

Eichorea lutea (4) Comm. 272.

Digitized by Hunt Institute for Botanical Documentation

Eichorea (5) procera Comm. 272.

Chondrilla juncea viscosa arvensis C.B.P. 130.a.
Chondrilla juncea L.Sp. 796.

Eichorea sativa (6) Comm. 273.

N.H.T. ccc/xxxvi; F. 386.

Intybus sativa latif. sive Endivia vulgaris C.B.P. 125.a.
Eichorium Endivia L.Sp. 813.

Albine, seu Auricula muris maior Comm. 276. ✓

Hieracium murorum folio pilosissimo C.B.P. 129. a

Hieracium murorum x pilosissimum L.Sp. 802.

Auricula muris minor (1) Comm. 278.

N. K. t. cccxliii; Bz. 179; F. 343.

Pilosella major repens hirsuta C.B.P. 262. a.

Hieracium Pilosella L.Sp. 800.

Digitized by Hunt Institute for Botanical Documentation

Auricula muris minor (2) Comm. 278.

Pilosella major repens minus hirsuta C.B.P. 262. a.

Hieracium subium L.Sp. 800.

Auricula muris minor ⁽³⁾ ~~1~~ Comm. 278.

Echium scorpioides arvense C.B.P. 254. a.

Myosotis scorpioides x. arvensis L.Sp. 131.

Barbula hirci Comm. 280.

N. K. T. cccclxxi; F. 468.

Tragopogon pratensis luteum majus C. B. P. 274. a.

Tragopogon pratensis L. Sp. 789.

Barbula caprina (1) Comm. 281.

~~Barba caprae floribus oblongis~~

Barba caprae floribus compactis C. B. P. 464. a.

Spiraea Ulmaria L. Sp. 490.

Digitized by Hunt Institute for Botanical Documentation

Barba caprina (2) sylvestris Comm. 283.

Barba caprae floribus oblongis C. B. P. 163. a.

Spiraea Aruncus L. Sp. 490.

Senecio vulgaris (1) Comm. 284.

N. K. T. clix; Br. 38; F. 161.

Senecio minor vulgaris C. B. P. 131. a.

Senecio vulgaris L. Sp. 867.

Senecio major (2) Comm. 284.

Senecio hirsutus C.B.P. 131. b.

Crepis foetida L.Sp. 807.

Flos S. Jacobi Comm. 287.

N.K.T. ccccxv;

Bz. 119; F. 425.

Jacobaea vulgaris laciniata C.B.P. 131. a.

Senecio Jacobea L.Sp. 870.

Digitized by Hunt Institute for Botanical Documentation

Picinus Comm. 288.

N.K.T. cxcii;

Bz. 280; F. 194.

Picinus vulgaris C.B.P. 432. a.

Picinus communis L.Sp. 1007.

(1)
Lathyrus vulgaris (X) Comm. 290. see also 293.

Lathyrus, seu Cataputia minor ⁽²⁾ ~~N~~ Comm. 290. see also 293.
N.H.T. cclv; Br. 239; F. 257.
Lathyrus major C.B.P. 293. a.
Euphorbia Lathyrus L.Sp. 457.

Eoula maior (2) Comm. 294.

Lithymalus palustris fruticosus C.B.P. 292. a.
Euphorbia palustris L.Sp. 462.

Digitized by Hunt Institute for Botanical Documentation

Eoula vulgaris (3) Comm. 294.
N.H.T. cccclxv; Br. 235; F. 461.
Lithymalus helioscopius C.B.P. 291. b.
Euphorbia Helioscopia L.Sp. 459.

Eoula multicaulis (4) Comm. 294.

Lithymalus myrsinites frustu verrucosae simili C.B.P. 291. a.
Euphorbia verrucosa L.Sp. 459.

Esula sylvestris (5) Comm. 295.

Tithymalus foliis pini C.B.P. 292. a.
? Euphorbia Esula L.Sp. 461.

Esula exigua (6) Comm. 296.

Tithymalus sive Esula exigua C.B.P. 291. b.
Euphorbia exigua L.Sp. 456.

Digitized by Hunt Institute for Botanical Documentation

Esula dulcis (7) Comm. 296.

Tithymalus montanus non acris C.B.P. 292. b.
Euphorbia dulcis L.Sp. 457.

Turbid last paragraph of p. 299. Comm. 299.

Turpetum repens foliis Altheae vel Indicum C.B.P. 149. b.
Convolvulus Turpetum L.Sp. 155.

Solanum hortense (1) Comm. 301.

N.K.T. cccxcv inelanocerasus Br. 268; F. 395.

Solanum ~~usavokpa~~ (No. IV) C.B.P. 166.a.

Atropa Bella donna L.Sp. 181.

Halicacabon (2) Comm. 302.

N.K.T. cccxciii; Br. 237; F. 393.

Solanum vesicarium, quod folliculi vesicae inflatae similes ↑

Physalis Alkekengi L.Sp. 183.

(C.B.P. 166.a.)

Digitized by Hunt Institute for Botanical Documentation

Solanum vulgare (3) Comm. 303.

N.K.T. cccxcii; Br. 102; F. 392.

Solanum officinarum C.B.P. 166.a.

Solanum nigrum L.Sp. 186.

Solanum furiosum (4) Comm. 304 and 305.

Uva lupina, seu Aster ^{sed not. Atticus} 1 Comm. 307
N. R. E. xlvii; 7.47.

Solanum quadrifolium bacciferum C.B.P. 167. a.
Paris quadrifolia L. Sp. 367.

+ Prunella caerulea prior (1) Comm. 309.

Consolida media pratensis caerulea C.B.P. 260. a.
Ajuga pyramidalis L. Sp. 561.

Digitized by Hunt Institute for Botanical Documentation

+ Prunella candida prior (2) Comm. 309.

? Consolida media pratensis caerulea var. alba C.B.P. 260. a.
Ajuga pyramidalis var. alba L. Sp. 561.

+ Prunella caerulea altera (3) Comm. 309.

Brunella caerulea magno flore C.B.P. 261. b.
Prunella vulgaris var. β grandiflora L. Sp. 600.

X Prunella purpurea (vel) caudida (⁴¹⁵~~376~~) Comm. 310.

Consolida media pratensis purpurea C.B.P. 260.6.

? Ajuga reptans L.Sp. 561.

Prunella (6) vulgaris Comm. 310.

N.K.T. cccii ; F. 352.

Prunella major folio non dissecto C.B.P. 260.2.

Prunella vulgaris L.Sp. 600.

Digitized by Hunt Institute for Botanical Documentation

Prunella caudida altera (7) Comm. 311.

Prunella minor alba laciniata C.B.P. 261.6.

Prunella vulgaris var. 8 L.Sp. 600.

Rhubarbarum Ironachorum (1) Comm. 313.

C.K.ii, p.civ. Br. 198.

Lapathum hortense latifolium C.B.P. 115.6.

Rumex Patientia L.Sp. 333.

Hortensis Rumex (2) Comm. 314.

Lapathum hortense folio oblongo C.B.P. 114. 6.
Rumex Patientia L.Sp. 333.

Lapathum ?
Lapathum acutum (3) Comm. 314.

Lapathum folio acuto plano C.B.P. 115. a.
Rumex acutus L.Sp. 335.

Digitized by Hunt Institute for Botanical Documentation

Acetosa (4) Oxalis Comm. 315.
N.K.t. celxii ; Br. 128; F. 264.
Acetosa pratensis C.B.P. 114. a.
Rumex Acetosa L.Sp. 337.

Acetosa minor (5) Oxalis minima Comm. 316.

Acetosa arvensis lanceolata C.B.P. 114. 6.
Rumex Acetosella L.Sp. 338.

Bonus Henrickus (6) Comm. 317. Rumex unctuosus 319.
N. K. T. cclxi ; Br. 15; F. 263.
Lapathum unctuosum foliis triangulo C. B. P. 115. b.
Chenopodium Bonus Henricus L. Sp. 218.

Rumex palustris (7) Comm. 317. Rumex unctuosus 319.
Lapathum aquaticum foliis cubitali C. B. P. 116. a.
Rumex aquaticus L. Sp. 336.

Digitized by Hunt Institute for Botanical Documentation

Bistorta maior (1) Comm. 320. (Colubrina)
N. K. T. ccccxliii ; Br. 13; F. 442.
Bistorta major radice minus intorta C. B. P. 192. a.
Polygonum Bistorta var. B. L. Sp. 360.

Colubrina minor Comm. 321.
N. K. T. ccccxlii ; Br. 14; F. 441.
Bistorta major radice magis intorta C. B. P. 192. a.
Polygonum Bistorta L. Sp. 360.

Ophioglossum Comm. 323.
N.K.C. cccxxviii ; F. 328.
Ophioglossum vulgatum B.D.P. 354 a.
Ophioglossum vulgatum L.Sp. 1062.

Spinachia vulgaris (2) Comm. 325.
N.K.C. cccxxxii ; F. 380.
Lapathum hortense seu Spinacia semine spinoso B.D.P. 114. b.
Spinacia oleracea L.Sp. 1027.

Digitized by Hunt Institute for Botanical Documentation

Spinachia nobilis (Plus Hispanicum) (1.) Comm. 324.
Lapathum hortense seu Spinacia semine non spinoso. B.D.P. 115. a
Spinacia oleracea var. β . L.Sp. 1027.

Spinachia testia Comm. 326.
Lapathum hortense seu Spinacia sterilis B.D.P. 115. a.
? Spinacia oleracea - stamen plant L.Sp. 1027.

Euphrasia borica (1) Comm. 327. Euphrasia gramin-
 N.K.T. lxxiv; F. 74.
Euryophyllus arvensis glabra flore majore C.B.P. 230. ²⁸⁰b.
Stellaria Holostea L.Sp. 422.

Euphrasia Argentinensium (2) Comm. 327.
 N.K.T. cxxvi; Br. 58; F. 138.
Euphrasia officinarum C.B.P. 233. & b.
Euphrasia officinalis L.Sp. 604.

Digitized by Hunt Institute for Botanical Documentation

Euphrasia caerulea (3) Comm. 327.
 C.K. p. clxviii; Br. 61.
Echium Scorpioides palustre C.B.P. 254. b.
Myosotis scorpioides β . palustris L.Sp. 131.

Euphrasia (4) sem Pilosella sylvestris Comm. 328.
Echium Scorpioides arvense C.B.P. 254. a.
Myosotis scorpioides α . arvensis L.Sp. 131.

Euphrasia Haecorum et Herm. Bar. (5,6)

Comm. 328.

As no. 1.

6. Euphrasia officinarum

L.B.P. 233. b.

Euphrasia officinalis

L.Sp. 604.

1

Heliochrysa^{os} (1)

Comm. 330. Amaranthus ✓

N. K. T. liii ;

F. 53.

Elichryson sive Stoechas citrina latifolia

L.B.P. 264. b.

Gnaphalium arenarium

L.Sp. 854.

Helichrysum arenarium Moench.

Digitized by Hunt Institute for Botanical Documentation

Sylvestris Heliochrysos

Comm. 331.

N. K. T. cxxv ;

F. 125.

Gnaphalium vulgare majus

L.B.P. 263. a.

Filago Germanica

L.Sp. II.

Secha (?) Basenpfötlin

Comm. 331; 333. Lagopus (2) 266.
Lagopus 332.

Gnaphalium montanum flore rotundiore

L.B.P. 263. b.

Gnaphalium dioicum a. mas

L.Sp. 850.

Absinthium vulgare seu Romanum (1) Comm. 337.

N. K. L. i ; Br. 193; F. 1.

Absinthium Porticum seu Romanum officinarum L. B. P. ¹238. a.

Artemisia Absinthium L. Sp. 848.

Absinthium maritimum (2) Comm. 338. Scirpium Germanicum
N. K. L. ii. Br. 203; F. 2.

Nasturtium syl. tenuissime divisum L. B. P. 105. b.

Sisymbrium Sophia L. Sp. 659.

Digitized by Hunt Institute for Botanical Documentation

Absinthium Santonicum (3) Comm. 338

? Artemisia Santonicum L. Sp. 845.

Abrotanum minus (1) Comm. 340.

Absinthium Porticum tenuifolium incarnum L. B. P. ^{138. b}~~238. b~~.

Artemisia portica L. Sp. 847.

But Bauhin also gives the identification

Abrotanum mas angustifol. majus L. B. P. 136. a.

Artemisia Abrotanum L. Sp. 845.

Abrotanum maius (2) Comm. 340

N. K. L. iii ; Br. 267; F. 3.

Abrotanum ~~maius~~ angustifol. maximum

G. B. P. 136. a.

Artemisia Abrotanum

L. Sp. 845.

Abrotanum campestre (3) Comm. 340.

Digitized by Hunt Institute for Botanical Documentation.

Abrotanum sylvestre (4) Comm. 341.

Abrotanum campestre

G. B. P. 136. b.

Artemisia campestris

L. Sp. 846.

Artemisia

Comm. 343.

N. K. L. xxiv ;

Br. 139; F. 24.

Artemisia vulgaris major

G. B. P. 137. a.

Artemisia ~~maius~~ vulgaris

L. Sp. 848.

Geranium minus (1) Comm. 347.

Geranium cicutae folio minus, et superano L.B.P. 319.2.
Geranium cicutarium L. Sp. 680.

Geranium alterum Comm. 347.

N.K.T. cxiv ; F. 114.

Geranium folio Malme rotundo L.B.P. 318, b.

Geranium rotundifolium L. Sp. 683.

Digitized by Hunt Institute for Botanical Documentation

Sanguinaria Radix. Blitacutis (3) Comm. 348.

N.K.T. cxvii ; F. 118.

Geranium sanguineum maximo flore L.B.P. 318. a.

Geranium sanguineum L. Sp. 683.

Species Sanguinaria Radix (4) Comm. 348.

N.K.T. cxviii ; F. 117.

? Geranium batrachiodas, Gratia Dei Germanorum L.B.P. 318. a.

Geranium pratense L. Sp. 681.

Sanicula

Comm. 509. ✓

N. K. L. ccc/xxx;

Br. 20; F. 382.

Sanicula officinarum

C. B. P. 319. a.

Sanicula europaea

L. Sp. 235.

{ Sanicula pennina adulterina the same as
Osteritium montanum

Comm. 510.

Comm. 434

N. K. L. ccc/xxxi

F. 381.

Helleborus niger Saniculae folio major

C. B. P. 186. a.

Astrantia major

L. Sp. 235.

Digitized by Hunt Institute for Botanical Documentation

Alchemilla

Comm. 511.

N. K. L. cccxlviii;

Br. 116; F. 348.

Alchemilla vulgaris

C. B. P. 319. a.

Alchemilla vulgaris β.

L. Sp. 123.

Eupatorium vulgare (Agrimonia)

Comm. 513.

N. K. L. cxxxv.

Br. 160; F. 137.

Eupatorium veterum sive Agrimonia

C. B. P. 321. b.

Agrimonia Eupatoria

L. Sp. 448.

Eupatorium mesual

Comm. 513.

Ageratum foliis serratis

C.B.P. 221. a.

Achillea Ageratum

L.Sp. 897.

Benedicta sylvestris

Comm. 517.

Caryophyllata aquatica mutante flore

C.B.P. 321. b.

Geum rivale

L.Sp. 501.

Digitized by Hunt Institute for Botanical Documentation

Trifolium Hepatica vel Trifolium magnum seu aureum Comm. 519.

C.K.p. clxxix;

Br. 68.

Trifolium hepaticum flore simplici

C.B.P. 330. b.

Anemone Hepatica

L.Sp. 538.

Oxytrifolium

Comm. 521.

N.K.E. cccxx;

Br. 153; F. 320.

Trifolium acetosum vulgare

C.B.P. 330. a.

Oxalis acetosella

L.Sp. 433.

Jecoraria, seu Hepatica fontana Comm. 522.
 N.K.T. cclxvi; Br. 69; F. 268.
Lichen pectinatus latifolius sive Hepatica fontana C.B.P. 362.a.
Marchantia polymorpha L.Sp. 1137.

Pulmonaria Comm. 522.

Muscus pulmonarius C.B.P. 361.b.
Lichen pulmonarius L.Sp. 1145

Digitized by Hunt Institute for Botanical Documentation

Saxifraga alba, seu magna Comm. 524.
 N.K.T. cccxxviii; Br. 67; F. 428.
Saxifraga rotundifolia alba C.B.P. 309.a.
Saxifraga granulata L.Sp. 403.

Empetrum Comm. 527.
 C.R.P. ccxxxviii; Br. 236.
Polygonum minus, seu Millegrana major. C.B.P. 281.b.
Herniaria glabra L.Sp. 218.

Polytrichon nobile 1.

Comm. 528.

N.H.T. ccclvii; Br. 238; F. 357.

Polytrichum aureum medium

G.B.P. 356. a.

Polytrichum commune β.

L. Sp. 1109.

Polytrichon majus 2.

Comm. 528.

N.H.T. ccclvii; Br. 238; F. 357.

Polytrichum aureum majus

G.B.P. 356. a.

Polytrichum commune

L. Sp. 1109.

Digitized by Hunt Institute for Botanical Documentation

Polytrichon minus 3.

Comm. 528.

See F. 358. Br. 238

Polytrichum aureum minus

G.B.P. 356. b.

Polytrichum commune

L. Sp. 1109.

Trichomanes, officinis Polytrichon

Comm. 530.

Trichomanes sive Polytrichon^{um} officinarum

G.B.P. 356. a.

Asplenium Trichomanes

L. Sp. 1080

Adiantum magnum Capillus Veneris Comm. 531.
N.K.E. xlv; F. 45.
Adiantum foliis coriandri C.B.P. 355. a.
Adiantum Capillus Veneris L. Sp. 1096.

Milium solis sativum l. Comm. 534.
N.K.E. cc/xxv; F. 277.
Lithospermum majus erectum C.B.P. 258. a.
Lithospermum officinale L. Sp. 132.

Digitized by Hunt Institute for Botanical Documentation

Sphaerostylis Lithospermum Comm. 534.
N.K.E. cc/xxvi; F. 514.
Lithospermum arvense radice rubra C.B.P. 258. b.
Lithospermum arvense L. Sp. 132.

Passerina Comm. 535.
Lithospermum Linariae folio Germanicum C.B.P. 259. a.
Stellera Passerina L. Sp. 559.

Filix arborea 1. sive Dryopteris

Comm. 537.

Filix querna

G.B.P. 358.2.

Filix arborea 2.

Comm. 537.

Digitized by Hunt Institute for Botanical Documentation

Filix nuda, seu saxatilis

Comm. 537.

Filix saxatilis corniculata

G.B.P. 358.4.

Aerostichum septentrionale

L.Sp. 1068.

Polypodium

Comm. 539.

N.R.E. cccxxiv;

Bz. 175; F. 334.

Polypodium vulgare

G.B.P. 359.2.

Polypodium vulgare

L.Sp. 1085.

Filix agrestis 1. (Filix majoris pinum genus) Comm. 542.
 N. K. T. cccxxxix; F. 339.
Filix ramosa major pinnulis obtusis non dentatis G. B. P. 357. a.
Pteris aquilina L. Sp. 1075.
Pteridium aquilinum Kuhn.

Filix majoris alterum genus Comm. 543.
Filix ramosa non dentata florida G. B. P. 357. b.
Asmunda regalis L. Sp. 1065.

Digitized by Hunt Institute for Botanical Documentation

Filix sylvestris, seu vulgaris Comm. 545.
 N. K. T. cccxxviii; F. 338.
Filix non ramosa dentata G. B. P. 358. a.
Filix mas Polypodium Filix-mas L. Sp. 1090.
Dryopteris Filix-mas Schott.

Scolopendria vulgaris 1. Comm. 548.
 N. K. T. clxv; Gr. 110; F. 167.
Lingua cervina officinarum G. B. P. 353. a.
Asplenium scolopendrium L. Sp. 1079.
Phyllitis scolopendrium (L.) Newman.

Asplenon sylvestre 2.

Comm. 548.

Lonchitis minor

G.B.P. 359.a.

Comunda Spicant

L.Sp. 1066.

Scolopendria vera 3.

Comm. 551.

Beterach officinarum

G.B.P. 354.a.

Asplenium Beterach

L.Sp. 1080.

Digitized by Hunt Institute for Botanical Documentation

Muscus terrestris 1.

Comm. 554.

Muscus terrestris clavatus

G.B.P. 360.a.

Lycopodium clavatum

L.Sp. 1101.

Savina sylvestris 2.

Comm. 554.

Muscus clavatus foliis cupressi

G.B.P. 360.b.

Lycopodium alpinum

L.Sp. 1104.

Viola Martia

Viola odorata purpureis aliquando et candidis praedita foliis 1. Comm. 557 ✓

N.K.T. clxxiv;

Bz. 44; F. 176.

Viola martia purpurea flore simplici odoro.

C.B.P. 199.a.

Viola Martia alba

C.B.P. 199.a.

Viola odorata α and β .

L.Sp. 934.

Viola purpurea sylvestris 2. sive canina

Comm. 557.

Viola Martia inodora sylvestris

C.B.P. 199.a.

Viola canina

L.Sp. 935.

Digitized by Hunt Institute for Botanical Documentation

Viola lutea 1.

Comm. 559.

N.K.T. cclvi;

Bz. 43; F. 259.

Leucosium luteum vulgare

C.B.P. 202.a.

Cheiranthus Cheiri

L.Sp. 661.

Sylvestris viola lutea 2.

Comm. 560.

(Myagrum ^{mat. slip} ouliga longa) but also see
Leucosium luteum sylv. angustifolium
Cheiranthus crysionoides

C.B.P. 109.a.

C.B.P. 202.b.

L.Sp. 661.

Sylvestris viola lutea 2.

Comm. 560

Myagrum siligua longa
Eupimum cheiranthoides

C.B.P. 109. a.
L.Sp. 661.

Violae albae, rosae, rubrae 3.

Comm. 561.

Digitized by Hunt Institute for Botanical Documentation

{ Violae diversicolores, alsiosae
Viola alsiosa et minor

Comm. 561.

Leucorium incarnum minus
Cheiranthus annuus

C.B.P. 200. b.
L.Sp. 662.

Herba Trinitatis sativa 1.

Comm. 563.

N. K. T. cccclxi; Br. 130; F. 457.

Viola tricolor hort. repens

C. B. P. 199. b.

Viola tricolor B.

L. Sp. 935.

Herba Trinitatis sylvestris

Comm. 563.

Viola bicolor arvensis

G.B.P. 200. a.

Viola tricolor L.

L.Sp. 935.

Baptiseacula

Baptistecula

N.K.E. ccxi;

Bz. 201; F. 242.

Comm. 565.

Cyanus segetum

G.B.P. 273. a.

Centaurea cyanus

L.Sp. 911.

Digitized by Hunt Institute for Botanical Documentation

Viola alba Barbari 1.

Comm. 567.

Viola alba, Persica Hermolai Barbari

N.K.E. cclvii;

F. 258.

Hesperis hortensis

G.B.P. 202. a.

Hesperis matronalis var. hortensis,

L.Sp. 663.

subvar. albiflora Dc.

Viola agrestis 2.

Comm. 567.

N.K.E. ccccxvi bis;

F. 445.

Saponaria major laevis

G.B.P. 206. a.

Saponaria officinalis

L.Sp. 408.

Consolida regia

Comm. 568.

N.K.T. xv;

Bz. 21; F. 15.

Consolida regalis arvensis

C.B.P. 142. b.

Delphinium consolida

L.Sp. 530.

Polygala

Comm. 570.

Polygala vulgaris

C.B.P. 215. a.

Polygala vulgaris β .

L.Sp. 702.

Digitized by Hunt Institute for Botanical Documentation

Lilium convallium

Comm. 572.

N.K.T. cxxxiii;

Bz. 72; F. 135.

Lilium convallium album

C.B.P. 304. a.

Convallaria majalis

L.Sp. 314

Caryophylla^{cea} altilis l.

Comm. 573.

N.K.T. cc;

F. 202.

Caryophyllus altilis major

C.B.P. 207. a.

Dianthus caryophyllus β .

L.Sp. 410.

Garyophyllea Superba 2.

Comm. 576.

Garyophyllus flore tenuissime dissecto
Dianthus plumarius

C.B.P. 209.b.
L.Sp. 411.

Garyophyllea sylvestris
Violant Garyophyllaea styl. 3.

577
Comm. 577.

N.K.T. cxcviii;

Bz. 121; F. 200.

Garyophyllus sylv. vulgaris latifolius
Dianthus carthusianorum

C.B.P. 209.a.
L.Sp. 409.

~~L. G. unguis & n. r. r. r. r.~~

Digitized by Hunt Institute for Botanical Documentation

Circaea

Comm. 579.

Amaranthus simplicifolius penicula
Belosia margaritacea

C.B.P. 121.a.
L.Sp. II.

Paeonia vulgaris 1.

Comm. 580.

N.K.T. cxii;

F. 112.

Paeonia communis vel foemina

C.B.P. 323.a.

Paeonia officinalis α. feminea

L.Sp. 530.

Paeonia peregrina Mill.

Paeonia nobilior 2.

Comm. 582.

Paeonia folio nigricante splendida, quae mas
Paeonia officinalis β . mascula

C.B.P. 323. a.
L.Sp. 530.

Trifolium pratense purpureum, sive maius 1.
N.K.T. cccclxviii; Br. 143; F. 465.

Comm. 585.

Trifolium pratense purpureum
Trifolium pratense

C.B.P. 327. b.
L.Sp. 760.

Digitized by Hunt Institute for Botanical Documentation.

Trifolii pratensis alterum genus 2.
C.K.p. cccxx; Br. 118.

Comm. 585.

Trifolium pratense album
Trifolium repens

C.B.P. 327. b. a.
L.Sp. 767.

Trifolium Dioscoridis
N.K.T. cccxxix;

F. 464.

Comm. 587.

Lotus hortensis odorata

C.B.P. 331. b.

Trifolium M. caeruleum

L.Sp. 764.

Trigonella caerulea Ser.

Vulgaris maior Melilotus 1.

Comm. 590.

Melilotus officinarum Germaniae
Trifolium M. officinalis

C.B.P. 331.a.
L.Sp. 765.

Melilotus maior candida 2.

Comm. 590.

Melilotus officinarum Germaniae
Trifolium M. officinalis β .

C.B.P. 331.a.
L.Sp. 765.

Digitized by Hunt Institute for Botanical Documentation

Meliloti maioris species tertia 3.

Comm. 591

Trifolium sylv. luteum siligua cornuta col ^{Medicago plicata} Medusa frutescens L.Sp. 779.
C.B.P. 330.a.

but see also Melilotus corniculis reflexis major C.B.P. 331.a.

Trifolium corniculatum Trigonella corniculata L.Sp. X.

This is according to Pichler, but I find M. corn. refl. maj. given as synonyme
of Trifolium M. corniculata L.Sp. 766.

Meliloti maioris quarta species 4.

Comm. 591.

Lotus pentaphyllos flore majore luteo splendente C.B.P. 332.a.
Lotus corniculata β . L.Sp. 775.

Meliloti maioris quinta species

Comm. 591.

Securidaca demetorum major flore vario siliquis articulatis C.B.P. 349.a.
Coronilla varia L.Sp. 743.

Meliloti exiguae species prima 6.

Comm. 592.

N.K.T. cccclxx; Br. 124; F. 467.

Trifolium pratense luteum capitula breviora

C.B.P. 328.a.

Medicago lupulina

L.Sp. 779.

Digitized by Hunt Institute for Botanical Documentation

Meliloti exiguae species altera 7.

Comm. 592.

N.K.T. ccxcvii

F. 298.

Lotus sive Melilotus pentaphyllus minor glabra

C.B.P. 332.a.

Lotus corniculatus

L.Sp. 775.

Lotus campestris 8.

Comm. 592.

Trifolium pratense luteum capitula lupuli vel agrarium C.B.P. 328.a.

Trifolium agrarium

L.Sp. 772.

Lagopus 9.

Comm. 593.

N.K.T. cclxxix;

F280.

Triplium arvense humile spicatum, iuc Lagopus C.B.P. 328. b.
Trifolium arvense L.Sp. 769.

Foenum graecum

Comm. ~~594~~. 596. ✓

N.K.T. cccclviii;

F454.

Foenum graecum sativum

C.B.P. 348. a.

Trigonella Foenum graecum

L.Sp. 777.

Digitized by Hunt Institute for Botanical Documentation

Foenum graecum sylvestre

Comm. ~~599~~. 598.

Glycyrrhiza sylvestris floribus luteo-pallescens C.B.P. 352. b.
Astragalus glycyphyllos L.Sp. 758.

Cytisus agrestis

Comm. 600.

Triplium montanum spica longissima rubente C.B.P. 328. b.
Trifolium rubens L.Sp. 768.

Chamaespartium

Comm. 602.

Chamaegenista sagittalis
Genista sagittalis

G.B.P. 395. b.
L.Sp. 710.

Ferula 1.

Comm. 603.

N. K. T. cccclxiv; F. 460.

Genista tinctoria Germanica

G.B.P. 395. b.

Genista tinctoria

L.Sp. 710.

Digitized by Hunt Institute for Botanical Documentation

Ferula 2.

Comm. 603.

Cicer arietinum vulgo Pisum 1.

Comm. 605.

Pisum umbellatum

G.B.P. 342. a.

Pisum sativum S.

L.Sp. 727.

Pisum 2.

N.K.E. cccvi ;

Bz. 223 ; F. 356,

Pisum hortense majus

Pisum sativum β .

Comm. 606.

L.B.P. 342. a.

L.Sp. 727.

Pisum agreste 3.

Comm. 606.

Pisum arvense

L.B.P. 342. b.

Pisum sativum

L.Sp. 727.

Digitized by Hunt Institute for Botanical Documentation

Pisum agreste 4.

Comm. 606.

Cicer (altera species)

Comm. ~~607~~ 608.

N.K.E. cxlviii ;

Bz. 253 ; F. 150.

Cicer sativum

L.B.P. 347. a.

Cicer arietinum

L.Sp. 738.

Phasiolus 1.

Comm. 610.

Pisum majus quadratum

C.B.P. 342.a.

Pisum sativum 2.

L.Sp. 727.

Phasiolus 2.

Comm. 610.

Digitized by Hunt Institute for Botanical Documentation

Phasiolus 3.

Comm. 611.

Pisum Graecorum sativum 1.

Comm. 613.

N.K.T. cccxxiv ; F.324.

Lathyrus sativus flore fructuque albo.

C.B.P. 343.a.

Lathyrus sativus β .

L.Sp. 730.

Pisum Tracorum sylvestre

Comm. 614.

N.K.T. cccxxv; F. 325.

Lathyrus sylvestris major

G.B.P. 344.a.

Lathyrus sylvestris

L.Sp. 733.

Smilax hortensis, seu Siligna Theophrasti

Comm. 615.

N.K.T. ccciv; F. 404.

Smilax hortensis sive Phaseolus major

G.B.P. 339.a.

Phaseolus vulgaris

L.Sp. 723.

Digitized by Hunt Institute for Botanical Documentation

Faba vulgaris 1.

Comm. 617.

N.K.T. ccxviii; Br. 222; F. 220.

Faba

G.B.P. 338.a.

Vicia Faba

L.Sp. 737.

Faba inversa 2.

Comm. 618.

Anagyris non foetens minor

G.B.P. 391. b.

Gytisus Laburnum

L.Sp. 739.

Lupinus

N.K.C. c/xxiii ; F. 175.

Lupinus sativus flore albo

Lupinus albus

Comm. 621.

G.B.P. 347. a.

L. Sp. 721.

Vicia maior 1. & Orobus sativa

N.K.C. xcvi ; Bz. 226 ; F. 96.

Vicia sativa vulgaris semine nigro

Vicia sativa

Comm. 623.

G.B.P. 344. a.

L. Sp. 736.

Digitized by Hunt Institute for Botanical Documentation

Vicia minor sylvestris 2. sive Orobus sylvestre

N.K.C. lx ; F. 60.

Vicia sepium folio rotundior acuto

Vicia sepium

Comm. 623.

G.B.P. 345. a.

L. Sp. 737.

Vicia minor 3.

Comm. 624.

Vicia semine rotundo nigro

Vicia sativa β . nigra

G.B.P. 345. a.

L. Sp. II.

Vicia minima 4.

Comm. 624.

Vicia segetum cum siliquis plurimis hirsutis C.B.P. 345. a.
Ervum hirsutum L.Sp. 738.

Vicia sylvestris altera 5. (Communda Latinorum) Comm. 624.

Vicia maxima dumetorum C.B.P. 345. a.
Vicia dumetorum L.Sp. 734.

Digitized by Hunt Institute for Botanical Documentation

Candidum Ervum vel Faba veterum Comm. 626.

Vicia sativa alba C.B.P. 344. b.
Vicia sativa L.Sp. 734.

Lens 1. vulgaris sive agrestis

Comm. 628.

Lens vulgaris
Ervum Lens

C.B.P. 346. a.
L.Sp. 738.

Lens 2. sativus

Comm. 629.

Lens major

C.B.P. 346.a.

Ervum Lens var.

L.Sp. 738.

Apios

~~Apios~~, Erdtruss

Comm. 631.

N.K.E. /xxii;

F. 72.

Lathyrus arvensis repens tuberosus

C.B.P. 344. b.

Lathyrus tuberosus

L.Sp. 732.

Digitized by Hunt Institute for Botanical Documentation

Triticum 1.

Comm. 634.

Triticum hybernum aristis carens

C.B.P. 21.a

Triticum hybernum

L.Sp. 86.

Triticum 2.

Comm. 635.

Tra Amylea, vel Tropyrium Amylaeum

C.B.P. 22.a.

Triticum 3.

Comm. 635.

Triticum turgidum simplicifolium

C.B.P. 21. b.

Spelta 1 (Spelz) Description of 1; figure of 2. Comm. 641.
N.K.T. clvii; Br. 220; F. 159.

Triticum dicoccos vel major

C.B.P. 22. a.

Triticum Spelta

L. Sp. 86.

Digitized by Hunt Institute for Botanical Documentation

Spelta 2. (Dinkel) Description of 2; fig. of 1. Comm. 641.
N.K.T. clviii; F. 160.

Triticum Briza dicta vel monococcos German.

C.B.P. 21. a.

Triticum monococcon

L. Sp. 86.

Spelta 3. (Kern)

Comm. 641.

Leopyrum seu Triticospeltans

C.B.P. 22. b.

Candidum Far. (Bryza $\frac{1}{2}$ Germanica)
~~also~~ et Traagus frumentaceus Diosc.

Comm. 644.

Zeocriton seu Bryza Germanica
Hordeum zeocriton

C.B.P. 22. b.

L. Sp. 85.

Bryza peregrina

Comm. 644.

Bryza Italica, ad differentiam Germanicae, de qua inter Juss
C.B.P. 24. a.

Digitized by Hunt Institute for Botanical Documentation

{ Siligo hyberna 1.
Siligo veterum, et Secale
N. K. F. ccccxccix; (? Ba. 218) 7. 438.

Comm. 646.

Comm. 647.

Secale hybernum vel magus

C.B.P. 23. a.

Secale cereale α . hybernum

L. Sp. 84.

Aestiva Siligo 2.

Comm. 646.

Secale vernum vel minus

C.B.P. 23. a.

Secale cereale β . vernum

L. Sp. 84.

Oryzum seterum (Heydenborn)

Comm. 648.

Erysimum cereale

G.B.P. 27. a.

Polygonum Fagopyrum

L.Sp. 364.

Triticum frumentum (Tripa magna)

Comm. 650.

N.K.T. cccclxxiii ; F. 470.

Frumentum Indicum Mays dictum

G.B.P. 25. a.

Tea Mays

L.Sp. 971.

Digitized by Hunt Institute for Botanical Documentation

Sativa Avena 1.

Comm. 653.

N.K.T. ciii ; Br. 219 ; F. 103.

Avena vulgaris seu alba

G.B.P. 23. a.

Avena sativa β.

L.Sp. 79

Sylvestris Avena

Comm. 654.

{ Sesama (Flachsdotter)
{ see Vera linaria

Comm. 655.

Comm. 858.

Myagrum sativum

Myagrum sativum β.

G.B.P. 109. a.

L.Sp. 641.

Milium

N.K.T. cccxxxi; Br. 225; F. 233.

Milium semine luteo vel albo

Panicum miliaceum

Comm. 657.

G.B.P. 26. a.

L.Sp. 58.

Digitized by Hunt Institute for Botanical Documentation

Panicum

Comm. 659.

N.K.T. lxxxxli

F. 440.

Milium arundinaceum subrotundo semine, Sorgo nominatum

G.B.P. 26. b.

{ Holcus bicolor Sorghum

L.Sp. 1047.

{ Nichtes p. 496 quod Holcus bicolor

L. Mant. II. p. 301

Sorghum vulgare Pers.

Milium agreste, seu exiguum

Comm. 661.

Milium Panicum Germanicum sive panicula minore G.B.P. 27. a.

Panicum Germanicum

L. Mant. II.
p. 328.

Triticum vaccinum 1.

Comm. 662.

C. K. p. cexisc;

Ba. 117.

Melampyrum purpurascens coma

B.D.P. 234.a.

Melampyrum ardense

L. Sp. 605.

Triticum nigricans 2.

Comm. 663.

Digitized by Hunt Institute for Botanical Documentation

Britharnus agrestis 3.

Comm. 663.

Eryngium ardense foliis serrae similibus

B.D.P. 386.b.

Sium Falcaria

L. Sp. 252.

Probantha sive Cuscuta alter Serapionis

Comm. 664.

Convolvulus minor semine triangulo

B.D.P. 295.a.

Polygonum Convolvulus

L. Sp. 364.

Ustilago
Ustilago secalis

Comm. 665
C.B.P. 24. a.

Is this Ustilago avenae Jensen - See p. 339 of "Diseases of Cultivated Plants" Massee?

Or, Ustilago nuda Jensen p. 341

Or, Ustilago tritici Jensen p. 341

Or, Urocystis occulta Rab. p. 347

Ustilago

Comm. 665.

Ustilago secalis

C.B.P. 24. a.

See Richter. p. 1084. No. 8534, Obs. 2. ? The "smut" fungus. N.E.D.

Lolium 1.

Comm - 669.

Festuca avenacea sterilis elatior

C.B.P. 9. b.

Bromus sterilis

L. Sp. 77.

Lolium Germanicum (Dort-Quecken) #2. Comm. 670.

Festuca graminea glumis hirsutis

C.B.P. 9. b.

Bromus secalinus B.

L. Sp. 76.

Lolium 2. 3.

Comm. 670

Gramen hordeaceum minus et vulgare

C. B. P. 9. a.

Hordeum maritimum

L. Sp. 85.

Lolium 4. exiguum

Comm. 670.

Gramen loiae, angustiore folio et spica

C. B. P. 9. a.

Lolium perenne

L. Sp. 83.

Digitized by Hunt Institute for Botanical Documentation

Lolium 5.

Comm. 671

Festuca avenacea sterilis humilior

C. B. P. 10. a.

Bromus hordeaceus

L. Sp. 77.

Lolium 6. bulvaris herba Plinii

Comm. 671.

Gramen panicum spica simplici

C. B. P. 8. b.

Panicum viride

L. Sp. II.

Lolium 7. Phalaris sylo. Diosc.

Comm. 671.

Gramen panicum spica aspera
Cynosurus panicus

G.B.P. 8.6.

L.Sp. 73.

The figure of Phalaris Dioscoridis, Comm. 669, seems to agree better with Lolium 6. than with Lolium 7.

Lolium 8.

Comm. 671.

Gramen segetum panicula arundinacea
Aira cacopitosa

G.B.P. 3.a.

L.Sp. 64.

Digitized by Hunt Institute for Botanical Documentation

Lolium 9.

Comm. 671.

Gramen aquatic. paniculat. latifolium
Phalaris arundinacea

G.B.P. 3.a.

L.Sp. 55.

Lolium 10. Aegilops Plinii

Comm. 671.

Gramen tremulum majus
Briza media

G.B.P. 2.a.

L.Sp. 70.

Hordeum maius 1.

Comm. 639. ✓

E.K. ii. p. ix.

Bz. 221.

Hordeum polystichum hybernum

G.B.P. 22. a.

Hordeum vulgare L.

L. Sp. II.

Hordeum exiguum 2. (Distichum)

Comm. 639.

N.K. L. ccxlvii;

7249.

Hordeum distichon

G.B.P. 23. a.

Hordeum distichon

L. Sp. 85.

Digitized by Hunt Institute for Botanical Documentation

"Quinque calamigenus Plinii"

Juncus palustris major Arundo ^

Comm. ~~685~~ 674. ✓

Arundo vulgaris

G.B.P. 17. a.

Arundo phragmites

L. Sp. 81.

Sparganium 1.

Comm. 676.

Sparganium angustatum

G.B.P. 15. a.

Sparganium erectum

L. Sp. 971.

Calamagrostis prima 2.

Comm. 676.

Gramen tephroides spicâ multiplici

G.B.P. 4. a.

Calamagrostis altera 3.

Comm. 676.

[Gramen pinceum spicatum seu triglochis (icon)] ? G.B.P. 6. a.
but Juncus floridus major (descrip) G.B.P. 126.
Butomus umbellatus L.Sp. 372.

Digitized by Hunt Institute for Botanical Documentation

Gramen 4 "quartum Graminis genus"

Comm. 676.

Gramen cyperoides latif. spicâ rufa, sive caule triangulo G.B.P. 6. a.

Carex acuta β. rufa L.Sp. 998.

Gramen vulgo cognitum (icon)

Comm. 678.

Gramen prat. paniculatum majus, latiore folio

G.B.P. 2. b.

Poa pratensis

L.Sp. 69.

Typha aquatica

N. K. T. cccclxxii:

F. 469.

Comm. 680.

Typha palustris major

C. B. P. 20. a.

Typha latifolia

L. Sp. 971.

Gramen anatum

Comm. 682.

Gramen aquatic. fluitans multiplici spica

C. B. P. 3. b.

Festuca fluitans

L. Sp. 75.

Digitized by Hunt Institute for Botanical Documentation

Gnaphalion (Diosc.)

Comm. 682.

Gram. pratens. tomentos. panicula sparsa

C. B. P. 4. b.

Eriophora^{um} polystachion

L. Sp. 52.

Scirpus ~~?~~ 1.

Comm. 684.

Gramen arundinaceum enode majus montanum

C. B. P. 7. a.

Agrostis arundinacea

L. Sp. 61.

Scirpus Æ. 2.

Comm. 684.

Phragmites arundinaceum enode orinus sylvaticum
Aira caerulea

L. B. P. 7. a.

L. Sp. 63.

Juncus palustris major. Harundo

Comm. 674. 685

Juncus maximus, sive Scirpus major
Scirpus lacustris

L. B. P. 12. a.

L. Sp. 48.

Digitized by Hunt Institute for Botanical Documentation

Juncus vulgaris 1. Juncus palustris major

Comm. 686.

Juncus vulgaris, ^{alter} 2.

Comm. 686.

Juncus laevis paniculâ sparsâ major
Juncus effusus

L. B. P. 12. a.

L. Sp. 326.

Juncus exiguus pratensis 3. Calamagrostis 3. Comm. 686.

Grassum cyperoides minus panicula sparsa subflav. G.B.P. 6.6.
Cyperus flavescens L. 3p. 46.

Alga 1.

Comm. 687.

Millefolium aquat. foliis abrotani, ranunculi flore 9 capit. G.B.P. 141. 6.
Ranunculus aquatilis 4. L. 3p. 556.

Digitized by Hunt Institute for Botanical Documentation

Alga 2.

Comm. 687.

Potamogeton fol. crisp. sive Lactuca renarum G.B.P. 193. 6.
Potamogeton crispum L. 3p. 126.

Alga Vergillii 3.

Comm. 688.

? Millefolium aquat. pennatum spicatum G.B.P. 141. 6.
Myriophyllum spicatum L. 3p. 992.

Potamogeton 4.

Comm. 688.

N. R. L. cccxxi; F. 371.

Potamogeton rotundifolium

G.B.P. 193.a.

Potamogeton natans

L. Sp. 126.

Lenticula palustris

Comm. 689.

C. R. ii. pp. viii, cxxxv; Br. 178.

Lenticula palustris vulgaris

G.B.P. 362.a.

? Lemna minor

L. Sp. 970.

Digitized by Hunt Institute for Botanical Documentation

Hippuris maior 1.

Comm. 691.

Equisetum fl. nudum non hamosum sive junceum

G.B.P. 16. b.

Equisetum hyemale var.

L. Sp. 1062.

Hippuris maior altera 2.

Comm. 691.

Equisetum pratense longissimis setis

G.B.P. 16. a.

? Equisetum pratense

Hippuris minor (fig.) I.

Comm. 693.

N.K.T. c/xxxii; F. 184.

Equisetum arvense longioribus setis

C.B.P. 16.6.

Equisetum arvense var. decumbens

L.Sp. 1061.

Hippuris minor altera I. (minima)

Comm. 693.

Equisetum sylvaticum tenuissimis setis

C.B.P. 16.2.

Equisetum sylvaticum

L.Sp. 1061.

Digitized by Hunt Institute for Botanical Documentation

Hippuris minima 2.

Comm. 693.

Nymphaea candida 1.

Comm. 695.

N.K. Trecci; Br. 7; F. 302.

Nymphaea alba major

C.B.P. 193.2.

Nymphaea alba

L.Sp. 510.

Nymphaea lutea 2.
N.K.T. cccii; Br. 6; F. 303
Nymphaea lutea major
Nymphaea lutea
Nephar luteum Sibth. et Sm.

Comm. 696.

G.B.P. 193. b.
L. Sp. 510.

Aconis officinarum adulterinum 1.
N.K.T. vi; Br. 113; F. 6.

Comm. 699.

Aconis adulterinum

G.B.P. 34. a.

Iris Pseudacorus

L. Sp. 38.

Digitized by Hunt Institute for Botanical Documentation

Gladiolus caeruleus 2.
N.K.T. clxxviii; Br. 230; F. 180.

Comm. 699.

Iris vulgaris Germanica sic sylvestris

G.B.P. 30. a.

Iris germanica

L. Sp. 38.

Xiphion seu Gladiolus caeruleus minor

Comm. 701.

Iris pratensis angustifolia humilior

G.B.P. 32. b.

Iris Germanica

See Comm. 699. Comm. 703.

Iris hortensis latifolia

C.B.P. 31.a.

Iris germanica

L.Sp. 38.

Limnium pratense

Comm. 705.

Triplium palustre

C.B.P. 327.a.

Menyanthes trifoliata

L.Sp. 145.

Digitized by Hunt Institute for Botanical Documentation

Limnium sylvestris

Comm. 706. ✓

N.K.L. ccxiii; Br. 165; F. 265.

~~Pp~~ Pyrola rotundifolia major

C.B.P. 191.a.

Pyrola rotundifolia

L.Sp. 396.

Beta agrestis 1.

Comm. 708.

Beta communis sive viridis

C.B.P. 118.a.

Beta vulgaris D.

L.Sp. 222.

Beta candida 2. Comm. 708.
 N.K.T. cccc/xii; Br. 254; F. 458.
Beta alba vel pallescens, quae Beta offic. L.B.P. 118.a.
Beta vulgaris γ . Beta L.Sp. 222.

Beta rubra 3. Comm. 708.
Beta rubra vulgaris L.B.P. 118.a.
Beta vulgaris β . rubra L.Sp. 222.

Digitized by Hunt Institute for Botanical Documentation

Atriplex sativa (a) 1. "folium proferit rubicundum" Comm. 710.
Atriplex hortensis rubra L.B.P. 119.a.
Atriplex hortensis β . L.Sp. 1053.

Atriplex sativa (b) 1. "fol. in laetum languescens" Comm. 710.
 N.K.T. lxxiv; F. 64.
Atriplex hort. alba sive pallide virens L.B.P. 119.a.
Atriplex hortensis L.Sp. 1053.

Atriplex sativa (c) 1. "nigricans" Comm. 711.

Atriplex hort. alba sive pallens pallide virens "est atrigricans" G.B.P. 119. a.
? Atriplex hortensis var. L. Sp. 1053.

Atriplex agrestis (a) 2.

Comm. 711.

N.K.C. 1xv.

F. 65.

Atriplex sylvestris altera

G.B.P. 119. a.

Chenopodium album

L. Sp. 219; ed. 2. 319.

Digitized by Hunt Institute for Botanical Documentation

Atriplex ^{altera} agrestis seu exigua (b) 2.

Comm. 712.

Blitum nigrum 1.

Comm. 713.

Blitum rubrum minus

G.B.P. 118. b.

Amaranthus Blitum

L. Sp. 990.

Blitum 2.

Comm. 713.

Blitum album minus
Amaranthus viridis

b.B.P. 118.a.
L.Sp. II.

Blitum 3.

Comm. 713.

N.K.T. xcvi; F. 97.

Blitum polyspermum a seminis copia
Chenopodium polyspermum

b.B.P. 118.a.
L.Sp. 220.

Digitized by Hunt Institute for Botanical Documentation

Blitum 4. & Solanum 4.

Comm. 714.

N.K.T. ccc/xxii; F. 372.

Atriplex sylv. latifolia
Chenopodium hybridum rubrum

b.B.P. 119.a.
L.Sp. 219.

Blitum 5. et Atriplices sylv. genus

Comm. 714.

Atriplex sylv. latifolia acutiore folio
Chenopodium hybridum

b.B.P. 119.b.
L.Sp. 219.

Sanguinaria puenaral

Comm. 714.

Gramen dactylon, folio latiore

G.B.P. 8.2.

Panicum sanguinale

L. Sp. 57.

Atriplex canina seu Bonus Henrickus

Comm. 715.

Atriplex canina & Blitum foetidum

Atriplex foetida

G.B.P. 119. 6.

Chenopodium vulvaria

L. Sp. 220.

Digitized by Hunt Institute for Botanical Documentation

Caulis capitulatus

Comm. 716.

N.K.T. ccxxxv; ^{capitata} Br. 216; F. 237.

Brassica capitata alba

G.B.P. 111. a.

Brassica oleracea S. capitata

L. Sp. 667.

Brassica sativa major 1.

Comm. 721.

Brassica sativa major (sp. atea) 2.

Comm. 721.

N.K.T. cccxxii; F. 234.

Brassica alba vel viridis

G.B.P. 111.6.

Brassica oleracea β . viridis

L. Sp. 667.

Brassica crispa ^{seu apiana} $\wedge$ 3.

Comm. 721.

Brassica angusto spii folio.

G.B.P. 112. a.

Brassica oleracea η . selenisia

L. Sp. 667.

Digitized by Hunt Institute for Botanical Documentation

Brassica capitulata 4.

Comm. 722.

Brassica sylvestris 5.

Comm. 722.

Brassica arvensis

G.B.P. 112. a.

Rapunculum vulgare 1.
N.K.T. cxxi; Bz. 138; F. 121.

Comm. 724.

Rapunculus esculentus

G.B.P. 92.a.

Campanula Rapunculus

L.Sp. 164.

Rapunculum sylvestre 2.

Comm. 725.

Rapunculus spicatus

G.B.P. 92.a.

Phyteuma spicata

L.Sp. 171.

Digitized by Hunt Institute for Botanical Documentation

Rapum vulgare 1.

Comm. 727.

Rapa sativa rotunda

G.B.P. 89.a.

Brassica Rapa

L.Sp. 666.

Rapus ^{veterum} 2. & Rapum sativum alterum ^{elongum} Comm. 727.

Rapus sativa

G.B.P. 95.a.

Brassica Rapus β.

L.Sp. 666.

Rapum sylvestre 3.

Comm. 728.

Rapus sylvestris
Brassica rapus

C.B.P. 95.a.
L.Sp. 666.

Vulgare Rapum alternum (fig.)
Is this the same as Rapus veterum?

Comm. 729.
Comm. 727.

Digitized by Hunt Institute for Botanical Documentation

Raphanus vulgaris 1.

Comm. 731.

N.K.T. ccc/xxv; Br. 214; F. 375.

Raphanus major orbicularis, vel rotundus

C.B.P. 96.a.

Raphanus sativus

L.Sp. 669.

Raphanus longus 2.

Comm. 731.

Raphanus minor oblongus

C.B.P. 96.b.

Raphanus sativus

L.Sp. 669.

Raphanus maior, seu Armoracia radix

N.K.T. cccclxxvi ; Bz. 251. F. 376.

Raphanus rusticus

Cochlearia Armoracia

Comm. 734.

B.B.P. ^{96-6.} ~~97a.~~

L. Sp. 648.

Cepa
N.K.E. ccxli;
Cepa vulgaris
Allium cepa

Br. 247; F. 243.

Comm. 736. ✓

G.B.P. 71. a.
L.Sp. 300.

Bulbus, seu Cepa agrestis

Comm. 740

Ornithogalum luteum
Ornithogalum luteum

G.B.P. 71. a.
L.Sp. 306.

Digitized by Hunt Institute for Botanical Documentation

Cepa sterilis
C.K. ii. p. xxxiv, fig. dextra; Br. 246.

Comm. 741.

Cepa sterilis
Allium ascalonicum

G.B.P. 72. a.
L.Sp. II.

Porrum sectionum
N.K.E. ccc/xii; F. 362.

Comm. 743.

Porrum sectionum junceolum
Allium Schoenoprasum

G.B.P. 72. a.
L.Sp. 301.

Allium
N.K.T. ccccxxi; Bz. 245; F. 421.

Comm. 745.

Allium sativum

C.B.P. 73.a.

Allium sativum

L.Sp. 296

Allium sylvestre, seu Colubrinum
N.K.T. ccccxiv; Bz. 189; F. 424.

Comm. 747.

Allium sylvestre latifolium

C.B.P. 74.a.

Allium ursinum

L.Sp. 300.

Digitized by Hunt Institute for Botanical Documentation

Scorodoprasum (fig) Comm. 745

Descript Comm. 749.

Allioporrum sive Scorodoprasum

C.B.P. 74.a.

? Allium Scorodoprasum

L.Sp. 297.

Allium caninum l.

Comm. 750.

N.K.T. ccccxii; F. 422.

Allium sylv. campestre purpurascens

C.B.P. 74.b.

Allium vineale

L.Sp. 299.

Allium caninum exiguum

Comm. 750.

Allium sylv. bicorne flore obsoletis

C.B.P. 74. b.

Viola alba Theophrasti 1.

Comm. 751.

N.K.T. cclxxiii; Br. 42; F. 275.

Leucorum bulbosum vulgare

C.B.P. 55. a.

Leucorum vernum

L.Sp. 289.

Digitized by Hunt Institute for Botanical Documentation

Narcissus serus 2. (N. veterum fig.)

Comm. 752.

Narcissus alb. circulo croceo vel luteo

C.B.P. 49. a.

Narcissus poeticus

L.Sp. 289.

Narcissus coeruleus et Hyacinthus albus

Comm. 755.

N.K.T. cccclxxxi; Br. 66; F. 477.

Hyacinthus stellaris bifolius Germanicus

C.B.P. 45. b.

Scilla bifolia

L.Sp. 309.

In C.B.P. p. 46 a. Narcissus candidus Frag. is mentioned & is identified as

Hyacinthus stellaris albus C.B.P. p. 46. a.

Scilla bifolia var. β . L.Sp. II.

Fragus mentions a white flowered variety, but I cannot find the name Narcissus candidus

Narcissus luteus Comm. 757.
 C.K. p. lii; fig. dextra; Br. 41.
Narcissus syl. pallidus calice luteo L.B.P. 52. b.
Narcissus Pseudo Narcissus L.Sp. 289.

Colchicum seu Hermodactylis officinarum Comm. 758.
 N.K. cci; Br. 176, 195, 243; F. 203, 204.
Colchicum commune L.B.P. 67. a.
Colchicum autumnale L.Sp. 341.

Digitized by Hunt Institute for Botanical Documentation

Crocus Comm. 762.
 N.K. t. ccxlviii; F. 250.
Crocus sativus L.B.P. 65. a.
Crocus officinalis L.Sp. 36.

Aristolochia rotunda vulgaris 1. (hollow root) Comm. 766.
Fumaria bulbosa radice carne major L.B.P. 143. b.
Fumaria bulbosa L.Sp. 699.

Aristolochia rotunda vulgaris). (solid root)

Comm. 766.

Fumaria bulbosa radix non cava major

C.B.P. 144a.

Fumaria bulbosa y.

L.Sp. 699.

Aristolochia rotunda (2)

Comm. 767.

Ranunculus nemorosus Muscatellina dicta C.B.P. 178b.

Adoxa Moschatellina

L.Sp. 367.

Digitized by Hunt Institute for Botanical Documentation

Aristolochia rotunda vera 2.

Comm. 769.

Aristolochia rotunda flore ex purpure nigro C.B.P. 307a.

Aristolochia rotunda

L.Sp. 962.

Hyacinthus primus 1. see cap. 71. p. ^{750. no. 2.} ~~42~~ Comm. 771. ,
vel Hyacinthus vernus exiguus

Hyacinthus racemosus caeruleus minor juncifolius C.B.P. 43a.

Hyacinthus botryoides

L.Sp. 318.

Hyacinthus secundus (2) see cap. 73. p. 755

Comm. 771.

Hyacinthus stellaris bifolius Germanicus
Scilla bifolia

G.B.P. 45. b.
L.Sp. 309.

Hyacinthus tertius (3) see cap. 78, p. 766, no. 1.

Comm. 771.

Fumaria bulbosa radice cava major
Fumaria bulbosa α

G.B.P. 143. b.
L.Sp. 699.

Digitized by Hunt Institute for Botanical Documentation

Hyacinthus quartus ^{major} (4) et Hyacinthus rubens Virgilii

Comm. 771.

Hyacinthus comosus major purpureus
Hyacinthus comosus

G.B.P. 42. a.
L.Sp. 318.

Hyacinthus quintus (5) see cap. 83, p. 787.
N.K.T. lxiii; Br. 149; F. 63.

Comm. 771.

Lilium floribus reflexis montanum
Lilium Martagon

G.B.P. 77. b.
L.Sp. 303.

Aron primum et vulgare 1. Comm. 773.
 N.K.T. xxxix; Br. 12; F. 39.
Aron vulgare non maculatum G.B.P. 195. b.
Aron maculatum L. Sp. 966.

Aron 2. Comm. 774.

Digitized by Hunt Institute for Botanical Documentation.

Aron 3. Comm. 774.

Aron maculatum, maculis candidis vel nigris G.B.P. 195. a.
Aron maculatum β . L. Sp. 966.

Dracunculus maior Comm. 776.

N.K.T. cxxx; Br. 16; F. 133.

Dracunculus polyphyllus G.B.P. 195. a.

Aron Dracunculus L. Sp. 964.

Dracunculus vulgaris Schott.

I.
Satyrion mas 1. (flore purpureo) - Orchis 1.
N.K.T. cccxii; Br. 29; F. 313.
Gynosorchis latifol. hiante cucullo major
Orchis militaris

Comm. 778. ✓
G.B.P. 80. a.
L. Sp. 941.

I.
Satyrion mas 2. (flore niveo)
? Gynosorchis latifol. hiante cucullo major

Comm. 778.
G.B.P. 80. a.

Digitized by Hunt Institute for Botanical Documentation

{ Satyrion alterum (descr.)
 Orchis foemina (icon)
N.K.T. cccvi; Br. 33; F. 406.
Orchis palmata angustifolia minor
Orchis conopsea 3
Gymnadenia conopsea R.Br.

Comm. 779.
Comm. 780 (?)
G.B.P. 85. b.
L. Sp. 942.

Gynosorchis 2 (cum Testiculo 4)
? Gynosorchis militaris major
? Orchis militaris 8

Comm. 781.
G.B.P. 81. a.
L. Sp. 941.

Synsorchis mas ntra, vel 4 testiculus fig. 779. Comm. 781.

Synsorchis latifolia hiante cucullo altera
Orchis militaris pyramidalis β .

G.B.P. 81. a.
L. Sp. 940.

Orchis quinta odora serapiada Diosc.

Comm. 781.

Synsorchis montana purpurea odorata

G.B.P. 81. b.

Digitized by Hunt Institute for Botanical Documentation

Orchis foemina altera fig. 781.

N. K. L. ccccvii ;

F. 407.

Comm. 781.

Orchis palmata pratensis maculata

G.B.P. 85. a.

Orchis maculata

L. Sp. 942.

Orchis sp. sexta, et Satyrium alterum

N. K. L. cccxviii ;

F. 318.

Comm. 782.

Orchis fucum referens maior fol. sup. cand. & purp.

G.B.P. 83. a.

Ophrys insectifera L.

L. Sp. 948.

Ophrys apifera Auds.

Orchis sp. secta altera

Comm. 782.

Orchis fucum reprens flore subviride
Est Ophrys insectifera L.

C.B.P. 83. b.

L. Sp.

Satyrion exiguum et 7.

Comm. 782.

Orchis muscae corpus reprens minor, velgolia et alis herbidiis C.B.P. 83. b.
Ophrys insectifera α

L. Sp. 948.

Digitized by Hunt Institute for Botanical Documentation

Satyrion octavum

Comm. 783

Sat Helleborine latifolia montana
{ Serapias latifolia
or) Serapias Helleborine α

C.B.P. 186. b.

L. Sp. 949.

L. Sp. 949.

Satyrion novum

Comm. 783.

Orchis abortiva fusca
Ophrys Nidus aris

C.B.P. 86. b.

L. Sp. 945.

Satyrium 10. et bifolium

Comm. 784.

Ophrys bifolia
Ophrys ovata

b.B.P. 87.a.
L.Sp. 946.

Orchis sp. undecima

Comm.

Orchis tripolia major
Orchis bifolia var.

b.B.P. 83.a.
L.Sp. 939.

I do not know which species in Tragus is called Sp. undecima in b.B.P.
Digitized by Hunt Institute for Botanical Documentation

Hyacinthus Poetarum vel Asphodelus foemina

Comm. 787.

See Comm. 771.

Lilium floribus reflexis montanum
Lilium Martagon

b.B.P. 77.b.
L.Sp. 303.

Hastula regia

Comm. 790.

Asphodelus albus non ramosus
Asphodelus ramosus

b.B.P. 28.a.
L.Sp. 310.

Lilium rufum

Comm. 791.

Lilium purpurocroceum majus

G.B.P. 776.b.

Lilium bulbiferum

L.Sp. 302.

Lilium album

Comm. 793.

N.K.T. ccv;

Bz. 229; F. 207.

Lilium album flore erecto et vulgare

G.B.P. 76.a.

Lilium candidum

L.Sp. 302.

Digitized by Hunt Institute for Botanical Documentation

Ebuleus

Comm. 796.

N.K.T. xxxvii;

Bz. 142; F. 37.

Sambucus humilis sive Ebuleus

G.B.P. 456.b.

Sambucus Ebuleus

L.Sp. 269.

Phamaecissos vel Hedera terrestris

Comm. 799.

N.K.T. cccccciii;

Bz. 56; F. 500.

Hedera terrestris vulgaris

G.B.P. 306.a.

Elaeagnus hederacea

L.Sp. 578.

Hederula 1.

Comm. 802.

Hedera humii repens

G.B.P. 305.b.

Hedera helix S.

L.Sp. II.

Hedera 2.

Comm. 802.

N.K.T. cxxxvii ;

Bz. 92 ; F. 239.

Hedera arborea

G.B.P. 305.a.

Hedera Helix

L.Sp. 202.

Digitized by Hunt Institute for Botanical Documentation

Volubilis maior 1.

Comm. 804.

Convolvulus major albus

G.B.P. 294.a.

Convolvulus sepium

L.Sp. 153.

Volubilis minor 2.

Comm. 804.

N.K.T. cxliii ;

F. 145.

Convolvulus minor arvensis

G.B.P. 294.a.

Convolvulus arvensis

L.Sp. 153.

Hummularia

N.R.E. ccxxv ;

F.227.

Hummularia major lutea

Lysimachia hummularia

Comm. 807.

C.B.P. 309.a.

L.Sp. 148.

Androsaces candidum ^{vulgo} 1. Cuscuta

Comm. 809.

Cuscuta major

Cuscuta europaea

C.B.P. 219.b.

L.Sp. 124.

Digitized by Hunt Institute for Botanical Documentation

Androsaces rufum 2. Cuscuta

Comm. 809.

? Epithymum sive Cuscuta minor

C.B.P. 219.a.

? Cuscuta europaea β . (Epithymum ^{um})

L.Sp. 124.

Lupulus sativus 1.

Comm. 812.

N.R.E. xcii ;

Bz. 277; F.92.

Lupulus mas

C.B.P. 298.a.

Humulus Lupulus

L.Sp. 1028.

Lupulus sylvestris 2.

Comm. 813.

Lupulus mas

C.B.P. 298.a.

Humulus Lupulus

L. Sp. 1028.

Smilax aspera vera

Comm. 814.

N.R.T. cccc x ;

F. 410.

Smilax aspera fructu rubente

C.B.P. 296.a.

Smilax aspera

L. Sp. 1028.

Digitized by Hunt Institute for Botanical Documentation

Glycyrrhiza vel Dulcis amara

Comm. 815.

Solanum scandens seu Dulcamara

C.B.P. 167.a.

Solanum Dulcamara

L. Sp. 185.

Vitis sylvestris

Comm. 818.

N.R.T. l ii ;

F. 52.

Clematis sylv. latifolia

C.B.P. 300.a.

Clematis Vitalba 4.

L. Sp. 544.

Bryonia

Comm. 819.

Bryonia aspera sive alba baccis rubris

C.B.P. 299.a.

Bryonia dioica

L.Sp.

Periclymenum

Comm. 822 ✓

N.K.T. ccc/xviii;

F. 368.

Periclymenum non perfoliatum Germanicum

C.B.P. 302.a.

Lonicera Periclymenum

L.Sp. 173.

Digitized by Hunt Institute for Botanical Documentation

Cucurbita "cujus fructus in orbem collectus" (1)

Comm. 824.

N.K.T. ccvii;

F. 209.

Cucurbita major sessilis, flore albo

C.B.P. 312.a.

Cucurbita Lagenaria

L.Sp. 1010.

Lagenaria vulgaris Ser. var. turbinata Ser.

Cucurbita "fructus in longum propagatus" 2.

Comm. 825

N.K.T. ccix;

F. 211.

Cucurbita oblonga, flore albo, foliis molli

C.B.P. 313.a.

Cucurbita lagenaria

L.Sp. 1010.

Lagenaria vulgaris Ser. var. clavata Ser.

Colocynthis vera 1.

N. R. E. cex ; F. 212.

Colocynthis fructu rotundo major

Cucumis Colocynthis

Citrullus Colocynthis Schrad.

Comm. 827.

C. B. P. 313. a.

L. Sp. 1011.

Germanica Colocynthis 2.

Comm. 827.

Colocynthis pyriformis, seu Pepo amarus

C. B. P. 313. b.

Digitized by Hunt Institute for Botanical Documentation

Melo 1.

Comm. 830.

Melo vulgaris

C. B. P. 310. a.

Cucumis Melo

L. Sp. 1011.

Pepo 2. "oblongus, rotundus, luteus, viridis"

Comm. 830.

Pepo rotundus Melonis effigie

C. B. P. 311. b.

Cucumis 3.

Comm. 830.

N.K.T. cccxcviii; F. 398.

Cucumis sativus vulgaris

C.B.P. 310. a.

Cucumis sativus

L.Sp. 1012.

Citrullus 4.

Comm. 832.

N.K.T. cccci; F. 401.

Angruria Citrullus dista

C.B.P. 312. a,

Cucurbita Citrullus

L.Sp. 1010.

Citrullus vulgaris Schrad.

Digitized by Hunt Institute for Botanical Documentation

Cucumis sylvestris 5.

Comm. 832.

N.K.T. cccci; F. 403.

Cucumis sylvestris asinus dictus

C.B.P. 314. a.

Momordica Elaterium

L.Sp. 1010.

Ceballium Elaterium A. Pich.

Cucumis, seu Jucco marinus

Comm. 835.

Pepo compressus minor

C.B.P. 311. a.

Lappa maior

N. K. L. xl;

F. 40.

Comm. 837.

Lappa major, Arctium Diosc.

G. B. P. 198. a.

Arctium Lappa

L. Sp. 816.

Lappa minor

N. K. L. cccxxix;

Bz. 155; F. 329.

Comm. 839.

Lappa minor, Xanthium Diosc.

G. B. P. 198. b.

Xanthium & strumarium

L. Sp. 987.

Digitized by Hunt Institute for Botanical Documentation

Tribulus aquaticus

Comm. 841.

Tribulus aquaticus

G. B. P. 194. a.

Trapa natans

L. Sp. 120.

Lappa agrestis 1.

Comm. 842.

Caucalis arvensis echinata magno flore

G. B. P. 152. a.

Caucalis grandiflora

L. Sp. 240.

Lappa sylvestris 2.

Comm. 843.

Solanifolia Cirsaea dicta major
Cirsaea lutea

C.B.P. 168. b.
L. Sp. 9.

Cartamus sive Onicis

Comm. 844.

N.K.T. cccxx;

Br. 196, 282; F. 232.

Onicis sativus, sive Cartharum officinarum
Carthamus tinctorius

C.B.P. 378. a.
L. Sp. 830.

Digitized by Hunt Institute for Botanical Documentation

Carduus fullonius sativus 1.

Comm. 847.

N.K.T. cxxvi;

F. 126.

Dipsacus sativus

C.B.P. 385. a.

Dipsacus fullonum β .

L. Sp. 97.

Carduus fullonius erraticus 2.

Comm. 848.

N.K.T. cxxvii;

Br. 126; F. 127.

Dipsacus sylvestris aut Virga pastoris major

C.B.P. 385. b.

Dipsacus fullonum var. α .

L. Sp. 97.

Dipsacus sylvestris Huds.

Carduus fullonius 3.

Comm. 848.

Dipsacus sylv. capitula minore, vel Virga pastoris minor C.B.P. 385. b.
Dipsacus pilosus L.Sp. 97.

Carduus Mariae

Comm. 849.

N.K.T. 81; Br. 127; F. 31.

Carduus albis maculis notatus vulgaris

C.B.P. 381. a.

Carduus marianus

L.Sp. 823.

Silybum marianum Gaertn.

Digitized by Hunt Institute for Botanical Documentation

Chamaeleon vulgaris (²niger) 1.

Comm. 852.

N.K.T. ccccv; Br. 112; F. 502.

Carlina caulescens magne flore

C.B.P. 380. a.

Carlina acaulis

L.Sp. 828.

Chamaeleon albus seu exiguus 2.

Comm. 852.

Carlina acaulis minore purpureo flore

C.B.P. 380. b.

Carduus acaulis

L.Sp. 1199.

Chamaeleon niger, varus 3.

Comm. 853.

N.K.T. ccccvii ; F. 503.

Carduus Sphaerocephalus latifolius vulgaris

C.B.P. 381a.

Echinops sphaerocephalus

L.Sp. 814.

Leucacantha, Carduus puellarum, Carduus sativ. hort. Comm. 855.

Digitized by Hunt Institute for Botanical Documentation

Carduus sylvestris (in avena)

Comm. 856.

Carduus in avena proceriens

C.B.P. 377.6.

Serratula arvensis

L.Sp. 820.

Spina alba (3.)

Comm. 857.

N.K.T. xxxii ;

Br. 172 ; F. 32.

Spina alba tomentosa latifolia sylvestris

C.B.P. 382.a.

Onopordum Acanthium

L.Sp. 827.

Atractylis, seu Cartamus sylvestris Comm. 859.
 N. K. T. lxxvi; Br. 125; F. 66.
Oniscus sylvestris spinosior C. B. P. 378. b.
Carlina vulgaris, ~~argemone~~ L. Sp. 828.

Carduus pratensis Comm. 860.

Carduus pratensis latifolius C. B. P. 376. a.
Oniscus steraceus L. Sp. 826.

Digitized by Hunt Institute for Botanical Documentation

Carduus benedictus vel Acanthus Germanica 1. Comm. 863.
 N. K. T. lxxvii; F. 67.
Oniscus sylv. hirsutior, sive Carduus benedictus C. B. P. 378. b.
Oniscus benedictus L. Sp. 826.

Acanthus vera 2. (Brancaurusina Italica vera) Comm. 863.
 N. K. T. xxix; F. 29.
Acanthus sativus vel mollis Vergilii C. B. P. 383. a.
Acanthus mollis L. Sp. 639.

Scolymus 1.
N.H.T. ccccliv; 7.451.
binara hortensis aculeata
binara Scolymus β .
binara Scolymus var. aculeata Alef.

Comm. 865.

C.B.P. 383.a.

L.Sp. 827.

Carduus (alterum genus) 2.

Comm. 866.

binara hortensis foliis non aculeatis
binara Scolymus γ .

C.B.P. 383.a.

L.Sp. 827.

Digitized by Hunt Institute for Botanical Documentation

Prestabovis
N.H.T. lxxiv; 7.34.

Comm. 869. ✓

Anonis spinosa flore purpureo
Anonis spinosa

C.B.P. 389.a.

L.Sp. 716.

Eryngium 1.
N.H.T. clxvi; 7.168.

Comm. 870.

Eryngium vulgare
Eryngium campestre

C.B.P. 386.a.

L.Sp. 233.

Alterum Eryngium 2.

C.K.p. cclxxxi; Br. 157.

Cordus stellatus folus papaveris erratici

Centaurea Calcitrapa

Comm. 872.

L.B.P. 387.a.

L.Sp. 917.

Amni

N.K.E. xxxviii; F. 38.

Amni majus

Amni majus

Comm. 874.

L.B.P. 159.a.

L.Sp. 243.

Digitized by Hunt Institute for Botanical Documentation

Caminum sativum

Comm. 873.

Caminum semine longiore

Caminum biminum

L.B.P. 146.a.

L.Sp. 254.

Siler montanum 1.

Comm. 877.

Ligusticum quod Seseli officinarum

Laserpitium Siler

L.B.P. 162.a.

L.Sp. 249.

Seseli prim⁽²⁾
N.K.T. cccccxix i f. 131.
Libanotis latifolia altera sive vulgarior
Laserpitium latifolium

Comm. 877.

C.B.P. 157. a.

L.Sp. 248.

⁽²⁾
Seseli alter⁽²⁾ ~~st~~
See Daucus 2.

Comm. 877.

Comm. 445.

Daucus mont. apii folio major
Althamanta Libanotis

C.B.P. 150. a.

L.Sp. 244.

Digitized by Hunt Institute for Botanical Documentation

Seseli tertium 3.
See Pimpinella 3. Comm. 467.

Comm. 879.

Pimpinella saxifraga minor
Pimpinella saxifraga

C.B.P. 160. a.

L.Sp. 263.

Seseli Althiopium 4.

Comm. 879.

Peucedanon 1.
N.K.T. cccxi; F. 340.
Peucedanum Ermanicum
Peucedanum officinale

Comm. 880.
L.B.P. 149. a.
L.Sp. 245.

Peucedanon alterum 2.

Comm. 880.

Digitized by Hunt Institute for Botanical Documentation

Filipendula

Comm. 882.

Filipendula vulgaris
Spiraea Filipendula

L.B.P. 163. b.
L.Sp. 490.

Scordium
N.K.T. ccccxliv; F. 443.
Scordium
Teucrium Scordium

Comm. 884.

L.B.P. 247. a.
L.Sp. 565.

Botrys

N.K.E.c.

£.100.

Comm. 886.

Botrys Ambrosioides vulgaris

G.B.P. 138.a.

Phenopodium Botrys

L.Sp. 219.

Campanula sylvestris, seu Digitalis

Comm. 888.

N.K.E. ccccxiii; £.509.

Digitalis purpurea folio aspero

G.B.P. 243.a.

Digitalis purpurea

L.Sp. 621.

Digitized by Hunt Institute for Botanical Documentation

Mandragora mas

Comm. 891.

N.K.E. ccxcix; £.300.

Mandragora fructu rotundo

G.B.P. 169.a.

Mandragora officinarum

L.Sp. 181.

Mandragora foemina

Comm. 891.

Mandragora fructu pyri

G.B.P. 169. b.

Mala insana

N.K.T.ccc.

F.301.

Comm. 894.

Solanum pomiferum fructu oblongo

G.B.P. 167. b.

Solanum melongena

L.Sp. 186.

Stramonium, seu Pomum spinosum

N.K.T. cccxvi; F.396.

Comm. 896.

Solanum pomum spinosa rotundo, longa flore

G.B.P. 168. a.

Datura Metel

L.Sp. 179.

Digitized by Hunt Institute for Botanical Documentation.

Veicaria nigra, seu peregrina

N.K.T. cccxciv; F.394.

Comm. 897.

Pisum vesicarium fructu nigro, alba maculato

G.B.P. 343. a.

Cardiospermum Halicacabum

L.Sp. 366.

^{na l.}
Balsamita, seu Pomum mirabile, seu Hierosolymitanum Comm. 898.

N.K.T. cv; F.105.

Balsamina rotundifolia repens, sive mas

G.B.P. 306. a.

Momordica Balsamina

L.Sp. 1009.

Balsamina altera 2.

N.K.T. cvi; F. 106.

Balsamina foemina

Impatiens Balsamina

Comm. 898.

C.B.P. 306. b.

L. Sp. 938.

~~Alte. Comm. 86.~~

Saponaria

N.K.T. ccccxvi; F. 445.

Saponaria major laevis

Saponaria officinalis

Comm. 900.

C.B.P. 206. a.

L. Sp. 408.

Digitized by Hunt Institute for Botanical Documentation

Staphis agria

N.K.T. ccccxlviii; F. 447.

Staphis agria

Delphinium Staphisagria

Comm. 901.

C.B.P. 324. a.

L. Sp. 531.

Sphatula foetida, seu Gladiolus Italicus

N.K.T. cccclvi; F. 452.

Gladiolus foetidus

Iris foetidissima

Comm. 904.

C.B.P. 30. a.

L. Sp. 39.

Cyclaminus minor 1. et Umbilicus Terrae Comm. 905.
N.K.T. cc/iii ; 7255.
Cyclamen orbiculato folio inferne purpurascente C.B.P. 308. a.
Cyclamen europaeum L. Sp. 145.

Cyclaminus exigua 2. Comm. 905.
[Hermodactylus quorundam
N.K.T. cc/iii ; 7255.
Cyclamen radice exigua C.B.P. 308. b.
Cyclamen europaeum L. Sp. 145.

Digitized by Hunt Institute for Botanical Documentation

Scilla et Geop muris Comm. 907.
Scilla vulgaris radice rubra C.B.P. 73. a.
Scilla maritima L. Sp. 308.

Sisarum, seu Papunculus hortensis Comm. 911.
N.K.T. ccccxix ii ; 7431.
Sisarum Germanorum C.B.P. 155. a.
Sium Sisarum L. Sp. 251.

Rhodia radix

Comm. 913.

Radix Rhodia
Rhodiola Rosea

C.B.P. 286.a.
L. Sp. 1035.

Lunaria
2

Comm. 914.

Lunaria racemosa minor vel vulgaris
Osmunda Lunaria

C.B.P. 354.a.
L. Sp. 1064.

Digitized by Hunt Institute for Botanical Documentation

Cyperus

Comm. 915.

Cyperus rotundus vulgaris
Scirpus maritimus

C.B.P. 13.b.
L. Sp. 51.

Lithospermum minus

Comm. 916.

Lithospermum arundinaceum
Coix Lachryma Jbi

C.B.P. 258.a.
L. Sp. 972.

belosia

Comm. 917.

Amaranthus folio variegato

C.B.P. 121.6.

Amaranthus melancholicus

L.Sp. 989.

or Amaranthus tricolor

L.Sp. 989.

Perion

Comm. 917.

N. K. T. cccv; F. 306.

Perion floribus rubescentibus

C.B.P. 464.a.

Perion Blander

L.Sp. 209.

Digitized by Hunt Institute for Botanical Documentation

Ruscus

Comm. 919.

Ruscus

C.B.P. 470.a.

Ruscus aculeatus

L.Sp. 1041.

Alcea peregrina seu Verneta

Comm. 921.

Alcea rosicaria

C.B.P. 317.a.

Hibiscus Trionum

L.Sp. 697.

Garyophyllus indicus maior 1.

Comm. 922.

N.K.T. xcvii ; F. 27.

Tanacetum Africanum seu flos Africanus minor

C.B.P. 133. a.

Tagetes patula

L. Sp. 887.

Garyophyllus indicus exiguus 2.

Comm. 922.

Digitized by Hunt Institute for Botanical Documentation

Garyophyllus indicus medius 3.

Comm. 922.

Blattaria

Comm. 924.

N.K.T. cii ; F. 102.

Blattaria lutea foliis longo laciniato

C.B.P. 240. a.

Verbascum Blattaria

L. Sp. 178.

Uouularia maior

Comm. 926.

N.K.T. cexlii ; F.244.

Campanula vulgarior fol. urtic. vel major & asperior C.B.P. 94.a.

Campanula Trachelium L.Sp. 166.

Uouularia exigua

Comm. 926.

Campanula pratensis flore conglomerata

C.B.P. 94.b.

Campanula glomerata

L.Sp. 166.

Digitized by Hunt Institute for Botanical Documentation.

Siliguastrium (3 species in 1 figure C.B.P.)

Comm. 928.

N.K.T. ccccxviii ; F.418.

Piper Indicum vulgatissimum

C.B.P. 102.a.

Capsicum annuum

L.Sp. 188.

Aloe

Comm. 931.

N.K.T. lxxv ; F.75.

Aloe vulgaris

C.B.P. 286.a.

Aloe vera

L.Sp. 320

Dulcis radix
N. K. T. cvii ; Bz. 182 ; F. 107.
Glycyrrhiza siligiosa vel Germanica
Glycyrrhiza glabra

Comm. 934.

G.B.P. 352. a.

L. Sp. 742.

Tuber (Moscheller) 1.

Comm. 939. ✓

Fungus porosus
Phallus esculentus

G.B.P. 370. a.

L. Sp. 1178.

Digitized by Hunt Institute for Botanical Documentation

Amanitae vel Boleti (Beiderling) 2.

Comm. 939.

Fungus pileolo lato et rotundo lido

G.B.P. 370. b.

Boletus orbiculatus 3.

Comm. 340.

Fungus pileolo lato orbiculari candicante

G.B.P. 370. b.

Rheling 4.

Comm. 940

Fungus pileolo lato orbiculari flavescente C. B. P. 870. b.

Digitellus 5.

Comm. 940.

Fungus candidus digitatus minor

C. B. P. 372. a.

Digitized by Hunt Institute for Botanical Documentation

Brötling 6.

Comm. 941.

Fungus pileolo lato puriceo, laet. et dulc. succum fundens C. B. P. 371. a.

Basenörlein * 7.

Comm. 941.

? Fungus Augusti mensis

C. B. P. 371. b.

? Fungus angulosus et velut in ~~de~~ laciniis sectus C. B. P. 371. a.

Rödling; Angotschwemm 8.

Comm. 941.

? Fungus Augusti mensis

C.B.P. 371. 6.

Muckenschwemm; Muscarii 9.

Comm. 941.

Fungus muscas interficiens

C.B.P. 373. a.

Digitized by Hunt Institute for Botanical Documentation

Fungus, qui sub Pinu nascitur 10.

Comm. 941.

Ovati
Reibenfist; Crepitus lupi #11.

Comm. 941.

Fungus rotundus orbicularis

C.B.P. 374. 6.

Lycoperdon Bovista

L. Sp. 1183.

Fungorum varia genera 12.

Comm. 941.

Fungus ad sambucum

Comm. 941.

Fungus membranaceus auriculum reflexus, sine Sambucinus ~~L.B.~~

Peziza Auricula

C. B. P. 372 a.

L. Sp. XII.

Digitized by Hunt Institute for Botanical Documentation

Agaricum^{mas} 13.
^

Comm. 942.

Agaricum foemina 13.

Comm. 942.

Fungi igniarii

Comm. 943.

Fungus in caudicibus nascentis unguis equini figura C.B.P. 372. b.
Boletus igniarius L. Sp. 1176.

Muscus arboreus 1.

Comm. 946.

Muscus arboreus; Honea officinarum
Lichen plicatus

C.B.P. 361. a.
L. Sp. 1154.

Digitized by Hunt Institute for Botanical Documentation

Muscus saxatilis aut sylvestris 2.
N.K.T. cccvii ; Br. 238; F. 357.

Comm. 946.

Polytrichum aureum majus

C.B.P. 356. a.

Polytrichum commune

L. Sp. 1109.

Muscus hortensis 3.

Comm. 946.

Muscus vulgarissimus

C.B.P. 360. a.

Viscum

N.K.T. c/xxv; F. 187

Viscum baccis albis

Viscum album

Comm. 948.

G.B.P. 423. a.

L.Sp. 1023.

Erica vulgaris purpurea 1.

Comm. 951.

Erica vulgaris glabra

Erica vulgaris

G.B.P. 485. a.

L.Sp. 352.

Digitized by Hunt Institute for Botanical Documentation

Erica candida 2.

Comm. 952.

Erica vulgaris glabra var. alba

Erica vulgaris

G.B.P. 485. a.

L.Sp. 352.

Myrica

Comm. 954.

Tamarix fruticosa folio crassiore, sive Germanica

Tamarix germanica

G.B.P. 485. a.

L.Sp. 271.

Thymaelea

Comm. 957.

Laureola semper virens flore viridi, quibusdam Laureola mas C.B.P. 462. a.
Daphne Laureola L.Sp. 357.

Coccognidium (see note)
berry of Daphne Mezereum

Comm. 958.
Comm. 959

Digitized by Hunt Institute for Botanical Documentation

Chamaelea seu Mezereum
N.K.L. cxxviii; F. 128.

Comm. 959.

Laureola folio deciduo flore purpureo: officinis Laureola fenina C.B.P. 462. a.
Daphne Mezereum L.Sp. 356.

Genista

N.K.L. cxxiii; Br. 197; F. 123.

Comm. 960.

Genista angulosa et scoparia

C.B.P. 395. a.

Spartium scoparium

L.Sp. 709.

Sarothamnus scoparius Wimmer.

Genistella

Comm. 961.

N. K. T. cxxiv; F. 124.

Genista spinosa minor Germanica

G. B. P. 395. a.

Genista germanica

L. Sp. 710.

Colutea Theophrasti, vulgo Sena

Comm. 963.

Sena vulgaris

Comm. 964.

N. K. T. ccl; F. 252.

Colutea vesicaria

G. B. P. 396. a.

Colutea arborescens

L. Sp. 723.

Digitized by Hunt Institute for Botanical Documentation

Sena Alexandrina 2.

Comm. 965.

Sena Alexandrina, sive foliis acutis

G. B. P. 397. a.

Cassia Sena

L. Sp. 377.

Capparis

Comm. 967.

Capparis spinosa, fructu minore, foliis rotundo

G. B. P. 480. a.

Capparis spinosa

L. Sp. 503.

Humilis Rubus 1.

Comm. 969. ✓

Rubus repens fructu caesio

Comm. 6.B.P. 479.a.

Rubus caesius

L. Sp. 498.

Rubus grandis

Comm. 969.

N.K.L. lxxiii ;

Bz. 260; F. 83.

Rubus vulgaris, sive rubus fructu nigro; officinis morabati 6.B.P. 479.a.

Rubus fruticosus

L. Sp. 493.

Digitized by Hunt Institute for Botanical Documentation

Rubus Idaeus

Comm. 970.

Rubus Idaeus spinosus

6.B.P. 479.a.

Rubus Idaeus

L. Sp. 492.

Chamaeratos, seu Rubus Idaeus alter

Comm. 973.

Rubus Idaeus laevis

6.B.P. 479.b.

Rubus Idaeus y.

L. Sp. 492.

Myrtillus exiguus

Comm. 974.

Vitis Idaea foliis subrotundibus non crenatis baccis rubris C.B.P. 470. b.

Vaccinium Vitis idaea

L. Sp. 351.

Myrtillus grandis

Comm. 974.

Vitis Idaea foliis oblongis albicantibus

C.B.P. 470. a.

Arbutus alpina

L. Sp. 395.

Digitized by Hunt Institute for Botanical Documentation

Uva crispa

Comm. 977.

N.K.E. civ;

F. 104.

Grossularia simplicifolia acino, vel spinosa sylvestris C.B.P. 455. a.

Ribes Uva crispa

L. Sp. 201.

Rhamnus (alia species)

Comm. 979. ✓

Rhamnus catharticus

C.B.P. 478. b.

Rhamnus catharticus

L. Sp. 193.

Faulbaum

Comm. 981.

Alnus nigra baccifera

C.B.P. 428.6.

Rhamnus Frangula

L.Sp. 193.

Carpinus Theophrasti

Comm. 982.

Euonymus vulgaris granis rubentibus

C.B.P. 428.2.

Euonymus europaea tenuifolius

L.Sp. 197.

Digitized by Hunt Institute for Botanical Documentation

Cynobatos

Comm. 984.

Mespilus apii folio syl. spinosa sive Bayacantha

C.B.P. 454.a.

Crataegus Bayacantha

L.Sp. 477.

Vulgare sylvestris rosae genus 1.

Comm. 987.

7.374.

Rosa ^{syl.} vulgaris flore odorato incarnato

C.B.P. 483.a.

Rosa canina

L.Sp. 491.

Sylvestris rosae aliud genus 2.

Comm. 987.

Rosa sylv. foliis odoratis

C.B.P. 483. a.

Rosa eglanteria

L. Sp. 491.

Sylvestris rosae genus tertium 3.

Comm. 988.

Rosa sylv. odoratissimo rubra flore

C.B.P. 483. a.

Rosa cinnamomea

L. Sp. 491.

Digitized by Hunt Institute for Botanical Documentation

Rosae sylvestris quarta species 4.

Comm. 988.

Rosa arvensis candida

C.B.P. 484. a.

Rosa arvensis

L. Mant. II.

Rosa hortensiana

Comm. 989.

? Rosa rubra

C.B.P. 481. a.

Oxyacantha officinis Berberis
N.K.L. cccvi ; Br. 270; F. 307.

Comm. 992.

Berberis dumetorum

C.B.P. 454. a.

Berberis vulgaris

L. Sp. 330.

Ribes hortense 1.

Comm. 994.

N.K.L. cccxxvii ; F. 377.

Grossularia multip. acino sive non spinos. hortens. Rubra sive

Ribes officinarum

C.B.P. 455. a.

Ribes rubrum

L. Sp. 200.

Digitized by Hunt Institute for Botanical Documentation

Ribes sylvestre 2.

Comm. 994.

Grossularia non spinosa fructu nigro

C.B.P. 455. b.

Ribes nigrum

L. Sp. 201.

Salinus 3.

Comm. 994.

Chamaecerasus dumetorum fructu gemino rubro

C.B.P. 451. b.

Lonicera xylosteum

L. Sp. 174.

Sambucus vulgaris 1.

N.K.T. xxxvi; Br. 244; F. 36.

Sambucus fructu in umbella nigra

Sambucus nigra

Comm. 996.

G.B.P. 456. a.

L. Sp. 269.

Sambuci aliud genus 2.

Comm. 996.

Sambucus fructu in umbella viridi

G.B.P. 456. a.

Sambucus nigra β .

L. Sp. 270.

Digitized by Hunt Institute for Botanical Documentation

Sambucus sylvestris

Comm. 999.

Sambucus racemosa rubra

G.B.P. 456. a.

Sambucus racemosa

L. Sp. 270.

Sambucus aquatica

Comm. 1001.

Sambucus aquatica flore simplici

G.B.P. 456. b.

Viburnum Opulus

L. Sp. 268.

Hartwegel
C.K.ii.p.lxxxvii; Br.257.fig.
Cornus foemina
Cornus sanguinea

Comm. 1003. ✓

C.B.P. 447. & b.
L. Sp. 117.

Ligustrum vulgare
N.K.T. cc/xx; F. 272.
Ligustrum Germanicum
Ligustrum vulgare

Comm. 1005.

C.B.P. 475.a.
L. Sp. 7.

Digitized by Hunt Institute for Botanical Documentation

Ligustri' alia species

Comm. 1005.

Ligustrum Germanicum see Kate p. 475. b.
Ligustrum vulgare

C.B.P. 475.a.
L. Sp. 7.

Kleiner Mälbaum (Mehlbaum)

Comm. 1006.

Viburnum Vulgo
Viburnum Lantana

C.B.P. 428.
L. Sp. 268.

Grosser Mehlsbaum (Fraxinea arbor)

Comm. 1008.

Sorbus sylv. foliis domesticae similis

G.B.P. 415.a.

Sorbus aucuparia

L.Sp. 477.

Sorbus Terminalis, Wilder Spernerbaum, ^{Sorbus L.} Eschrosel

Comm. 1010.

Mespilus Apii folio sylv. non spinosa, sive Sorbus Terminalis G.B.P. 454.a.

Crataegus terminalis

L.Sp. 476.

Digitized by Hunt Institute for Botanical Documentation

Sorbus

Comm. 1011.

N.K.T. cccxvii;

F. 327.

Sorbus sativa

G.B.P. 415.a.

Sorbus domestica

L.Sp. 477.

Pyrus Sorbus Gaertn.

Mespilus

Comm. 1013.

Mespilus Germanica folio laurino non serrato, sive Mespilus sylvestris

Mespilus Germanica

G.B.P. 453.a.

L.Sp. 478.

Prunus sylvestris vulgaris 1.
N.K.T. ccxxvii; Br. 258; F. 229.

Comm. 1016.

Prunus I. sylvestris

C.B.P. 444. 1.

Prunus spinosa

L.Sp. 475.

Prunus sylvestris altera species 2.

Comm. 1017.

Prunus sylv. praecoxia

C.B.P. 444. 1.

Prunus insititia (variety of P. spinosa)

L. Cent. I.

Digitized by Hunt Institute for Botanical Documentation.

Prunus
N.K.T. ccxxvi; F. 228.

Comm. 1018.

Prunus

C.B.P. 443. 2.

Prunus domestica

L.Sp. 475.

Prunus 1. Damascena

Comm. 1018.

Prunus I. Prunus magna dulcia atrocaerulea

C.B.P. 443. 2.

Prunus domestica var. β. Damascena

L.Sp. 475.

Prunus 2. Damascena Iberica et Persigona

Comm. 1019

Pruna nigra carne dura

C.B.P. 443. a.

Prunus domestica var. E. persicon

L.Sp. 475.

Prunus 3. gäl Kriechen; Spilling - cerea

Comm. 1019.

Pruna coloris cerse ex candido in luteum pallescente

C.B.P. 442. b.

Prunus domestica var. J. cerea

L.Sp. 475.

Digitized by Hunt Institute for Botanical Documentation

Prunus 4. Prunidactyla

Comm. 1020

Pruna oblonga caerulea

C.B.P. 443. a.

Prunus domestica var. S. juliana

L.Sp. 475.

Prunus 5. Klein Herbstpflaumen

Comm. 1020

Prunus 6. Asinina, Pedicularia

Comm. 1020.

Prunus magna rubra rubra rotunda

G.B.P. 443. b.

Prunus domestica var. g. acinaria

L. Sp. 475.

Myxaria vel Sebesten.

Comm. 1021.

Sebestena domestica

G.B.P. 446. a.

Cordia myxa

L. Sp. 190.

Digitized by Hunt Institute for Botanical Documentation

Zizyphus vel figubae

Comm. 1022.

Figubae maiores oblongae

G.B.P. 446. a.

Rhamnus zizyphus

L. Sp. 194.

Cornus

Comm. 1024.

Cornus hortensis mas

G.B.P. 447. a.

Cornus mas β .

L. Sp. 117.

Cerasus sylvestris 2.

Comm. 1027.

? Ceraso affinis

Prunus Mahaleb

G.B.P. 451.a.

L.Sp. 474.

✓ Sativorum Cerasiorum (ii) ^{"acida et vulgaris"} Wiedslen

Comm. 1027

Cerasa acidissima sanguinea succo

G.B.P. 450.a.

Prunus Cerasus γ. austera

L.Sp. 474.

Digitized by Hunt Institute for Botanical Documentation

Sativorum Cerasiorum (ii) acida et vulgaris. Immerling - Comm. 1028
forte Aproniana

Cerasa sativa, rotunda, rubra et acida, quae nostris Cerasus sativa.

G.B.P. 449.a.

Prunus Cerasus α. caproniana

L.Sp. 474.

✓ Sativorum Cerasiorum (iii) nigra, Wildvogel Kirschen Comm. 1028

Cerasus major et sylvestris, fructu subdulci, nigro colore
inficiente.

G.B.P. 450.a.

Prunus Cerasus γ. actiana

L.Sp. 474.

✓ Sativorum Berasionum (iv) ^{forte Juliana Pin.} Grossbuntkirschen Comm. 1028

Berasa crassa carne dura

C.B.P. 450. a.

Prunus Berasus L. Duracina

L.Sp. 475.

✓ Sativorum Berasionum (v.) dulcia, bessiana et besulana Comm. 1028

Berasa alba dulcia

C.B.P. 450. a.

Prunus Berasus L. dulcia

L.Sp. 474.

Digitized by Hunt Institute for Botanical Documentation

Sativorum Berasionum (6)

Comm. 1028.

Persica 1. Persica arbor

Comm. 1030.

N.K.T. cccxli; F. 341.

Persica molli carne et vulgaris, viridis et alba. C.B.P. 440. a.

Amygdalus Persica

L.Sp. 472.

Prunus Persica Stokes.

Persica 2.

Comm. 1030.

Persica 3.

Comm. 1030.

Persica succo quasi sanguinea

C.B.P. 440.2.

Digitized by Hunt Institute for Botanical Documentation

Persica 4.

Comm. 1030.

Persica aestiva Armeniaca similis, sive P. S. Johannis C.B.P. 440.6.

Citrea, seu Medica malus

Comm. 1031.

Malus medica

C.B.P. 435.2.

Citrus medica

L. Sp. 782.

Limon

Comm. 1022.

Malus limonia acida
Citrus medica β . Limon

G.B.P. 436. a.
L. Sp. 782.

Pomum Arantium, see Perantzius

Comm. 1035.

Malus Arantia major
Citrus Aurantium

G.B.P. 436. a.
L. Sp. 782.

Digitized by Hunt Institute for Botanical Documentation

Malus punica

Comm. 1036.

Malus punica sativa
Punica Granatum

G.B.P. 438. a.
L. Sp. 472.

Malus cotonea

Comm. 1039.

Mala cotonea minora
Pyrus Cydonia γ .

G.B.P. 434. a.
L. Sp. 480.

Malus

Comm. 1041.

G.K. ii. p. 61;

Bz. 283.

? Malus pumila, quae potius frutex quam arbor

G.B.P. 433.2.

Pyrus Malus

L.Sp. 479.

Pyrus

Comm. 1044.

? Pyrus sativa

G.B.P. 439.a.

Pyrus communis

L.Sp. 479.

Digitized by Hunt Institute for Botanical Documentation

Morus

Comm. 1047.

N.K.T. cccxcv;

F. 296.

Morus fructu nigro

G.B.P. 459.2.

Morus nigra

L.Sp. 986.

Ficus

Comm. 1049. ✓

N.K.T. ccccxixiv;

F. 433.

Ficus communis

G.B.P. 457.a.

Ficus carica

L.Sp. 1059.

Palma

Comm. 1052.

Palma major

G.B.P. 506.a.

Phoenix dactylifera

L.Sp. 1188.

Passulac

Comm. 1054.

Uvae passae minores, vel Passulac Corinthiacae

G.B.P. 299.a.

Vitis vinifera β . apyrena

L.Sp. 202.

Digitized by Hunt Institute for Botanical Documentation

Vitis vinifera

Comm. 1055.

N.K.T. xlv i ;

Br. 256; F. 46.

Vitis vinifera

G.B.P. 299.a.

Vitis vinifera

L.Sp. 202.

Labrusca

Comm. 1059.

Vitis sylvestris, Labrusca

G.B.P. 299.a.

Vitis Labrusca

L.Sp. 203.

Olea

Comm. 1060.

Olea sativa

C.B.P. 472.a.

Olea europaea

L.Sp. 8.

Laurus

Comm. 1063.

Laurus vulgaris

C.B.P. 460.b.

Laurus nobilis

L.Sp. 369.

Digitized by Hunt Institute for Botanical Documentation

Aquifolia Ruellii

Comm. 1066.

Ilex aculeata baccifera folis sinuato

C.B.P. 425.a.

Ilex Aquifolium

L.Sp. 125.

Buxus vulgaris l.

N.K.T. ccclxvi i 7366.

Comm. 1068.

Buxus arborescens

C.B.P. 471.a.

Buxus sempervirens α . arborescens

L.Sp. 983.

Chamaecypar

Comm. 1070.

Buxus rotundifolia

C.B.P. 471.a.

Buxus sempervirens B. suffruticosa

L.Sp. 983.

Taxus

Comm. 1070.

Taxus

C.B.P. 505.a.

Taxus baccata

L.Sp. 1040.

Digitized by Hunt Institute for Botanical Documentation

Sabina

Comm. 1071.

N.K.T. lxxxii; F. 82.

Sabina folio Tamarisci Dioscoridis

C.B.P. 487.a.

Juniperus Sabina ♂

L.Sp. 1039.

Juniperus vulgaris l.

Comm. 1073.

N.K.T. xliii; Br. 259; F. 43.

Juniperus vulgaris fruticosa

C.B.P. 488.a.

Juniperus communis

L.Sp. 1040.

Juniperus maior

Comm. 1074.

? Sedrus fol. cupressi maior fructu florescente

C.B.P. 487.a.

? Juniperus phoenicea

L.Sp. 1040.

Vitex

Comm. 1075.

Vitex foliis angustioribus cannabis modo dispositis

C.B.P. 475.a.

Vitex Agnus castus

L.Sp. 638.

Digitized by Hunt Institute for Botanical Documentation

Salix 1.

Comm. 1078.

N.K.T. clxxxviii; F. 190.

Salix vulgaris nigricans foliis non serrato

C.B.P. 473.a.

Salix purpurea

L.Sp. 1017.

Salix 2. (candido cortice)

Comm. 1078.

Salix fragilis

C.B.P. 474.a.

Salix fragilis

L.Sp. 1017.

Salix 3.

N.K.T. clxxxix ; F. 191.

Salix sativa lutea folio crenato

Salix vitellina

Comm. 1078.

G.B.P. 473. b.

L.Sp. 1016.

Salix 4.

Comm. 1078.

Salix folio ex rotunditate acuminato

Salix hastata

G.B.P. 474. b.

L.Sp. 1017.

Digitized by Hunt Institute for Botanical Documentation

Populus (alba) vulgaris 1.

Comm. 1080. ✓

Populus nigra

Populus nigra

G.B.P. 429. a.

L.Sp. 1034.

Populi albae alia species 2.

Comm. 1081.

Populus alba majoribus foliis

Populus alba

G.B.P. 429. a.

L.Sp. 1034.

Populus nigra

Comm. 1082.

Populus tremula

G.B.P. 429.6.

Populus tremula

L.Sp. 1034.

Alnus

Comm. 1084.

Alnus rotundifolia glutinosa viridis

G.B.P. 428.α.

Betula Alnus s. glutinosa

L.Sp. 983.

Digitized by Hunt Institute for Botanical Documentation

Ulmus procera 1.

Comm. 1086.

Ulmus campestris & Theophr.

G.B.P. 426.α.

Ulmus campestris

L.Sp. 825.

Ulmus lata 2.

Comm. 1086.

Ulmus montana

G.B.P. 427.6.

Amygdalus

Comm. 1089.

Amygdalus sativa

C.B.P. 441.a.

Amygdalus communis β.

L.Sp. 473.

Nux juglans

Comm. 1091.

N.K.T. ccxiii ; F. 215.

Nux juglans sive regia vulgaris

C.B.P. 417.a.

Juglans regia

L.Sp. 997.

Digitized by Hunt Institute for Botanical Documentation

Corylus sylvestris 1.

Comm. 1095.

N.K.T. ccxxiii ; F. 225.

Corylus sylvestris

C.B.P. 418.a.

Corylus Avellana

L.Sp. 998.

Corylus sativa 2.

Comm. 1095.

Corylus sativa fructu oblongo rubente

C.B.P. 418.a.

Corylus Avellana δ.

L.Sp. 999.

Rux vesicaria

Comm. 1097.

Pistacia sylvestris
Staphylea pinnata

G.D.P. 401.a.

L.Sp. 270.

Castanea

Comm. 1099.

Castanea sylvestris, quae peculiariter Castanea
Fagus Castanea

G.D.P. 419.a.

L.Sp. 997.

Digitized by Hunt Institute for Botanical Documentation

Quercus

Comm. 1101.

N.R. L. cxxix ; F. 129.

Quercus cum longo pediculo

G.D.P. 420.a.

Quercus Robur

L.Sp. 996.

Galla

Comm. 1105.

Fagus

Comm. 1106.

Fagus

C.B.P. 419. a.

Fagus sylvatica

L. Sp. 998.

Ornus

Comm. 1108.

Ostrya Ulmo similis fructu in umbilicis foliaceis C.B.P. 427. a.

Carpinus Betulus

L. Sp. 998.

Tilia sativa 1.

N.K.T. cccxcv; F. 492.

Tilia femina folio majore

Tilia europaea

Comm. 1110. ✓

G.B.P. 426.a.

L.Sp. 514.

Tilia sylvestris 2.

Comm. 1111.

Tilia femina folio minore

Tilia europaea 4.

G.B.P. 426-b.

L.Sp. 514.

Digitized by Hunt Institute for Botanical Documentation

Betula

Comm. 1112.

Betula

Betula alba

G.B.P. 427.a.

L.Sp. 982.

Pinus 1.

Comm. 1115.

Pinus sativa

Pinus Pinna

G.B.P. 491.a.

L.Sp. 1080.

Pinaster 2.

Comm. 1115.

Pinus sylvestris

G.B.P. 491.a.

Pinus sylvestris

L.Sp. 1000.

Abies rubra 1.

Comm. 1117.

Picea major prima, sive Abies rubra

G.B.P. 493.a.

Pinus Abies

L.Sp. 1002.

Digitized by Hunt Institute for Botanical Documentation

Abies candida 2.

Comm. 1117.

Abies alba sive foemina

G.B.P. 505.a.

Pinus Abies 4.

L.Sp. 1002.

Larix 3.

Comm. 1117.

N.K.T. cc/xxx ; 7.281.

Larix

G.B.P. 493.a.

Pinus Larix

L.Sp. 1001.

Larix decidua mill.

Feda 4.

Comm. 1118.

Fraxinus

Comm. 1121.

Fraxinus excelsior

C.B.P. 416. a.

Fraxinus excelsior

L.Sp. 1057.

Digitized by Hunt Institute for Botanical Documentation

Acer

Comm. 1122.

Acer campestre et minus

C.B.P. 431. b.

Acer campestre

L.Sp. 1055.

Platanus

Comm. 1124.

Acer montanum candidum

C.B.P. 430. a.

Acer Pseudo-Platanus

L.Sp. 1054.